

HINGHAM POLICE DEPARTMENT

Incident #: 15007496 Date: 2015-02-15 01:16:43 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECK

*

Incident #: 15007497 Date: 2015-02-15 01:29:14 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECK

*

Incident #: 15007501 Date: 2015-02-15 01:37:22 Type: BUILDING CHK

Location: EAST ELEMENTRY SCHOOL / 2 COLLINS ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECK

*

Incident #: 15007507 Date: 2015-02-15 02:29:42 Type: MV STOP

Location: HINGHAM COMMUTER BOATS & OFFICE / 26 SHIPYARD DR Disposition: LOG ENTRY INFO ()

Notes:

PARTY CHECKS OUT, JUST RESTING

*

Incident #: 15007508 Date: 2015-02-15 02:35:56 Type: DISTURB

Location: 235 OTIS ST Disposition: INVESTIGATED/ R (Y)

Notes:

CALLER REPORTS MALE SHE IS TAKING CARE OF HAS A KNIFE

Added by Update-and-Continue: More information to follow.

CALLER IS TAKING CARE OF THIS PERSON

CALLER IS IN THE LIVING ROOM

CALLER STATED MALE HAS SAID HE WAS GOING TO KILL

CALLER STATES THERE IS NO PLACE SHE CAN LOCK HERSELF IN

CALLER STATES MALE PARTYS WIFE IS UPSTAIRS

CALLER IS JUST A VISITING CARE TAKER

CALLER STATES MALE HAS 3 KNIFES

912 REQ FIRE TO RESPOND AND STAGE

CALLER STATES THE MALE IS CLOSE TO THE DOOR AND SHE CANNOT GET OUT

FIRE/RESCUE ADDED: MEDICAL AID

MALE IS NOW IN THE KITCHEN

MALE IS MR. EVENS

FRONT DOOR IS OPEN

STATION 2 UNITS ENROUTE

PER PD SCENE IS NOW SAFE STATION TO COMPANIES TO PROCEED STRAIT TO RES.

STATION 2 UNITS ON SCENE E2 WITH COMMAND

E2 REPORTS THIS WILL BE A MEDIC2 TRANSPORT

MED2 TO SSH W/ 1 E2 CLEAR RETURNING

E2 BIQ

MED2 OFF AT SSH

MED2 CLEAR SSH RETURNING

*

Incident #: 15007510 Date: 2015-02-15 03:00:09 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECK

*

Incident #: 15007511 Date: 2015-02-15 03:00:59 Type: BUILDING CHK

Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECK

*

Incident #: 15007512 Date: 2015-02-15 03:12:23 Type: BUILDING CHK

Location: FOSTER ELEMENTRY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECK

*

Incident #: 15007514 Date: 2015-02-15 03:28:54 Type: BUILDING CHK

Location: WOMPATUCK STATE PARK ADMIN BUILDING / 205 UNION ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECK

*

Incident #: 15007515 Date: 2015-02-15 03:29:34 Type: BUILDING CHK

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECK. MA/PC 623ZM4 PARKED IN THE BACK LOT

*

Incident #: 15007516 Date: 2015-02-15 03:43:24 Type: HAZARD SITN

Location: FORT HILL ST & SOUTH ST Disposition: AREA SEARCH NEG ()

Notes:

PARTY STOPPED OFFICER IN THE SQUARE AND RPTS A TREE IS LEANING, MAY FALL ONTO THE TRACKS.

Added by Update-and-Continue: More information to follow.
UNFOUNDED

*

Incident #: 15007518 Date: 2015-02-15 06:17:32 Type: PARK COMPLT

Location: FOLEY BEACH RD Disposition: SERVICES RENDER ()

Notes:

DPW REPORTS VEHICLE IN THE MIDDLE OF THE ROADWAY IMPEDING SNOW REMOVAL
9123 REPORTS MAKING CONTACT WITH THE OWNER AND HE WILL BE MOVING THE VEHICLE

*

Incident #: 15007521 Date: 2015-02-15 06:36:09 Type: ALARM RES

Location: 163 CENTRAL ST Disposition: APPEARS SECURE ()

Notes:

BACK DOOR AND KITCHEN ALARM
Added by Update-and-Continue: More information to follow.
UNABLE TO REACH RESIDENCE
UNITS CLEAR BY-LAW SLIP LEFT

*

Incident #: 15007522 Date: 2015-02-15 06:36:58 Type: 911 ACCIDENT

Location: HINGHAM LIGHT DEPARTMENT GARAG / 308 CUSHING ST Disposition: 911 ACCIDENTAL ()

Notes:

EMPLOYEE REPORTS BURNED BREAKFAST ROOM IS FILLED WITH SMOKE WASN'T SURE IF A
FIRE ALARM WAS GOING TO BE CALLED IN BY THE ALARM CO NO FIRE
Added by Update-and-Continue: More information to follow.

916 CONFIRMED ACCIDENTAL

*

Incident #: 15007523 Date: 2015-02-15 06:47:24 Type: INSP FIRE

Location: 9 COMMON ST Disposition: ()

Notes:

CALLER REPORTS HER HEATING EXHAUST PIPE FOR HER HOME IS COVERED IN SNOW. SHE CANNOT GET TO IT AS SHE IS ELDERLY

Q1 CLEAR RETURNING VENT HAS BEEN CLEARED HOMEOWNER CAN HANDLE FROM HERE ON OUT

*

Incident #: 15007526 Date: 2015-02-15 07:00:47 Type: MV DISABLED

Location: HINGHAM ROTARY / SUMMER ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS GREY MV STUCK IN THE ROTARY. WAS DRIVING BY COULD NOT STOP TO ASSIST

911 CALLER REPORTS THIS IS A BROWN NISSAN

THOMAS REQUESTED TO THE SCENE

VEHICLE FREED.

*

Incident #: 15007527 Date: 2015-02-15 07:05:11 Type: ALARM RES

Location: 3 SEAL COVE LN Disposition: APPEARS SECURE ()

Notes:

OUTSIDE DOOR AND FAMILY ROOM DOOR

APPEARS SECURE, BY-LAW SLIP LEFT.

*

Incident #: 15007528 Date: 2015-02-15 07:17:07 Type: ASST PUBLIC

Location: 10 ROCKWOOD RD Disposition: NO PD SERVICE R ()

Notes:

C3 REPORTS E-MAIL NOTIFICATION IN REGARDS TO BLOCKED GAS METER. WILL CHECK IT HIMSELF
REQUEST FOR POLICE: PATROL VOIDED
C3 OFF ON PORTABLE CHECKING THE GAS METER
C3 CLEAR

*

Incident #: 15007535 Date: 2015-02-15 08:28:33 Type: MEDICAL AID

Location: BRIDGES BY EPOCH / 1 SGT WM B TERRY DR #217 Disposition: SERVICES RENDER ()

Notes:

COMBATIVE RESIDENT ON THE FLOOR
Added by Update-and-Continue: More information to follow.
FROM: (2) BRIDGES BY EPOCH / 1 SGT WM B TERRY DR TO (2) BRIDGES BY EPOCH / 1 SGT ELDERLY FEMALE
91YOF
STATION 2 COMPANIES RESPONDING
SLID OFF THE BED, NO APPARENT INJURIES
CNA WITH HER NOW
AWAKE AND TALKING
STATION 2 COMPANIES ON SCENE ,E2 HAS COMMAND
911 ON SCENE WITH FIRE
COMMAND RPTS LIFT AND ASSIST ONLY, COMPANIES CLEAR AND COMMAND IS TERMINATED

*

Incident #: 15007537 Date: 2015-02-15 08:46:40 Type: MV DISABLED

Location: LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

OUT WITH A DMV.
REQUESTS THOMAS AUTO BODY.

*

Incident #: 15007539 Date: 2015-02-15 08:55:05 Type: ALARM RES

Location: 9 FULLING MILL LN Disposition: CANCELED BEFORE ()

Notes:

FAMILY ROOM SLIDER DOOR

Added by Update-and-Continue: More information to follow.

ACIDENTAL BY THE HOMEOWNER

PROPER PASSCODE TO ALARM COMPANY, HOMEOWNERS FATHER

*

Incident #: 15007544 Date: 2015-02-15 09:18:02 Type: CO ALARM W SYMP

Location: 101 HIGH ST Disposition: CANCELED BEFORE ()

Notes:

ALARM CO CALLED BACK AND STATED THEY WERE TESTING THE ALARM

STATION 3 COMPANIES CLEARED

REQUEST FOR FIRE/RESCUE: CHIEF VOIDED

*

Incident #: 15007548 Date: 2015-02-15 09:43:31 Type: TRAFFIC HAZ

Location: 61 VOLUSIA RD Disposition: SERVICES RENDER ()

Notes:

CALLER RPTS EVERYTIME THE PLOW DRIVER PLOWS THE ROAD WAY THE MALE AT 61 VOLUSIA

PLOWS HIS DRIVEWAY INTO THE STREET, ON GOING SITUATION

SEES NO HAZARD.

*

Incident #: 15007549 Date: 2015-02-15 09:55:40 Type: TRANSPORT

Location: 4 WOODBINE LN Disposition: TRANSPORTED TO ()

Notes:

CALLER IS A NURSE, NEEDS A RIDE TO THE HOSPICE HOUSE ON TURKEY HILL TO
PRONOUNCE A PATIENT

*

Incident #: 15007550 Date: 2015-02-15 10:05:23 Type: ASST PUBLIC

Location: 93 HERSEY ST Disposition: CANCELED BEFORE ()

Notes:

911 CALLER REPORTS SHE CANNOT OPEN HER BACK DOOR TO SHOVEL
Added by Update-and-Continue: More information to follow.
SHE NEEDS ASSISTANCE OPENING THE DOOR
FROM: OFF REQUEST TO ASST PUBLIC
POLICE FROM: OFF REQUEST TO ASST PUBLIC
FIRE/RESCUE ADDED: ASST PUBLIC
CALLERS MOTHER IS ELDERLY AND CALLER IS CONCERNED THAT IF THER WAS AN EMERGENCY
SHE WOULDNT BE ABLE TO GET OUT
NO EMERGENCY AT THIS TIME
E2 CLEAR

*

Incident #: 15007554 Date: 2015-02-15 10:31:20 Type: DPW

Location: HEMLOCK RD Disposition: REFERRED TO OTH ()

Notes:

CALLER IS A MSP LT ON CALL, ASKING THAT THE DPW PLOW THE ROAD WHEN THEY HAVE A
CHANCE

*

Incident #: 15007557 Date: 2015-02-15 11:09:12 Type: ALARM COMM

Location: SPIRITO ENVIROMENTAL SERVICES / 43 FRESH RIVER AV Disposition: ACCID/DEFECT/BU ()

Notes:

SHOP ENTRY AND EXIT MOTION
Added by Update-and-Continue: More information to follow.

915 RPTS THAT HE SPOKE TO CJ WHO STATED THAT HE SENT THE MECHANIC THERE.

*

Incident #: 15007559 Date: 2015-02-15 11:21:58 Type: WELL BEING CK

Location: 22 OLD COUNTY RD Disposition: SERVICES RENDER ()

Notes:

CALLER CONCERNED FOR HER 73YO BOYFRIEND, SHE HAS BEEN UNABLE TO REACH HIM BY PHONE FOR 45 MIN. REQ A WELL BEING CHECK AT HIS RESIDENCE AND HAVE HIM CALL HER

Added by Update-and-Continue: More information to follow.

NO ANSWER AT RESIDENCE OR CELL PHONE

Added by Update-and-Continue: More information to follow.

914 MALE IS OUTSIDE CLEANING HIS YARD.

CALLER NTFD.

*

Incident #: 15007562 Date: 2015-02-15 11:35:43 Type: GAS INSIDE

Location: HINGHAM LIGHT DEPT / 350 LINCOLN ST Disposition: REFERRED TO OTH ()

Notes:

SUITE 100, INSIDE ODOR

STATION 1 AND STATION 2 RESPONDING

CALLER REPORTS NATIONAL GRID WAS THERE YESTERDAY AND THE ODOR HAS SINCE RETURNED, BUILDING WILL BE EVACUATING

NATIONAL GRID NTFD AND ETA ABOUT AN HOUR

STATION 2 COMPANIES ON SCENE, E2 HAS COMMAND

BUILDING MANAGER HAS BEEN NTFD

C3 REPORTS MED2 HAS BEEN RELEASED

C3 AND Q1 ON SCENE

C3 IS LINCOLN ST COMMAND

COMMAND REPORTS COMPANIES SEARCHING FOR THE GAS SERVICE, BURIED UNDER THE SNOW JOHN FLATLEY BUILDING,

NATIONAL GRID ON SCENE

NATIONAL GRID IS ATTEMPTING TO LOCATE THE GAS SERVICE WITH MAPS, SHUTTING DOWN SERVICE FROM THE STREET. E2 AND Q1 IN SERVICE FROM THE SCENE

MAINTENANCE EN ROUTE AND ETA 5 MIN OUT,

Q1 CLEAR,
Q1 CLEAR

C3 REPORTS NATIONL GRID UNCOVERED A GAS LEAK AND WILL USING A BACKHOE TO UNCOVER SERVICE, C3 AND E2 REMAINING ON SCENE

E2 REQUESTING THE PLUMBING INSPECTOR

PLUMBING INSPECTOR MCPHERSON WILL BE RESPONDING AS SOON AS HE SHOVELS OUT.

E2 REPORTS ABLE TO EXPOSE THE GAS, BREAK AT THE GAS METER, AND ISSUE WITH THE ROOFTOP UNIT

PLUMBING INSPECTOR ON SCENE.

E2 CLEAR, NATIONAL GRID FOUND A COUPLE GAS LEAKS, THEY WILL BE FITTING THEM AND

E2 CLEAR

*

Incident #: 15007564 Date: 2015-02-15 11:43:47 Type: TRAFFIC HAZ

Location: POPES LN Disposition: REFERRED TO OTH ()

Notes:

CALLER REPORTS THE END OF HER STREET HAS NOT BEEN PLOWED, MESSAGE LEFT FOR DPW.

INCIDENT CLOSED

*

Incident #: 15007566 Date: 2015-02-15 11:44:59 Type: DPW

Location: 16 BEACH LN Disposition: REFERRED TO OTH ()

Notes:

CALLER RPTS THAT THE DPW HAS NOT PLOWED HIS STREET. CALLER ADVISED THAT WE WOULD ATTEMPT TO NOTIFY THEM. MESSAGE LEFT FOR THE DPW.

*

Incident #: 15007565 Date: 2015-02-15 11:45:21 Type: MEDICAL AID

Location: 170 ROCKLAND ST #5 Disposition: REFERRED TO OTH ()

Notes:

6 YO WITH A LEGO STUCK IN HIS EAR, NO BLEEDING NO PAIN

Added by Update-and-Continue: More information to follow.

E4, MED2 EN ROUTE

E4 ON SCENE, E4 HAS COMMAND

MED2 ON SCENE

E4 RPTS WILL BE A TRANSPORT

E4 RPTS WILL BE A MED2 TRANSPORT, COMPANIES WORKING

MEDIC 2 RPTS TRANSPORTING BLS TO SSH WITH FAMILY MEMBER ON BOARD.

MED2 ON ARRIVAL AT THE SSH

*

Incident #: 15007567 Date: 2015-02-15 11:53:41 Type: SUSP ACTIVITY

Location: 8 HAWTHORNE RD Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS SOMEONE KNOCKED ON HER DOOR AND SAID HE SNOW BLOWED HER DRIVEWAY BY MISTAKE, AND IS ASKING FOR MONEY. CALLER ASKED HIM TO LEAVE, AND HE DID.

CALLER STATES HE ALSO LEFT A NOTE ON HER DOOR WITH HIS PHONE NUMBER A COUPLE DAYS AGO. HE IS WEARING A BLACK JACKET AND HAT, HISPANIC MALE, STATED HIS NAME WAS MARCOS.

Added by Update-and-Continue: More information to follow.

CALLER CANT SEE WHERE HE WENT

HE CLAIMED HES A FRIEND OF A NEIGHBORS

CALLER BELIEVES THIS TO BE SUSPICIOUS

911 SPOKE TO MARCOS AND IT IS WAS A GPS ERROR. 911 TO ADVISE THE CALLER.

*

Incident #: 15007572 Date: 2015-02-15 12:13:20 Type: MVC MINOR

Location: PROSPECT ST & UPLAND DR Disposition: MVC PAPER EXCHA ()

Notes:

GREEN RANGE ROVER, CALLER REPORTS HITTING A PLOW TRUCK, PLOW IS STILL ON SCENE

Added by Update-and-Continue: More information to follow.

STATES HE DID NOT APPEAR TO BE INJURED

916 IN THE AREA ATTEMPTING TO LOCATE THE VEHICLE

STATION 3 COMPANIES ON SCENE

FROM: (2) PROSPECT ST TO (2) PROSPECT ST & UPLAND DR

916 RPTS ASSISTING IN THE PAPER EXCHANGE.
FROM MVC UNK INJURY TO MVC MINOR

*

Incident #: 15007575 Date: 2015-02-15 12:26:07 Type: BUILDG COLLAPSE

Location: SOUTH HINGHAM DEVELOPMENT TR. / 150 RECREATION PK DR Disposition: REFERRED TO OTH
()

Notes:

GENERAL WATERFLOW

REQUEST FOR POLICE: PATROL VOIDED

REQUEST FOR FIRE/RESCUE: CHIEF VOIDED

C1 AND Q1 EN ROUTE, STATION 3 COMPANISE ON DELAYED RESPONSE, EXITING FROM
NORWELL SIDE OF PROSPECT ST

C1 AND E3 ON SCENE, MED3 TO STAGE AT PILGRIM ARENA

C1 REPORTS BUILDING COLLAPSE, REQUESTING BUILDING COMMISSONER,

C1 REPORTS 1 STORY WAREHOUSE 50X200, APPROX, 20-30 FEET COLLAPSED, UNOCCUPIED

MESSAGE LEFT ON DEPUTY OLSSON CELL PHONE, MESSAGE LEFT ON HOME PHONE.

Added by Update-and-Continue: More information to follow.

FROM: FALARM COMM TO BUILDG COLLAPSE

POLICE FROM: FALARM COMM TO BUILDG COLLAPSE

FIRE/RESCUE FROM: FALARM COMM TO BUILDG COLLAPSE

REQUEST FOR POLICE: PATROL VOIDED

BLDG COMMISSIONER WILL BE EN ROUTE

DEPUTY OLSSON NTFD.

HINGHAM LIGHT NTFD

NATIONAL GRID, AQUARION, HINGHAM LIGHT, NTFD

BUILDING MAY BE OWNED BY UNITED ELEVATOR,

NATIONAL GRID NTFD WITH AN UPDATE, STATE TECH IS ENROUTE.

E3 CLEARED, C1 TO REMAIN ON SCENE AWAITING AGENCIES TO ARRIVE

E3 HAS BEEN RELEASED

E3 REPORTS OWNERS SON ON SCENE

HINGHAM LIGHT ON SCENE AND WILL BE CUTTING THE POWER TO THE BUILDING

NATIONAL GRID ON SCENE

C-1 RPTS THAT THE GAS HAS BEEN SHUT OFF TO THE UNITED ELEVATOR SECTION OF THE
BUILDING AND THE POWER HAS BEEN CUT TO THE ENTIRE BUILDING.

BLDG COMMISSIONER CLANCY ON SCENE

AQUARION WATER ON SCENE

HINGHAM C2 CLEAR

C1 CLEAR, COMMAND IS TERMINATED, UTILITIES SHUT,GAS COMPANY AND BUILDING

COMMISSIONER TO REMAIN ON SCENE

*

Incident #: 15007577 Date: 2015-02-15 12:42:23 Type: CO ALARM N SYMP

Location: 40 MIDDLE ST Disposition: SERVICES RENDER ()

Notes:

CO ALARM GOING OFF, EVERYONE IS ALREADY OUT OF THE HOUSE SHOVELING.

NO SYMPTOMS

Added by Update-and-Continue: More information to follow.

BELIEVE THAT THEY BLOCKED THEIR VENT WHICH SET IT OFF, THEY WILL BE STANDING BY FOR FIRE.

BLOCKED EXHAUST VENTS, CLEARED THE VENTS,

METER SHOWED POSITVE READING AND WILL BE VENTILATING THE HOUSE, HOUSE HAS BEEN VENTILATED, ZERO READINGS, C3 CLEAR

*

Incident #: 15007578 Date: 2015-02-15 12:45:56 Type: WIRES CALL

Location: 29 CUSHING AV Disposition: REFERRED TO OTH ()

Notes:

DOWNED WIRE AT THE END OF DRIVEWAY. NOT SURE IF ITS ELECTRICAL.

911 RPTS THAT HE DROVE BY THAT AND IT LOOKED LIKE A PHONE WIRE.

CABLE WIRE SECURED TO THE POLE

*

Incident #: 15007580 Date: 2015-02-15 12:47:56 Type: WATER LEAK OUTS

Location: 19 BEACH RD Disposition: SERVICES RENDER ()

Notes:

CALELR BELIEVES THERE IS A WATER MAIN BREAK AT THIS LOCATION WATER IS BUBBLING

FROM THE GROUND

E4 REQUESTING AQUARION, WATER MAIN BREAK

AQUARION WATER NTFD.

911 RPTS BEACH LANE HAS NOT BEEN PLOWED, DPW NTFD.

ENGINE 4 RPTS THAT THEY WERE ABLE TO GET THE CATCH BASIN OPEN WITH THE RESIDENTS AND THE WATER IS RUNNING INTO THE CATCH BASIN, CLEAR.

*

Incident #: 15007582 Date: 2015-02-15 13:11:30 Type: DPW

Location: CARLETON RD Disposition: REFERRED TO OTH ()

Notes:

927 RPTS SURROUNDING STREETS HAVE NOT BEEN PLOWED.
DPW NTFD.

*

Incident #: 15007583 Date: 2015-02-15 13:18:12 Type: FALARM RES DAY

Location: 771 MAIN ST Disposition: SERVICES RENDER ()

Notes:

GENERAL FIRE ALARM COMING IN.
OWNER REPORTS SOMETHING BUMPED AGAINST SMOKE DETECTOR
C3, MED3 TO HANDLE
COMPANEIS CLEAR, CONFIRMED ACCIDENTAL

*

Incident #: 15007585 Date: 2015-02-15 13:33:56 Type: PARK COMPLT

Location: 116 NORTH ST Disposition: SERVICES RENDER ()

Notes:

TRAFFIC HAZARD WITH PEOPLE PARKING IN FRONT OF THE SNOW BANKS.
Added by Update-and-Continue: More information to follow.
911 RPTS VEHICLES ARE FAR ENOUGH OFF TO THE SIDE OF THE ROAD THAT TWO VEHICLES CAN GET BY.

*

Incident #: 15007590 Date: 2015-02-15 13:53:34 Type: DISPUTE

Location: 6 CAPE COD LN Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS HIS NEIGHBOR PLOWING SNOW ACROSS THE STREET ONTO HIS PROPERTY, CALLER HAS ASKED THE NEIGHBOR NOT TO DO IT BUT HE CONTINUES TO DO IT, IS MAKING THE DRIVEWAY INCREASING DIFFICULT TO ACCESS

Added by Update-and-Continue: More information to follow.

ASKING FOR AN OFFICER TO COME AND SPEAK TO THE NEIGHBOR IF THE SNOW IS NOT WHERE IS ACCEPTABLE

ALL PARTIES SPOKEN TO.

*

Incident #: 15007592 Date: 2015-02-15 13:59:52 Type: FALARM RES DAY

Location: 1501 TUCKERS LN Disposition: REFERRED TO OTH ()

Notes:

Added by Update-and-Continue: More information to follow.

FIRE ALARMS GOING OFF.

NO SMOKE, NO FIRE.

FROM: (2) HINGHAM WOODS SALES AND RENTAL / 201 TUCKERS LN #1501 TO (2) HINGHAM W

FROM: (2) HINGHAM WOODS / null TO (2) HINGHAM WOODS SALES AND RENTAL / 201 TUCK

UNIT 1506 JUST CALLED IN REPORTING SAME.

FROM: (2) HINGHAM WOODS SALES AND RENTAL / 201 TUCKERS LN TO (2) 1501 TUCKERS LN

E2 REPORTS ACCIDENTAL BY COOKING ,ATTEMPTING TO RESET THE SYSTEM, MED2

CANCELLED,

E2 REPORTS SYSTEM RESET

*

Incident #: 15007594 Date: 2015-02-15 14:01:49 Type: GAS OUTSIDE

Location: SOUTH SHORE LOBSTER / 44 SHIPYARD DR Disposition: SERVICES RENDER ()

Notes:

CALELR REPORTS SMELLING NATURAL GAS FROM THIS LOCATION

REQUEST FOR POLICE: PATROL VOIDED
E4 REPORTS SIGNIFICANT ODOR, NATIONAL GRID HAS BEEN NTFD AND EN ROUTE,
REQUESTING KEYHOLDER TO THE SCENE, UNABLE TO GET INSIDE REQUESTING OWNER TO THE
SCENE

NATIONAL GRID ON SCENE
WILL BE UTILIZING A SNOW REMOVAL VEHICLE
PLUMBING INSPECTOR MCPHERSON ON SCENE
GAS COMPANY NEEDS THE OWNER TO RESPOND
E2 RPTS BREAK IN THE LINE FOUND, REQ THE PLUMBING INSP BACK TO THE SCENE.
LEAK FOUND ON THE LOW PRESSURE SIDE. GAS COMPANY ABLE TO SECURE THE LINE.
AWAITING ADDITIONAL INDIVIDUALS TO REPSOND IN. ENGINE 4 IN SERVICE AT THE
SCENE. COMMAND TERMINATED
PLUMBING INSPECTOR ON SCENE
ENGINE 4 CLEAR GAS INSPECTOR WILL BE REMOVNG THE METER

*

Incident #: 15007597 Date: 2015-02-15 14:05:21 Type: FALARM COMM

Location: 1501 TUCKERS LN Disposition: DUPLICATE CALL ()

Notes:

1501 - 1506 TUCKERS LANE, ZONE 1 GENERAL FIRE
Added by Update-and-Continue: More information to follow.
INCIDENT CLOSED

*

Incident #: 15007599 Date: 2015-02-15 14:06:39 Type: MV DISABLED

Location: S PLEASANT ST Disposition: SERVICES RENDER ()

Notes:

CAR IN THE MIDDLE OF THE ROAD BLOCKING THE PLOWS FROM PLOWING. MA 6793KD.
Added by Update-and-Continue: More information to follow.
VEHICLE IS IN THE YARD.

*

Incident #: 15007604 Date: 2015-02-15 14:23:00 Type: GAS OUTSIDE

Location: 115 SUMMER ST Disposition: SERVICES RENDER ()

Notes:

CALLER IS NOT A GAS CUSTOMER, HIS PLOW PERSON REPORTS A STRONG SMELL OF GAS IN THE AREA

Added by Update-and-Continue: More information to follow.
REQUEST FOR POLICE: PATROL VOIDED
NATIONAL GRID NTFD

*

Incident #: 15007609 Date: 2015-02-15 14:30:47 Type: DPW

Location: 21 S BRADFORD RD Disposition: LOG ENTRY INFO ()

Notes:

CALLER STATES HER STREET NEEDS TO BE PLOWED, SHE HAS A DOCTORS APPT TOMORROW AND WILL NEED TO GET OUT. MESSAGE LEFT FOR DPW.

*

Incident #: 15007607 Date: 2015-02-15 14:32:05 Type: FALARM RES DAY

Location: 12 HARBOR VIEW DR Disposition: REFERRED TO OTH ()

Notes:

CALLER RPTS THAT HER CO DETECTORS AND THE FIRE ALARMS ARE GOING OFF. THEY HAVE EVACUATED THE BUILDING.
C3 ON SCENE
C3 REQUESTING Q1 TO STAGE AT STATION 2
Q1 AT THE STAGING AREA
NOTHING SHOWING WILL BE DOING A WALK THROUGH WITH THE HOMEOWNER, Q1 IN SERVICE AVAILABLE
NEGATIVE READINGS WITH THE GAS METER, C3 AND Q1 CLEAR,

*

Incident #: 15007608 Date: 2015-02-15 14:32:37 Type: ALARM COMM

Location: ROCKET MEDICAL / 150 RECREATION PK DR #1 Disposition: ACCID/DEFECT/BU ()

Notes:

BACK DOORS

Added by Update-and-Continue: More information to follow.

ACCIDENTAL.

*

Incident #: 15007611 Date: 2015-02-15 14:38:38 Type: NOTIFICATION

Location: 112 NOKOMIS RD Disposition: ()

Notes:

911 CALLER REPORTS HER STREET HAS NOT BEEN PLOWED. NO EMERGENCY RIGHT NOW.

DPW NTFD.

INCIDENT CLOSED

*

Incident #: 15007612 Date: 2015-02-15 14:44:54 Type: FIRE INVEST

Location: 191 OLD DERBY ST Disposition: REFERRED TO OTH ()

Notes:

CALLER SAYS INSIDE THE HOUSE GAP OPENING UP AROUND CROWN MOLDING SEAMS OF WALLS
CRACKING CANT OPEN FRONT DOOR, FRAME IS BOWED.

HER AND 13 YO SON WILL BE OUTSIDE UNTIL FIRE DEPT ARRIVES.

MAY NEED TO GRAB SOME ITEMS

BUILDING COMMISSIONER EN ROUTE

C1 ON LOCATION AND HAS COMMAND

STATION 3 COMPANIES ON SCENE

C1 CLEAR, RESIDENTS ARE NOT ABLE TO STAY IN THE RESIDENCE PER THE BUILDING

COMMISSIONER. UNITS ARE ASST RES GETTING SOME BELONGINGS.

*

Incident #: 15007613 Date: 2015-02-15 14:45:26 Type: NOTIFICATION

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: REFERRED TO
OTH ()

Notes:

CALLER REQUESTS THAT THE POLICE STOP PRIVATE CONTRACTORS FROM PLOWING SNOW ONTO THE ROAD. OIC NTFD.

ALL HINGHAM UNITS WERE NTFD.

*

Incident #: 15007620 Date: 2015-02-15 15:57:40 Type: DPW

Location: 292 WHITING ST #C Disposition: LOG ENTRY INFO ()

Notes:

RESIDENT REPORTS HIS STREET HAS NOT BEEN PLOWED YET. MESSAGE LEFT FOR DPW
DPW WILL SEND SOMEONE OUT.

*

Incident #: 15007621 Date: 2015-02-15 16:01:53 Type: MV DISABLED

Location: SUMMER ST Disposition: SERVICES RENDER ()

Notes:

RED TOYOTA COROLA BY THE ROTARY STUCK IN A SNOW BANK
OIC NOTIFIED
ADDITIONAL CALL FROM MA ENVIROMENTAL PD. ADVISED PD ENROUTE
REQUESTING THOMAS. ADVISED TO COME INTO THE ROTARY VIA THE HULL SIDE KILBY ST
THOMAS ENROUTE
VEHICLE IS ON ITS WAY. 918 REQUESTS STATE HIGHWAY BE NOTIFIED TO PLOW THE AREA.
MASSDOT NOTIFIED

*

Incident #: 15007628 Date: 2015-02-15 16:35:15 Type: WIRES CALL

Location: 16 RHODES PL Disposition: NO PD SERVICE R ()

Notes:

ICE FALLEN ONTO POWER LINES LINES ARE ARCHING NOW
Added by Update-and-Continue: More information to follow.

REQUEST FOR POLICE: PATROL VOIDED
ICE REMOVED FROM THE LINES, E2 CLEAR

*

Incident #: 15007630 Date: 2015-02-15 16:57:09 Type: FIRE CHIMNEY

Location: 106 WEIR ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPROTS FIRE FROM THE TOP OF HIS CHIMNEY
STATES HE HAD A FIRE GOING IN THE FIRE PLACE
HOUSE IS BEING EVACUATED
CALLER STATS HE WAS OUTSIDE SHOVELING AND SAW FLAME FROM THE CHIMNEY

REQUEST FOR POLICE: PATROL VOIDED
REQUEST FOR FIRE/RESCUE: ENGINE VOIDED
REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED
ALL OUT ORDERED
GOOD INTENT CALL, NO ISSUE AT THIS TIME. ALL UNITS CLEAR

*

Incident #: 15007632 Date: 2015-02-15 17:01:02 Type: ALARM COMM

Location: 38 NORTH ST Disposition: APPEARS SECURE ()

Notes:

GLASS BREAK IN THE STOCK ROOM
KEYHOLDER MARY NOON RESPONDING, ETA FROM COHASSET 10-15 MIN, SILVER NISSAN
PATHFINDER
ALL APPEARS IN ORDER UNIT CLEAR

*

Incident #: 15007633 Date: 2015-02-15 17:03:44 Type: FALARM RES DAY

Location: 3002 HOCKLEY DR Disposition: LOG ENTRY INFO ()

Notes:

FIRE ALARM ACTIVATION GNERAL FIRE

FROM: (2) 3001 HOCKLEY DR TO (2) 3001-3010 HOCKLEY DR
ALARM COMPANY STATES 3001 TO 3010 HOCKLEY DR
STATES AT 3002 ELDERLY FEMALE PUT PANS IN THE OVEN AND TURNED THE OVEN ON AND
THE APT IS FILLED WITH SMOKE
FROM: (2) 3001-3010 HOCKLEY DR TO (2) 3002 HOCKLEY DR
REQUEST FOR FIRE/RESCUE: ENGINE VOIDED
REQUEST FOR FIRE/RESCUE: CHIEF VOIDED
CALLER REPORTS 3007 ELDERLY FEMALE WHO IS STILL INSIDE HER APARTMENT

FROM: FALARM COMM TO FALARM RES DAY
POLICE FROM: FALARM COMM TO FALARM RES DAY
FIRE/RESCUE FROM: FALARM COMM TO FALARM RES DAY
REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED
REQUEST FOR POLICE: PATROL VOIDED
COMMAND TERMINATED ALL UNITS CLEAR
INCIDENT CLOSED

*

Incident #: 15007634 Date: 2015-02-15 17:14:21 Type: TRAFFIC HAZ

Location: QUEEN ANNS CORNER / MAIN ST Disposition: LOG ENTRY INFO ()

Notes:

914 REPORTS TRAFFIC LIGHT AT QUEEN ANNES CORNER IS DISLODGED AND HANGING
REQUESTING MASS DOT
911 CALLER REPORTING THE SAME
NORWELL CLERK ADVISED THEY RECIVED A CALL AS WELL
MASS DOT NOTIFIED ENROUTE

*

Incident #: 15007640 Date: 2015-02-15 17:24:58 Type: ALARM COMM

Location: 340 ROCKLAND ST Disposition: APPEARS SECURE ()

Notes:

MAIN DOOR ALARM AT WEIR RIVER PUMPING STATION
Added by Update-and-Continue: More information to follow.

*

Incident #: 15007642 Date: 2015-02-15 17:29:31 Type: ASST PUBLIC

Location: 38 NORTH ST Disposition: APPEARS SECURE ()

Notes:

915 FLAGGED DOWN WILL BE CHECKING THE PROPERTY
REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

*

Incident #: 15007643 Date: 2015-02-15 17:48:28 Type: ELEC PROB INSD

Location: 24 WOODLOCK RD Disposition: SERVICES RENDER ()

Notes:

THIRD PARTY CALLER, CALLER STATES SHE HAD SOME WATER LEAKING ON SOME WIRE IN
HER HOME AND SMELLED LIKE BURNING RUBBER
Added by Update-and-Continue: More information to follow.
ADVISED TO WAIT OUTSIDE
CALLER STATED NO PHONE SERVICE TO THE HOME
CALLER WAS THE HOMEOWNER'S MOTHER AND WILL BE TEXTING HER DAUGHTER TO EVACUATE
THE HOME

Added by Update-and-Continue: More information to follow.
C3 RPTS NOTHING SHOWING, C3 HAS COMMAND
WIRE INSP REQ TO THE SCENE, INSP BENNETT ETA 10-15 MED 2 IN SERVICE.
C3 RPTS WATER IS COMING IN FROM THE DECK AND HAS WET WIRES CAUSING THE FUSE
PANEL TO POP.
WIRE INSP ON SCENE, ALL UNITS AVAILABLE
C3 RPTS UNITS WILL BE TIED UP PULLING SOME CEILINGS AND ASSISTING THE WIRE
INSP. UNITS TIED UP 20 MINS
ALL UNITS CLEAR COMMAND TEMINATED.

*

Incident #: 15007644 Date: 2015-02-15 17:52:22 Type: ALARM COMM

Location: SHOE MARKET / 94 DERBY ST Disposition: APPEARS SECURE ()

Notes:

GENERAL GLASS BREAK ALARM

Added by Update-and-Continue: More information to follow.

ALL SECURE

*

Incident #: 15007645 Date: 2015-02-15 18:01:51 Type: MV COMPLNT

Location: MICHAEL RD & RICHARD RD Disposition: SERVICES RENDER ()

Notes:

BLACK TRUCK BLOCKING THE RD
LANDSCAPING TRUCK. LOOKS LIKE WORK BEING DONE AT END OF RD. 914 WILL HEAD DOWN
TO SPEAK WITH THEM
914 SPOKE TO OWNER. WILL MOVE THE TRUCK

*

Incident #: 15007650 Date: 2015-02-15 18:47:38 Type: ANIMAL CALL

Location: 19 LANTERN LN Disposition: CANCELED BEFORE ()

Notes:

CALLER CALLED 911 REPORTS HER DOG IS SEIZING
Added by Update-and-Continue: More information to follow.
CALLER REPORTS DOG IS BREATHING AND RESPONDING SHE WILL BE BRINGING IT TO THE
VCA

*

Incident #: 15007659 Date: 2015-02-15 19:17:07 Type: HARASSMENT

Location: THE QUARRY RESTAURANT / 415 WHITING ST Disposition: INVESTIGATED/ R (Y)

Notes:

Added by Update-and-Continue: More information to follow.
CALLED IN BY THE DESK..OWNER TO REPORT HARASSMENT ISSUES
914 REQUESTS 2 IRs FOR THIS INCIDENT. HARRASMENT TO INCLUDE OWNER AND
BARTENDER. UNIT CLEAR

*

Incident #: 15007665 Date: 2015-02-15 19:49:11 Type: ALARM COMM

Location: 35 POND PK RD Disposition: CANCELED BEFORE ()

Notes:

REAR DOOR ALARM SUITE 14
ALARM COMPANY VERIFIED ACCIDENTAL ATTEMPTING TO CANCEL
INCIDENT CLOSED

*

Incident #: 15007666 Date: 2015-02-15 20:00:55 Type: MEDICAL AID

Location: LINCOLN SCHOOL APARTMENTS / 86 CENTRAL ST #301 Disposition: SERVICES RENDER ()

Notes:

70 YOF FALLEN ON THE FLOOR
Added by Update-and-Continue: More information to follow.
DOOR IS LOCKED
E2 RPTS LIFT ASST, CO'S CLEAR

*

Incident #: 15007668 Date: 2015-02-15 20:10:04 Type: HARASSMENT

Location: THE QUARRY RESTAURANT / 415 WHITING ST Disposition: INVESTIGATED/ R (Y)

Notes:

SEE CAD# 15007659

*

Incident #: 15007671 Date: 2015-02-15 20:41:53 Type: MEDICAL AID

Location: 140 HIGH ST Disposition: SERVICES RENDER ()

Notes:

89 YOM WITH A CUT ON HIS FACE
Added by Update-and-Continue: More information to follow.

UNKNOWN HOW IT GOT THERE

FROM: (2) 140 HIGH ST #APT RIGHT FL APT RIGHT TO (2) 140 HIGH ST
PT SIGN OFF, UNITS CLEAR

*

Incident #: 15007680 Date: 2015-02-15 22:00:01 Type: MEDICAL AID

Location: SOUTH SHORE SPORTS CENTER / 55 RECREATION PK DR #UNIT B FL UNIT B Disposition:
SERVICES RENDER ()

Notes:

30 YOM POKED IN THE EYE AND NOW CANNOT SEE OUT OF

*

Incident #: 15007682 Date: 2015-02-15 22:27:57 Type: MV DISABLED

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: SERVICES RENDER ()

Notes:

PLOW TRUCK IN NEED OF A TOW.
THOMAS ENROTE

*

Incident #: 15007688 Date: 2015-02-15 23:22:26 Type: GAS INSIDE

Location: 3 PALMERS LN Disposition: SERVICES RENDER ()

Notes:

INSIDE ODOR OF GAS,
Added by Update-and-Continue: More information to follow.
HOUSE IS BEING EVACUATED
ODOR HAS BEEN IN THE HOME FOR ABOUT 10-15 MIN
NO ONE IS FEELING SICK AT THIS TIME
C3 REQUESTING NAT GRID
NATIONAL GRID NOTIFIED ETA WITHIN THE HOUR

*

Incident #: 15007690 Date: 2015-02-15 23:30:56 Type: SUSP VEHICLE

Location: 2 PINECREST RD Disposition: GONE ON ARRIVAL ()

Notes:

caller reports a vehicle parked at the end of her driveway for the past 10 minutes caller could not give a description of the vehicle
GOA

*

Incident #: 15007693 Date: 2015-02-15 23:49:41 Type: MV DISABLED

Location: CLUBHOUSE DR Disposition: SERVICES RENDER ()

Notes:

911 CALLER REPORTS 2 VEHICLE STUCK IN THE SNOW

*

Incident #: 15007695 Date: 2015-02-15 23:52:23 Type: FALARM RES NGHT

Location: 111 HMS FITZROY DR #UNIT 103 FL UNIT 103 Disposition: NO PD SERVICE R ()

Notes:

FIRE ALARM ACTIVATION NO SMOKE NO FIRE
Added by Update-and-Continue: More information to follow.
REQUEST FOR POLICE: PATROL VOIDED
COMPANIES INVESTIGATING WATER FLOW ON THE 2ND FLOOR
COMMAND REQUESTING WIRING INSPECTOR TO THE SCENE
WI NOTIFIED AND ENROUTE
COMMAND REPORTING SPRINKLER SYSTEM TO 1/2 THE BUILDING IS SHUT DOWN. ALSO
REQUESTING BI TO THE SCENE
BI CLANCY NOTIFIED ENROUTE TO THE SCENE
WI BENNETT ON SCENE
COMMAND REPORTS LOCATING BROKEN SPRINKLER PIPE IN A WATER CLOSET
COMMAND REPORTS 2ND FLOOR SPRINKLER SYSTEM IS ISOLATED. REMAINDER OF THE
BUILDING IS BACK UP AND RUNNING MED2 IN SERVICE AT THE SCENE
COMMAND RELEASING ALL COMPANIES EXCEPT FOR ENGINE 2
BUILDING COMM GIVEN MNGMT CO INFO, COMMAND TERMINATED

*

Incident #: 15007696 Date: 2015-02-15 23:56:29 Type: SUSP VEHICLE

Location: ALLERTON HOUSE AT HARBOR PARK / 15 CONDITO RD Disposition: UNFOUNDED ()

Notes:

CALLER REPORTS THERE TO BE A JEEP DRIVING ERRATICALLY IN THE PARKING LOT SAME STATES THE VEHICLE IS OCCUPIED MORE THAN X2 AND THE MALES ARE YELLING

mid shift will take the call. oic advised.

VEHICLE UNFOUNDED WILL CHECK FOSTER SCHOOL

*

Incident #: 15007697 Date: 2015-02-16 00:07:30 Type: ALARM RES

Location: 5 MELVILLE WK Disposition: CANCELED BEFORE ()

Notes:

BASEMENT MEDIA MOTION CALLED IN BY THE ALARM CO

Added by Update-and-Continue: More information to follow.

GIVEN TO OIC FOR DISPATCH

ALARM CO CONFIRMED ACCIDENTAL WITH THE HOMEOWNER REQUESTS TO CANCEL

INCIDENT CLOSED

*

Incident #: 15007699 Date: 2015-02-16 00:40:15 Type: TRANSPORT

Location: AJ'S GULF / 179 LINCOLN ST Disposition: TRANSPORTED TO ()

Notes:

912 TRANSPORTING MALE FROM AJS TO 30 THAXTER

*

Incident #: 15007704 Date: 2015-02-16 00:49:36 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECK

ALL SECURE

*

Incident #: 15007709 Date: 2015-02-16 00:55:12 Type: MV STOP

Location: CUSHING ST & OLD COUNTY RD Disposition: VERBAL WARNING ()

Notes:

CLEAR VERBAL

*

Incident #: 15007730 Date: 2015-02-16 03:27:07 Type: ALARM COMM

Location: 175 DERBY ST #20 Disposition: APPEARS SECURE ()

Notes:

FRONT DOOR ALARM

914 REPORTS OPEN FRONT DOOR. 13 AND 14 MAKING ENTRY TO INVESTIGATE

EVERYTHING CHECKS OUT INSIDE. DOOR SECURED. BYLAW SLIP LEFT. UNITS CLEAR

*

Incident #: 15007733 Date: 2015-02-16 03:30:51 Type: MV DISABLED

Location: DERBY ST ON RAMP TO RT 3 NORTH Disposition: LOG ENTRY INFO ()

Notes:

913 REPORTS TRACTOR TRAILER STUCK ON THE ON RAMP TO 3 NORTH. MASS STATE POLICE NOTIFIED

*

Incident #: 15007753 Date: 2015-02-16 06:30:19 Type: PARK COMPLT

Location: TEDESCHI FOOD SHOPS # 175 / 340 ROCKLAND ST Disposition: SERVICES RENDER ()

Notes:

CLERK RPTS A MV IS PARKED IN HIS LOT BLOCKING ACCESS
Added by Update-and-Continue: More information to follow.
911 ENROUTE TO 6 CHESTNUT TO ATTEMPT TO CONTACT OWNER
OWNER REACHED. LOOKING TO HAVE IT TOWED BY THOMAS. THOMAS PAGED
UNIT CLEAR THOMAS CAN TAKE THE VEHICLE AT ITS DESCRTION
THOMAS WILL BE ENROUTE.

*

Incident #: 15007756 Date: 2015-02-16 06:41:28 Type: TRAFFIC HAZ

Location: QUEEN ANNS CORNER / MAIN ST Disposition: LOG ENTRY INFO ()

Notes:

CALLER REPORTS THE LIGHTS AT QUEEN CORNER IS OUT AND ONE OF THEM IS HANGING.
INCIDENT CLOSED
MASS HIGHWAY ADVISED MULTIPLE TIMES
MASS HIGHWAY STATES THEY ARE ENROUTE

*

Incident #: 15007776 Date: 2015-02-16 08:17:09 Type: GAS INSIDE

Location: 30 POND PK RD Disposition: SERVICES RENDER ()

Notes:

BUILDING IS EVACUATED TO BEST TO OF CALLER KNOWLEDGE, STRONG ODOR OF GAS INSIDE
E3 ON SCENE, BUILDING APPEARS EVACUATED. WILL BE INVESTIGATING
COMMAND REQUESTS NATIONAL GRID
NATIONAL GRID WILL BE THERE IN THE HOUR.
C3 WILL BE ASSUMING POND PK COMMAND.
COMMAND REPORTS C49, Q1 CLEAR RETURNING
GAS CO ALL SET WITH FD SERVICES, READINGS OF ZERO NOW IN THE BUILDING.
COMMAND TERMINATED ALL CO'S CLEAR

*

Incident #: 15007780 Date: 2015-02-16 08:41:58 Type: WATER LEAK INS

Location: 7 MARTINS COVE RD Disposition: SERVICES RENDER ()

Notes:

BURST PIPE IN THE MASTER BEDROOM
PIPE HAS BEEN TURNED OFF. WILL BE AVAILABLE IN APPROX 10 MINS
REQUEST FOR POLICE: PATROL VOIDED
E2 REPORTS PROBLEM RECTIFIED, E2 CLEAR TO QRTRS

*

Incident #: 15007784 Date: 2015-02-16 08:51:21 Type: FALARM COMM

Location: HMS WHITAKER LN & BUILDING 26 Disposition: SERVICES RENDER ()

Notes:

BUILDING 26. GARAGE HEAT ALARM.
Added by Update-and-Continue: More information to follow.
FROM: ALARM COMM TO FALARM COMM
POLICE FROM: ALARM COMM TO FALARM COMM
FIRE/RESCUE ADDED: FALARM COMM
HINC1 REPORTS OFF ON SCENE. REPORTS HAVE HULL ENGINE STAND BUY AT THE OLD BUILDING 19
HULC2 AND HULE1 HAVE BEEN ADVISED TO STAGE AT THE OLD BUILDING 19.
MED 2 REPORTS ALARMS SOUNDING. REPORTS LOCALIZED AT THIS TIME. ALARMS WERE INSTALLED LAST WEEK.
COMMAND REQUESTS TO CANCEL HULL CO'S
COMMAND REPORTS MED2 WILL HANDLE, ALARM TECH WITH THEM. AVAILABLE FROM THE SCENE
139 WHITTAKER HAD A FAULTY HEAD, CO'S CLEAR. ALARM TECH ON SCENE

*

Incident #: 15007788 Date: 2015-02-16 09:06:54 Type: PARK COMPLT

Location: MASSA PRODUCTS CORP / 280 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.
THERE IS NO PHONE NUMBER FOR OWNER. 917 REPORTS BUSINESS WILL HAVE TO HAVE IT TOWED.

*

Incident #: 15007789 Date: 2015-02-16 09:07:40 Type: TRAFFIC HAZ

Location: 700 MAIN ST Disposition: SERVICES RENDER ()

Notes:

HIGHWAY REPORTS THAT A SNOW PLOW IS PLOWING SNOW INTO THE STREET.
PLOW DRIVER IS GOA. THE ROAD IS CLEAR.

*

Incident #: 15007791 Date: 2015-02-16 09:09:48 Type: ALARM COMM

Location: BABY GAP / 94 DERBY ST Disposition: SERVICES RENDER ()

Notes:

REAR DOOR ALARM.
912 REPORTS IT IS A DELIVERY DRIVER.
912 REPORTS IT WAS THE GAP STORE. MANAGERS IS SPEAKING TO A;ARM COMPANY. BY
LAWS HAVE BEEN LEFT.

*

Incident #: 15007792 Date: 2015-02-16 09:11:21 Type: TRAFFIC HAZ

Location: QUEEN ANNS CORNER / MAIN ST Disposition: REFERRED TO OTH ()

Notes:

TRAFFIC LIGHT DANGLING BY ONE WIRE ON THE PLAZA AZTECA SIDE.
326 REPORTS 322 WILL STAND BY FOR JOSEPH.
***** DISREGUARD ABOVE COMMENTS*****
MASS DHY NTFD, CALL REFERED TO THIER ELECTRICAL DIVISION.
INCIDENT CLOSED

*

Incident #: 15007796 Date: 2015-02-16 09:37:33 Type: MV STOP

Location: OLD DERBY ST Disposition: CITATION ISSUED ()

Notes:

915 OUT ON MV STOP.

SAME REPORTS CLEAR WITH A CITATION.

*

Incident #: 15007797 Date: 2015-02-16 09:38:57 Type: CO ALARM N SYMP

Location: 10 GOLF VIEW DR Disposition: SERVICES RENDER ()

Notes:

CALLER RPTS HIS CO DETECTOR IS STATING THAT THERE IS CARBON MONOXIDE LEVEL IS UP TO 400. PARTIES ARE IN THEIR 80'S AND WILL TRY TO MAKE IT TO THEIR VEHICLE. CALLER RPTS THAT THEY ARE HAVING NO SYMPTOMS. FIRE ON SCENE CO FROM A CAR WARMING UP IN THE GARAGE. HOME VENTELATED. COMPANIES CLEAR AND RETURNING.

*

Incident #: 15007801 Date: 2015-02-16 09:50:31 Type: ALARM RES

Location: 143 SUMMER ST Disposition: SERVICES RENDER ()

Notes:

FRONT OR KITCHEN DOOR
Added by Update-and-Continue: More information to follow.
ALARM COMPANY TO ATTEMPT KEYHOLDER
911 REPORTS IT WAS AN ACCIDENTAL.

*

Incident #: 15007803 Date: 2015-02-16 10:03:26 Type: MVC MINOR

Location: BEAL ST & TUCKERS LN Disposition: INVESTIGATED/ R (N)

Notes:

945 REPORTS MV MINOR . NEED THOMAS FOR ONE. NO FIRE.
FROM: (2) FOTTLER RD TO (2) BEAL ST & FOTTLER RD
Added by Update-and-Continue: More information to follow.
FROM: (2) BEAL ST & FOTTLER RD TO (2) BEAL ST & TUCKERS LN
THOMAS AUTO WILL BE DELAYED COMING FROM HULL.

THOMAS ENROUTE.

*

Incident #: 15007806 Date: 2015-02-16 10:17:16 Type: ALARM COMM

Location: JOSEPH A BANKS / 94 DERBY ST #240 Disposition: APPEARS SECURE ()

Notes:

FRONT CEILING MOTION ALARM IS COMING IN.

*

Incident #: 15007807 Date: 2015-02-16 10:18:44 Type: FIRE INVEST

Location: 110 THISTLE PATCH WY Disposition: SERVICES RENDER ()

Notes:

THINKS HER ROOF MIGHT COLLASPE

Added by Update-and-Continue: More information to follow.

C3 REQUESTS BLDG INSP TO RESPOND

BLDG INSP CLANCY APPROX 30 MIN ETA. ALL FIRE UNITS CLEAR, RESIDENT WILL AWAIT

THE BLDG INSP

*

Incident #: 15007822 Date: 2015-02-16 11:37:46 Type: ALARM RES

Location: 4 LILY POND LN Disposition: FALSE/ACCIDENTA ()

Notes:

ENTRY/EXIT GARAGE DOOR

Added by Update-and-Continue: More information to follow.

917 out on SCENE

917 REPORTS ACCIDENTAL

*

Incident #: 15007833 Date: 2015-02-16 12:36:21 Type: MEDICAL AID

Location: BERTUCCI'S RESTAURANT / 90 DERBY ST Disposition: SERVICES RENDER ()

Notes:

EMPLOYEE SLIPPED AND FELL HIT HER HEAD
Added by Update-and-Continue: More information to follow.
STILL ONTHE FLOOR, NO LOC
SLIPPED ON A RUG
NO NAUSEA NO VOMITING
60 YOF, DIABETIC, ATE TODAY TOOK HER MEDS, PARTY SAT UP ON HER OWN
914 REPORTS FEMALE APPEARS FINE AND SHE IS AT THE FRONT DOOR AWAITING THE FIRE
DEPT

*

Incident #: 15007837 Date: 2015-02-16 13:03:17 Type: MEDICAL AID

Location: ALLERTON HOUSE AT HARBOR PARK / 15 CONDITO RD #159 Disposition: SERVICES RENDER ()

Notes:

ELDERLY FEMALE EXTREMELY WEAK, PALE, UNABLE TO WALK.
Added by Update-and-Continue: More information to follow.
NURSE IS ON SCENE WITH THE PATIENT.
FIRE TRANSPORTING

*

Incident #: 15007842 Date: 2015-02-16 13:12:50 Type: WELL BEING CK

Location: 45 MIDDLE ST Disposition: SERVICES RENDER ()

Notes:

CHECK FOR MA REG 15245 IN DRIVEWAY FEMALE OWNER MADE Q5 STATEMENTS
BRAintree POLCE REPORTS FEMALE LEFT NOTES AND HAS BEEN SAYING BY TO FRIENDS
BPD REPORTS THIS WAS SEVERAL HOURS OLD WHEN IT WAS REPORTED TO THEM
FEMALES MV NOT AT THAT LOCATION

*

Incident #: 15007845 Date: 2015-02-16 13:23:24 Type: POLICE INFO

Location: BATHING BEACH / 95 OTIS ST Disposition: SERVICES RENDER ()

Notes:

CHECKING THE BATHING BEACH
KIDS GOA

*

Incident #: 15007846 Date: 2015-02-16 13:30:36 Type: PROPERTY DAMAGE

Location: 10 KIMBALL BEACH RD Disposition: SERVICES RENDER (Y)

Notes:

CALLER RPTS THAT HER FENCE IS DAMAGED BY SOMEONE EITHER SHOVELING OR SNOW
BLOWING SNOW ONTO IT AND SHE WOULD LIKE TO SPEAK TO AN OFFICER.
OUT SPEAKING TO THE CALLER
SPOKE WITH BOTH PARTIES AND THEY HAVE AGREED TO WORK IT OUT

*

Incident #: 15007848 Date: 2015-02-16 13:33:03 Type: FIRE INVEST

Location: 21 COLONIAL RD Disposition: NO PD SERVICE R ()

Notes:

LIGHT DEPARTMENT REQUESTING FIRE CHECK A BURNED METER SOCKET. WIRE INSPECTOR IN
ROUTE, WANTS FD TO CHECK IN THE HOUSE., METER PULLED.
Added by Update-and-Continue: More information to follow.
THERE IS NO FIRE HERE AT THE METER, THERE IS SOME CHARRING, WILL BE ONSCENE
WAITING ARRIVAL OF WIRE INSPECTOR.
FIRE DEPT ON SCENE NO POLICE NEEDED
WIRING INSPECTOR BENNET WILL HEAD OVER AFTER HE IS DONE AT THE OTHER CALL AT 21
COLONIAL
DISREGARD ABOVE NOTES
E3 REPORTS CLEAR INSPECTOR BENNET HEADING TO E2 LOCATION

*

Incident #: 15007853 Date: 2015-02-16 13:43:21 Type: TRAFFIC HAZ

Location: 131 CHIEF JUSTICE CUSHING HWY Disposition: SERVICES RENDER ()

Notes:

MASS DOT REPORTS MALE HERE IS PUSHING SNOW OUT ONTO RTE 3A.

917 ON SCENE

RESIDENT IS AWARE HE HAS TO REMOVE THE SNOW FROM THE ISLAND

*

Incident #: 15007856 Date: 2015-02-16 13:48:24 Type: MVC MINOR

Location: ROCKLAND TRUST COMPANY / 100 SGT WM B TERRY DR #SE SECTOR FL SE SECTOR Disposition: SERVICES RENDER ()

Notes:

SMALL FENDER. NO ONE HURT.

Added by Update-and-Continue: More information to follow.

915 ON SCENE

954 REPORTS NOT PLOWED AT THE SECTION OF THE STREET

PAPER EXCHANGE

*

Incident #: 15007857 Date: 2015-02-16 13:53:12 Type: WATER LEAK INS

Location: 66 SOUTH ST #FLR 2 FL FLR 2 Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS HOT WATER POURING THROUGH HER CEILING FROM THE 3RD FLOOR ENTER THROUGH THE FOWER SHOP

954 ON SCENE FROM HIS DETAIL

911 RESPONDING

GAS HAS BEEN TURNED OFF AND WATER HAS BEEN TURNED OFF FOR THE TIME BEING.

REQUESTS PLUMBING INSPECTOR AND WIREING INSPECTOR

WIRING INSPECTOR BENNET WILL HEAD OVER AFTER FINISHED AT 21 COLONIAL RD.

PLUMBING INSP MCPHERSON ETA 10 MINS

FIRE APPERTUS OFF THE ROAD 911 IS CLEAR

*

Incident #: 15007858 Date: 2015-02-16 13:56:46 Type: TEST

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: TEST 911 CALL ()

Notes:

TTY TEST COMPLETE

INCIDENT CLOSED

*

Incident #: 15007860 Date: 2015-02-16 14:00:03 Type: LOCK IN OUT

Location: 190 OLD DERBY ST #202 Disposition: SERVICES RENDER ()

Notes:

CALLER RPTS THAT THERE ARE PEOPLE SHOVELING THE ROOF AND NOBODY IN THE BUILDING
CAN GET OUT BECAUSE THE DOORS ARE BLOCKED BY SNOW.

914 ON SCENE

914 SPOKE WITH THE WORKERS AND THEY WILL SHOVEL THWE WALKS

MAINTENANCE WILL HANDLE, QUINT 1 CLEAR.

*

Incident #: 15007864 Date: 2015-02-16 14:22:39 Type: TRANSPORT

Location: OCEAN KAI RESTAURANT / 300 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

TRANSPORTING A MALE TO 61 RHODES CIRCLE
TO 76 RHODES CIRCLE

*

Incident #: 15007875 Date: 2015-02-16 14:49:19 Type: WATER LEAK INS

Location: 7 MARTINS COVE RD Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.

UPSTAIRS WATER PIPES BURST UP STAIRS.

BELEIVES IT IS TO THE HEATING SYSTEM.

911 ON SCENE

WATER SHUT OFF BY THE RESIDENT BUT WATER STILL LEAKING INTO THE 1ST FLOOR

FIRE TO HANDLE

E4 REPORTS PROBLEM APPEARS TO BE ISOLATED E4 CLEAR RETURNING

*

Incident #: 15007876 Date: 2015-02-16 14:51:16 Type: FALARM BOX

Location: BOX 7717/ NINETY NINE RESTAURANT & PUB Disposition: SERVICES RENDER ()

Notes:

ZONE 1 FIRE ALARM COMING IN.

Added by Update-and-Continue: More information to follow.

ALSO CALLED IN BY THE FIRE ALARM CO. GENERAL FIRE.

CAPT POWERS ON SCENE AND REPORTS A BROKEN PIPE NO FIRE AT THIS TIME

DIVERTED TO MED AID

REQUEST FOR FIRE/RESCUE: CHIEF VOIDED

REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED

C-3 REQUESTS THE WIRING INSPECTOR AND THE BOARD OF HEALTH.

BOA CHAPMAN WILL HAVE SOME ONE OUT RIGHT AWAY.

FROM: (2) BOX 7717/ 428 LINCOLN ST TO (2) BOX 7717/ NINETY NINE RESTAURANT & PUB

WIRING INSPECTOR BENNETT RESPONDING.

BOARD OF HEALTH AND WIRING INSP ON SCENE

C3 REPORTS COMPANIES CLEAR RETURNING, SPRINKLER SYSTEM IS OUT OF SERVICE. 99

WILL CONTACT THE SPRINKLER COMPANY. THEY WILL CALL WHEN IT IS ALL SET TO HAVE

THE ALARM RESET

*

Incident #: 15007877 Date: 2015-02-16 14:52:55 Type: MEDICAL AID

Location: 86 CENTRAL ST #SUIT 101 FL SUIT 101 Disposition: SERVICES RENDER ()

Notes:

FEMALE SHORT OF BREATH, 90 YOA. COMUNITY ROOM.

Added by Update-and-Continue: More information to follow.

CALL DISCONNECTED BEFORE MEDICAL INSTRUCTIONS COULD BE GIVEN.

HIN917

917 ON SCENE

917 IS CLEAR

ENGINE 2 RPTS THAT THIS WILL BE A MEDIC 2 TRANSPORT.

*

Incident #: 15007879 Date: 2015-02-16 14:57:25 Type: WIRES CALL

Location: HIGHFIELD RD & MAIN ST Disposition: REFERRED TO OTH ()

Notes:

CALLER REPORTS ON THE SOUTH BOUND SIDE, A TREE APPEARS TO BE ON THE WIRES, NO SMOKE OR FIRE, MAY BE A TREE WITH SNOW ON IT,. CALLER NO LONGER ON SCENE,

Added by Update-and-Continue: More information to follow.

ON 228

E2 REPORTS LARGE TREE HANGING ON CABLE WIRES, REQUEST DPW TO BE NOTIFIED

DPW EN ROUTE

E3 REPORTS CLEAR, NO IMMEDIATE HAZARD

914 REPORTS TREE LEANING HEAVILY ON THE LINES

901 MAIN ST

DPW REPORTS THIS IS HOW THE TREE IS NORMALLY AND IS ALL SET. THE WILL CHECK ON IT AGAIN DURING THE NIGHT.

*

Incident #: 15007880 Date: 2015-02-16 15:00:35 Type: MV DISABLED

Location: 49 ROCKLAND ST Disposition: INVESTIGATED/ R (Y)

Notes:

915 REPORTS HE IS OUT WITH A DMV AND REQUESTS THOMAS TO TOW/THOMAS ENROUTE COMPLAINT TO FOLLOW

*

Incident #: 15007881 Date: 2015-02-16 15:19:19 Type: MV DISABLED

Location: HINGHAM ROTARY / SUMMER ST Disposition: UNFOUNDED ()

Notes:

SP NORWELL REPORTS A DMV AT THE ROTARY

NO DMV AT THE ROTARY ADVISED CHECK WITH SCITUATEN RT 3A

CHECKING WEIR ST FOR SP AND DMV

ANOTHER CALL FROM THE OPERATOR STATES THIS IS A STATE CRUISER IN THE MIDDLE OF THE ROAD JUST UP FROM THE ROTARY TWDS COHASSET

*

Incident #: 15007882 Date: 2015-02-16 15:23:10 Type: POLICE INFO

Location: COLBERTS LANDING BLDG / 208 LINDEN PONDS WY #401 Disposition: SERVED IN HAND ()

Notes:

912 OFF WITH SECURITY WITH PAPERWORK

*

Incident #: 15007883 Date: 2015-02-16 15:25:02 Type: MV DISABLED

Location: CHIEF JUSTICE CUSHING HWY & ROCKWOOD RD Disposition: SERVICES RENDER ()

Notes:

SP NORWELL REPORTS DMV BY WEIR ST

FROM: (2) WEIR ST TO (2) CHIEF JUSTICE CUSHING HWY

SP NORWELL NO REPORTS THE DMV IS THEIR TROOPER 911 ADVISED

THOMAS NOTIFIED TYO TOW MA REG 15RG80

911 REPORTS MV WAS NOT A SP CRUISER

THOMAS EN ROUTE

FROM: (2) CHIEF JUSTICE CUSHING HWY TO (2) CHIEF JUSTICE CUSHING HWY & ROCKWOOD

MV TOWED

*

Incident #: 15007895 Date: 2015-02-16 16:09:06 Type: NOTIFICATION

Location: STAGECOACH RD Disposition: LOG ENTRY INFO ()

Notes:

CALLER REPORTING STAGECOACH RD IS VERY NARROW DUE TO SNOWBANKS. HE HAS ALREADY
SPOKEN TO THE DPW DIRECTLY, WOULD JUST LIKE IT LOGGED THAT THE ROAD IS STILL IN
BAD CONDITION.

*

Incident #: 15007896 Date: 2015-02-16 16:11:56 Type: ALARM COMM

Location: BRIGHT HORIZONS DAY CARE CENTE / 168 SHIPYARD DR Disposition: FALSE/ACCIDENTA ()

Notes:

ZONE 2 FRONT PARENTS ENTRY DOOR AND ZONE 3 RECEPTION ENTRY MOTION

Added by Update-and-Continue: More information to follow.

TOM DOOGAN ON SITE, DID NOT PROVIDE PROPER PASSCODE

OIC ADVISED/ROLLCALL

911 OUT ON SCENE

MA REG 9396HX IN THE LOT AND HAS ENTERED THE PROPER PASCODE

*

Incident #: 15007897 Date: 2015-02-16 16:13:41 Type: FALARM RES DAY

Location: AVALON AT HINGHAM SHIPYARD / 111 HMS FITZROY DR Disposition: NO PD SERVICE R ()

Notes:

GENERAL FIRE ALARM

Added by Update-and-Continue: More information to follow.

ALARM CO WORKING ON KEYHOLDER

REQUEST FOR FIRE/RESCUE: CHIEF VOIDED

REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

FROM: FALARM COMM TO FALARM RES DAY

POLICE FROM: FALARM COMM TO FALARM RES DAY

FIRE/RESCUE FROM: FALARM COMM TO FALARM RES DAY

C3 REPORTS STATION 2 COMPANIES TO HANDLE

911 ADVISED

E2 REPORTS WATER COMING OFF 3RD FLOOR BALCONY COMPANIES INVESTIGATING

E2 REPORTS ODOR OF GAS REQ NATIONAL FOR ODOR OF GAS

NATIONAL GRID REPORTS 30 MIN ETA

NATIONAL GRID ON SCENE

E2 REPORTS ANOTHER POSSIBLE LEAK ON THE 2ND FLOOR, INVESTIGATING IN UNIT 207

E2 REQ C4 BE NOTIFIED SHUTTING OFF SPRINKLER SYSTEM DUE TO SPRINKLER HEADS

POPPING ON BALCONYS

MESSAGE LEFT FOR C4

E2 REPORTS THIS ADDRESS CURRENTLY HAS NO SPRINKLER SYSTEM COMPANIES STANDING BY

COMPANIES STANDING BY WAITING FOR SPRINKLER SYSTEM TO DRAIN

E2 REPORTS ANOTHER ODOR OF GAS REQUESTING NATIONAL GRID BACK TO THE SCENE

NATIONAL GRID NOTIFIED AND RESPONDING

E2 REPORTS NATIONAL GRID HAS REPAIRED GAS LEAKS MAINTNENCE WILL HANDLE REMAINDER OF REPAIRS AND ARE AWAITING SPRINKLER COMPANY AND ALARM COMPANY WILL BE ON SCENE UNTIL REPAIRS ARE COMPLETE COMPANIES CLEAR

*

Incident #: 15007899 Date: 2015-02-16 16:25:50 Type: MVC MINOR

Location: 19 CHARLES ST Disposition: INVESTIGATED/ R ()

Notes:

CAR VS PLOW
Added by Update-and-Continue: More information to follow.
CALLED IN BY DPW
UNKNOWN INJURY
POLICE UNITS ON SCENE
E3 REPORTS COMPANIES CLEAR WITH PT REFUSALS
FROM MVC UNK INJURY TO MVC MINOR

*

Incident #: 15007900 Date: 2015-02-16 16:28:47 Type: YOUTH COMPLNT

Location: BATHING BEACH / 95 OTIS ST Disposition: SERVICES RENDER ()

Notes:

STATE POLICE NORWELL REPORTS KIDS PLAYING ON THE SNOW MOUNDS HERE AND THE PARENTS ARE USING THE EXIT TO ENTER DUE TO THERE NOT BEING A SAW HORSE THERE
Added by Update-and-Continue: More information to follow.

911 TO MAKE AN ANNOUNCEMNT TO CAVTE THE AREA/ DPW NOTIFIED AND REPORT MV OPER MOVING THE BARRICADES TO ENTER
INCIDENT CLOSED
SP CLEARED A MV OUT AND 911 IS CLEAR

*

Incident #: 15007904 Date: 2015-02-16 16:50:32 Type: PD INVEST

Location: POLICE STATION INCIDENTS ONLY / 212 CENTRAL ST Disposition: INVESTIGATED/ R (Y)

Notes:

PARTY IN STATION TO SPEAK TO AN OFFICER REGARDING AN INCIDENT IN WEYMOUTH

*

Incident #: 15007906 Date: 2015-02-16 17:01:48 Type: PARK COMPLT

Location: 170 OTIS ST Disposition: UNFOUNDED ()

Notes:

CALLER CANT GET PLOWED OUT BECUASE THERE HAS BEEN AN SUV PARKED IN THE STREET ACROSS FROM HER HOME. PLOW CAN NOT GET IN. PLOW DRIVER IS WAITING NOW. RESIDENT IS ELDERLY AND HAS BEEN STUCK IN THE HOUSE FOR A WEEK. THIS IS ALSO A SAFETY ISSUE.

MV IN QUESTION PARKED OFF THE ROADWAY ON PRIVATE PROPERTY/ NO PLOW TRUCK WAS ON SCENE AND THE VEHICLE IS NOT IMPEDING THE NEIGHBORS SNOW REMOVAL/ MESSAGE LEFT AT PLOW CO/CALLER TO CALL HPD BACK REGARDING THIS ISSUE

*

Incident #: 15007912 Date: 2015-02-16 17:28:02 Type: MEDICAL AID

Location: BRIDGES BY EPOCH / 1 SGT WM B TERRY DR Disposition: SERVICES RENDER ()

Notes:

80 Y/O M CHANGE IN MENTAL STATUS, SEATED IN CUSHING HOUSEHOLD LIVING ROOM CLEAR Q1 REPORTS THIS WILL BE A MEDIC 3 TRANSPORT MEDIC 3 SOUTH SHORE HOSPITAL ALS

*

Incident #: 15007916 Date: 2015-02-16 17:58:28 Type: LOCK IN OUT

Location: 35 NORTH ST Disposition: SERVICES RENDER ()

Notes:

RESIDENT IN STATION REPORTS LOCK OUT OF THE RESIDENCE 913 ON SCENE 913 REPORTS HE IS DIVERTING TRAFFIC AT NORTH ST AND STATION ST IF THE FIRE DEPT

NEEDS HIM AT THE SCENE

ENTRY GAINED

913 CLEAR FIRE DEPT MADE ENTRY INTO THE REISDENCE

*

Incident #: 15007920 Date: 2015-02-16 18:51:21 Type: MV DISABLED

Location: BANK OF AMERICA ATM / 211 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

CALLERS 450 DUMP TRUCK IS STUCK IN THE SNOW, NEEDS A TOW. HE IS IN THE MIDDLE
OF THE ROAD AT THE INTERSECRTION

Added by Update-and-Continue: More information to follow.

FORD F450

REUQETS THOMAS TO TOW

THOMAS TO NOTIFY A BIGGER WRECKER

THOMAS AUTO SENT ALLMAKE

TRUCK TOWED TO THAMAS BY ALLMAKE AND TOWN TAXI SENT FOR THE DRIVER AT PANERA
BREAD

*

Incident #: 15007922 Date: 2015-02-16 18:58:46 Type: MVC MINOR

Location: SUMMER ST & WATER ST Disposition: SERVICES RENDER ()

Notes:

CAL;LER REPORTS REAR END MV CRASH AND HER NECK HURTS

MVS PULLED INOT THE MOBILE STATION

913 ON SCENE

Q1 REPORTS VEHICLES APPEAR TO BE IN SUNOCCO STATION

HINQ1 CANCELLED RESCUE 1 FROM HULL. NO PI'S

Q1 CLEAR, NO FIRE SERVICE NEEDED

913 REPORTS MA REG 946WZ6 VS MA REG PNC/ NO PI

913 REPORTS THIS WILL BE A PAPER EXCHANGE

FROM MVC INJURIES TO MVC MINOR

*

Incident #: 15007924 Date: 2015-02-16 19:17:40 Type: MVC MINOR

Location: LINCOLN ST & THAXTER ST Disposition: INVESTIGATED/ R ()

Notes:

VEHICLE HIT A PLOW AND ANOTHER CAR CRASHED INTO THEM. IN THE MIDDLE OF THE INTERSECTION
MED 2 REPORTS VEHICLE FLED THE SCENE 2000'S MODEL SILVER JEEP CHEROKEE WITH BLACK STRIPE ON BOTTOM
OLDER MALE OPERATOR
LEFT THE SCENE TOWARDS HULL
913 REPORTS MA REG 291WH1 FLED THE SCENE
COHASSET NOTIFIED
E2 REPORTS NO TRANSPORT COMPANIES CLEAR RETURNING
COHASSET ADVISED HEAVY DRIVERS SIDE FRONT END DAMAGE
COHASSET PD OFF AT 550 JERUSALME RD AND ADVISED HIM COMPAIN TO ISSUE FROM MVC UNK INJURY TO MVC MINOR

*

Incident #: 15007926 Date: 2015-02-16 19:19:38 Type: FIRE INVEST

Location: NINETY NINE RESTAURANT & PUB / 428 LINCOLN ST Disposition: ()

Notes:

TECH FROM THE SPRINKLER SYSTEM REQUESETING THE FIRE DEPT TO FILL THE SPRINKLER, NON EMERGENT
TOWN TAXI NOTIFIED TO RESPOND TAKE OPER TO N ST HULL
E2 REPORTS THAT THE ALARM HAS BEEN RESET

*

Incident #: 15007927 Date: 2015-02-16 19:20:56 Type: DPW

Location: LINCOLN ST Disposition: LOG ENTRY INFO ()

Notes:

MASS HWY NOTIFIED FOR RT. 3A, ROADS ARE BECOMING SLIPPERY.

*

Incident #: 15007937 Date: 2015-02-16 21:27:23 Type: FIRE BLDG STRUC

Location: 222 PROSPECT ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS A FIRE IN HER HOUSE, UNKNOWN SOURCE, HOUSE EVACUATED

Added by Update-and-Continue: More information to follow.

914 ON SCENE

E3 ON SCENE E3 WILL HAVE PROSPECT COMMAND

C3 ON SCENE ASSUMING PROSPECT COMMAND

E3 REPORTS ELECTRICAL SMELL NO SMOKE NO FIRE INVESTIGATING

E3 REPORTS SMOKE CONDITION ON 2ND FLOOR

COMMAND REQ WIRING INSPECTOR

WI BENNET 10-15 MIN ETA

E2 REPORTS ODOR OF GAS. COMMAND REQ NATIONAL GRID TO THE SCENE

NATIONAL GRID NOTIFIED 30 MIN ETA

WIRING INSP. ON SCENE

COMMAND RELEASING E2

FIRE DEPT REMAINING ON SCENE TO INVESTIGATE

NATIONAL GRID ON SCENE

COMMAND TERMINATED ALL UNITS AVAILABLE

*

Incident #: 15007939 Date: 2015-02-16 21:51:59 Type: TEST

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: LOG ENTRY INFO ()

Notes:

TEST TTY CALL COMPLETE.

*

Incident #: 15007940 Date: 2015-02-16 22:07:20 Type: CO ALARM N SYMP

Location: 3 FOLEY BEACH RD Disposition: SERVICES RENDER ()

Notes:

CALLER STATES CO ALARMS GOING OFF, WIFE HAS A COLD BUT NO OTHER SYMPTOMS

Added by Update-and-Continue: More information to follow.

THEY WILL WAIT OUTSIDE

E2 REPORTS THAT CO SHOWING IN THE HOUSE INVESTIGATING POSSIBLE BLOCKED VENT TO

THE BURNER

E2 REPORTS HOUSE DOWN TO 0 READINGS. HOMEOWNER WILL HAVE MAINTENCE COME IN TO SERVICE BURNER AND GAS FIRE PLACE 0 READINGS WHILE THEY ARE OPERATING AT THIS TIME. COMPANIES CLEAR RETURNING

*

Incident #: 15007942 Date: 2015-02-16 22:37:43 Type: PD INVEST

Location: 19 FORT HILL ST Disposition: SERVICES RENDER ()

Notes:

CALLER AT THE TOW YARD REQUESTING A POLICE REPORT
A CHECK WITH HULL DESK REPORTS THEY TOOK NO POSSESIONS FROM THE MV
THOMAS NOTIFED TO RELEASE THE MV
MV RELEASED HOWEVER THE TRANSMISSION IS NOT WORKING SO THE FEMALE ARRANGING WITH AAA TO TOW THE MV

*

Incident #: 15007946 Date: 2015-02-16 23:57:30 Type: MV DISABLED

Location: 8 ACCORD LN Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS HE IS STUCK IN THE SNOW, REQUESTING ASSISTANCE, STATES STUCK IN THE STREET, GRAY CHEVY IMPALA
Added by Update-and-Continue: More information to follow.
HQ'S NOTIFIED.

*

Incident #: 15007954 Date: 2015-02-17 01:00:50 Type: MV STOP

Location: ELM ST & MAIN ST Disposition: CITATION ISSUED ()

Notes:

913 IS OUT ON MV STOP.
SAME REPORTS ISSUING A CITATION.

*

Incident #: 15007956 Date: 2015-02-17 01:31:08 Type: BUILDING CHK

Location: EAST ELEMENTARY SCHOOL / 2 COLLINS ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15007957 Date: 2015-02-17 01:34:33 Type: BUILDING CHK

Location: FOSTER ELEMENTARY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15007958 Date: 2015-02-17 01:47:16 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15007959 Date: 2015-02-17 01:48:27 Type: BUILDING CHK

Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15007960 Date: 2015-02-17 01:56:14 Type: BUILDING CHK

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15007961 Date: 2015-02-17 01:57:44 Type: BUILDING CHK

Location: WOMPATUCK STATE PARK ADMIN BUILDING / 205 UNION ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15007964 Date: 2015-02-17 02:18:43 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15007966 Date: 2015-02-17 02:22:26 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: SERVICES RENDER ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15008008 Date: 2015-02-17 07:54:13 Type: ALARM RES

Location: 65 HOBART ST Disposition: CANCELED BEFORE ()

Notes:

outside garage door alarm

Added by Update-and-Continue: More information to follow.

ALARM COMPANY REPORTS ACCIDENTAL BY HOMEOWNER

*

Incident #: 15008011 Date: 2015-02-17 08:06:34 Type: WATER LEAK INS

Location: 45 HEMLOCK RD Disposition: NO PD SERVICE R ()

Notes:

ELDERLY CALLER REPORTS LARGE ICYCLE IS CAUSING A VERY LARGE LEAK IN HER HOME

REQUEST FOR POLICE: PATROL VOIDED

MINOR LEAK DUE TO ICYCLES

*

Incident #: 15008015 Date: 2015-02-17 08:17:27 Type: MVC HIT AND RUN

Location: MBTA NANTASKET JUNCTION STATION / 190 SUMMER ST Disposition: INVESTIGATED/ R ()

Notes:

CALLER REPORTS LARGE CREAM COLORED SUV HIOT HER VEHICLES MIRROR AND NEVER
PUILLED OVER

Added by Update-and-Continue: More information to follow.

VERHICLE WAS HEADING TOWARDS ROTARY

CALLER IS IN A FORD SUPERDUTY RED PICKUP

NO INJURIES

CALLER IS IN THE ENTRANCE TO THE COMMUTER RAIL

REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED

REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

MIRROR TO MIRROR CONTACT

*

Incident #: 15008018 Date: 2015-02-17 08:41:20 Type: MEDICAL AID

Location: 30 THAXTER ST #4 Disposition: SERVICES RENDER ()

Notes:

THIRD PARTY CALLER REPORTING HIS FRIEND IS ON THE FLOOR, THAXTER ST 1ST BUILDING ON THE RIGHT APT 4

Added by Update-and-Continue: More information to follow.

CALLER IS NOT SURE WHICH BUILDING NUMBER IT IS, MESSAGE LEFT ON RESIDENT TO CALL 911,

E2 ON SCENE, E2 HAS COMMAND

MED 2 CANCELLED BY COMMAND, MED2 RETURNING

NOTHING FOUND HERE FEMALE IS IN WHEELCHAIR AND IS FINE, COMMAND TERMINATED

NO ANSWER ON EITHER NUMBER

*

Incident #: 15008021 Date: 2015-02-17 08:50:06 Type: TRAFFIC HAZ

Location: 340 ROCKLAND ST Disposition: INVESTIGATED/ R ()

Notes:

DPW REPORTS THERE IS A MV IN FRONT OF THE SEWER BUILDING.

Added by Update-and-Continue: More information to follow.

THEY ARE TRYING TO PLOW.

OFFICER SPOKE WITH OWNER OF THE TRUCK HE WILL HAVE IT MOVED TODAY,MECHANICAL ISSUES

*

Incident #: 15008023 Date: 2015-02-17 09:00:54 Type: ALARM RES

Location: 8 ISAAC SPRAGUE DR Disposition: CANCELED BEFORE ()

Notes:

Added by Update-and-Continue: More information to follow.

PROPER PASSCODE.

ALARM COMPANY TO CANCEL.

*

Incident #: 15008024 Date: 2015-02-17 09:02:09 Type: MVC MINOR

Location: FOTTLER RD Disposition: INVESTIGATED/ R ()

Notes:

2 CAR MVA CALLED DIRECT TO STATION NO PI

*

Incident #: 15008025 Date: 2015-02-17 09:04:56 Type: FIRE INVEST

Location: EASTERN BANK. / 274 MAIN ST Disposition: ()

Notes:

CHIEF DUFF REPORTS SEND QUINT 1 C3 FOR AN ODOR OF SOMETHING IN THE BANK
C3 ON SCENE, C3 HAS CENTER COMMAND
C3 STANDING BY FOR ELECTRICIAN
ELECTRICIAN ON SCENE, C3 CLEAR

*

Incident #: 15008027 Date: 2015-02-17 09:10:24 Type: MEDICAL AID

Location: 30 THAXTER ST #54 FL BUILDING 9 Disposition: NO PD SERVICE R ()

Notes:

MAN ON THE FLOOR, BLOCKING THE DOOR
Added by Update-and-Continue: More information to follow.
FROM: (2) 3 THAXTER ST #54 FL BUILDING 9 TO (2) 30 THAXTER ST #54 FL BUILDING
LARGE MAN, IS TALKING TO PERSON ON OUTSIDE OF THE DOOR
SEVERAL MEDICAL ISSUES, IS A VERY LARGE MAN
MED2 REPORTS TO Q1 CODE C
MED2 REPORTS HAD TO FORCE ENTRY INTO BUILDING, WILL NEED Q1 FOR MANPOWER TO
LIFT MAN INTO WHEELCHAIR
LIFT ASSIST ONLY CO'S CLEAR

*

Incident #: 15008029 Date: 2015-02-17 09:39:34 Type: BUILDING CHK

Location: HINGHAM INSTITUTE FOR SAVINGS / 37 WHITING ST Disposition: APPEARS SECURE ()

*

Incident #: 15008032 Date: 2015-02-17 09:58:29 Type: DPW

Location: MAIN ST & WHITING ST Disposition: DETAIL COMPLETE ()

Notes:

STATE DPW REQ ASSIST WITH FIXING TRAFFIC LIGHTS AT INTERSECTION

*

Incident #: 15008034 Date: 2015-02-17 10:22:39 Type: TRAFFIC HAZ

Location: 14 WEST ST Disposition: INVESTIGATED/ R ()

Notes:

DEPRESSION IN THE RAOD, RESIDENT IN TO STATION
DPW ON SCENE

*

Incident #: 15008035 Date: 2015-02-17 10:25:39 Type: GAS INSIDE

Location: BED BATH & BEYOND / 9 SHIPYARD DR Disposition: SERVICES RENDER ()

Notes:

MGR RPTS INSIDE ODOR OF GAS REAR OF THE BUILDING
Added by Update-and-Continue: More information to follow.
BUILDING IS BEING EVACUATED
C3 HAS SHIPYARD COMMAND
COMMAND REPORTS GAS CO ON SCENE
COMMAND CLEARING STATION 3.
SHIPYARD REP ON SCENE NOW.
APPEARS TO BE A PROBLEM WITH THE METER BEING BURRIED
COMMAND IS NOW BEING BED BATH BEYOND COMMAND, GAS COMPANY HAD TO LEAVE TO
RESPOND. COMMAND AWAITING ANOTHER REPRESENTATIVE FROM GAS CO
NATIONAL GRID WETA 30 MINS
REQUEST FOR FIRE/RESCUE: ENGINE VOIDED
COMMAND REPORTS GAS CO ON SCENE
GAS CO HAS THE SCENE, ALL COMPANIES CLEAR.

*

Incident #: 15008040 Date: 2015-02-17 10:52:58 Type: WATER LEAK INS

Location: BODYSCAPES FITNESS / 6 SHIPYARD DR Disposition: NO PD SERVICE R ()

Notes:

Q1 HAS COMMAND HERE. POSSIBLE SPRINKLER PIPE BROKEN
FROM: (2) 6 SHIPYARD DR TO (2) BODYSCAPES FITNESS / 6 SHIPYARD DR
COMMAND REPORTS INVESTIGATING SNOW LOAD ON ROOF DRIPPING THROUGH THE CEILING
THROUGH A SPRINKLER HEAD, HAS NOT ACTIVATED THE SPRINKLER SYSTEM
3 OR 4 SPRINKLER HEADS THAT HAVE NOT POPPED YET, NO FIRE OR EMS PROBLEM HERE,
COMMAND TERMINATED
INCIDENT CLOSED

*

Incident #: 15008060 Date: 2015-02-17 12:32:56 Type: MEDICAL AID

Location: 30 THAXTER ST #54 FL BUILDING 9 Disposition: SERVICES RENDER ()

Notes:

NEEDS EVAL AFTER A FALL THIS AM, NOW WITH LEG AND SHOULDER PAIN CAN NOT WALK
IS A LARGE MAN
E2 HAS THAXTER PARK COMMAND
COMMAND REPORTS THIS WILL BE A TRANSPORT ONCE MEDICS ARRIVE

*

Incident #: 15008059 Date: 2015-02-17 12:33:17 Type: MVC INJURIES

Location: SOUTH SHORE HOSPITAL CENTER OR / 2 POND PK RD Disposition: INVESTIGATED/ R ()

Notes:

CALLER REPORTS TWO CAR MVC ON POND PK RD. PRETTY SIGNIFICANT DAMAGE TO FRONT
END
Added by Update-and-Continue: More information to follow.
FEMALE IN MV IS DIZZY AND FAINT
SOUTH SHORE HOSPITAL AMBULANCE RESPONDING
REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED
THOMAS' RESPONDING.
SSH BLS TO SSH.
FROM MVC UNK INJURY TO MVC INJURIES

*

Incident #: 15008063 Date: 2015-02-17 12:43:26 Type: MVC MINOR

Location: 175 OLD DERBY ST Disposition: INVESTIGATED/ R ()

Notes:

ONE CAR BACK INTO ANOTHER, NO INJURY

*

Incident #: 15008064 Date: 2015-02-17 12:45:19 Type: MVC MINOR

Location: THE SQUARE CAFE / 150 NORTH ST Disposition: INVESTIGATED/ R (N)

Notes:

DETAIL OFFICER

DETAIL OFFICER REPORTS ONE OF THE TRCKS INVOLVED ION AN MVA

FROM: (2) ST PAUL'S CHURCH / 133 NORTH ST TO (2) THE SQUARE CAFE / 150 NORTH ST

CAR 49 REPORTS DO NOT START A MVC

C49 CANCELS Q1. NO PI NO NEED FOR AMBULANCE

NO NEED FOR MEDICAL SERVICES

FROM MVC UNK INJURY TO MVC UNK INJURY

FROM MVC UNK INJURY TO MVC MINOR

*

Incident #: 15008067 Date: 2015-02-17 12:55:02 Type: MVC MINOR

Location: 361 GARDNER ST Disposition: INVESTIGATED/ R ()

Notes:

TWO CAR MVC, NO AIR BAG DEPLOYMENT AND NO IN JURY.

Added by Update-and-Continue: More information to follow.

NO FLUID LEAKAGE.

PULLED INTO THE DRIVEWAYS.

REQUESTING AN OFFICER FOR PAPER EXCHANGE.

*

Incident #: 15008068 Date: 2015-02-17 12:57:57 Type: MVC MINOR

Location: 215 MAIN ST Disposition: CANCELED BEFORE ()

Notes:

MVC UP ON THE SNOWBANK
CAR 49 REPORTS CAR IS ON ITS WAY. NO NEED FOR PD
INCIDENT CLOSED

*

Incident #: 15008069 Date: 2015-02-17 13:13:03 Type: ANIMAL CALL

Location: BEAL ST & NORTH ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS A DUCK INJURED AT THE EDGE OF THE ROAD

*

Incident #: 15008070 Date: 2015-02-17 13:17:50 Type: ANIMAL CALL

Location: BEAL ST & WEST ST Disposition: DUPLICATE CALL ()

Notes:

CALLER REPORTS A LARGE DUCK ON THE CORNER JUST AS YOU MAKE THE TURN ONTO WEST STREET.
Added by Update-and-Continue: More information to follow.
INCIDENT CLOSED

*

Incident #: 15008071 Date: 2015-02-17 13:19:23 Type: SUSP ACTIVITY

Location: DERBY SHOPS / 95 DERBY SHOPPES RD W Disposition: UNFOUNDED ()

Notes:

CALLER REPORTS SEEING A GREY HONDA ODYSSEY PULL INTO THE PARKING LOT AT THE DERBY SHOPPES, ONE OF THE MEN IN THE VAN WAS WEARING GOGGLES AND WHAT SHE THOUGHT WAS A RIFLE STRAP ON HIS SHOULDER POSSIBLE PLATE CIH887

*

Incident #: 15008073 Date: 2015-02-17 13:23:25 Type: ANIMAL CALL

Location: AUTO HOSPITAL TOO / 170 ROCKLAND ST Disposition: UNFOUNDED ()

Notes:

CALLER REPORTS AN EXOTIC BIRD ON ROCKLAND ST RIGHT NEAR THE GAS STATION.

Added by Update-and-Continue: More information to follow.

931 NOTIFIED

*

Incident #: 15008074 Date: 2015-02-17 13:27:14 Type: MEDICAL AID

Location: ALLERTON HOUSE AT HARBOR PARK / 15 CONDITO RD Disposition: SERVICES RENDER ()

Notes:

STAFF MEMBER WITH HISTORY OF AFIB, DIFFICULTY BREATHING AND LOW BLOOD PRESSURE.

FEMALE IS NEXT TO THE WELLNESS OFFICE ON THE FIRST FLOOR. NURSE ON SCENE

WITH HER.

E2 CLEAR, A9 LOADED FOR TRANSPORT

*

Incident #: 15008076 Date: 2015-02-17 13:42:05 Type: MV DISABLED

Location: CUSHING ST & WARD ST Disposition: CANCELED BEFORE ()

Notes:

18 WHEELER STUCK, IMPEDING NORWELL AMBULANCE

A9 REPORTS RESOLVED ITSELF

INCIDENT CLOSED

INCIDENT CLOSED

TRUCK HAS MOVED ALONG, CLEAR

*

Incident #: 15008083 Date: 2015-02-17 14:23:16 Type: TEST

Location: BOX 7148/ 60 RESEARCH RD Disposition: TEST 911 CALL ()

Notes:

BOX 7148 TEST COMPLETE WITH ATLAS
BOX WILL BE OUT OF SERVICE FOR TESTING ATLAS WILL CALL BACK

*

Incident #: 15008087 Date: 2015-02-17 14:45:55 Type: MEDICAL AID

Location: 115 S PLEASANT ST Disposition: SERVICES RENDER ()

Notes:

87 Y/O F URINATING BLOOD SINCE YESTERDAY MORNING
E3 CLEARED BY MED3
MED3 LOADING FOR TRANSPORT
MED3 TRANSPORTING BLS TO THE SSH
MED3 ON ARRIVAL AT THE SSH

*

Incident #: 15008090 Date: 2015-02-17 14:51:32 Type: FALARM RES DAY

Location: 114 HMS STAYNER DR Disposition: CANCELED BEFORE ()

Notes:

114-126, FIRE ALARM
124 SPRINKLER IS GOING OFF, RESIDENT IS OUTSIDE
C4 REPORTS BROKEN SPRINKLER PIPE
WATER SHUT DOWN MAIN BUILDING HAS BEEN ISOLATED TO THE ONE UNIT. CANCEL OTHER
RESPONSE
C4 TO HANDLE
1636 HINC4 REPORTS THE BUILDING IS BACK ON LINE, BUT THE SPRINKLER SYSTEM IS
OFF LINE.

*

Incident #: 15008091 Date: 2015-02-17 14:58:18 Type: MV COMPLNT

Location: SANBORN RD Disposition: SERVICES RENDER ()

Notes:

TRUCK PARKED ON THE CORNER IN A BAD SPOT
CONTRACTOR PACKING UP FOR THE DAY

*

Incident #: 15008092 Date: 2015-02-17 14:59:59 Type: SUSP ACTIVITY

Location: LINCOLN ST & THAXTER ST Disposition: SERVICES RENDER ()

Notes:

CALLER RPTS A MALE IN A SUV JUST TOOK DOWN THE SAW HORSE AND THREW IT ON THE
SNOW BANK.
OFFICER REPLACED THE SIGNAGE

*

Incident #: 15008098 Date: 2015-02-17 15:54:42 Type: WELL BEING CK

Location: 36 HIGHVIEW DR Disposition: AREA SEARCH NEG ()

Notes:

STATE PD MIDDLEBORO REPORTS RECIEVING A 911 CALL FROM A PARTY WHO STATES THEY
WERE ON BRADLEY HILL RD IN HANOVER. HANOVER PD REPORTS THEY DO NOT HAVE A
STREET BY THAT NAME. STATES THE PHONE IS REGISTERED TO A SHAUN QUILTY FROM
INSULATED PIPING. FEMALES NAME IS LISA. STATE PD REQ CONTACT BE MADE AT 350
LINCOLN AND SEE IF THEY KNOW WHO HAS THE PHONE
Added by Update-and-Continue: More information to follow.
FROM: (2) 350 LINCOLN ST TO (2) 36 HIGHVIEW DR
MADE CONTACT WITH CALLER WHO REPORTS THAT HER SON SHAUN QUILTY 25 YO M LEFT ON
FOOT FROM RESIDENCE 30 MINUTES AGO AFTER BEING RELEASED FROM A INPATIENT PSYC
FACILITY
CALLER STATES THAT HER HUSBAND WAS EN ROUTE TO POLICE STATION AND DISCONNECTED

OIC NOTIFIED

Added by Update-and-Continue: More information to follow.

CALLER HAD DISCONNECTED. ON CALL BACK, THE CALLER STATES THE MALE IS WEARING A
BLUE TOMMY HILFIGER JACKET THAT HAS YELLOW STRIPES, BLUE JEANS, A PAT'S SKI
HAT, CONSTRUCTION BOOTS, LIGHT BROWN HAIR

Added by Update-and-Continue: More information to follow.
MOM BELIEVES HE COULD BE HEADING TO THE 'T' TO GO TO QUINCY.
OIC REPORTS THE MALE PARTY HAS BEEN LOCATED.

*

Incident #: 15008102 Date: 2015-02-17 16:04:00 Type: MVC MINOR

Location: MAIN ST Disposition: GONE ON ARRIVAL ()

Notes:

CALLER REPORTS A TWO VEHICLE MVC, UNKNOWN INJURY... MAIN ST BY HIGH STREET BY
THE LITTLE STORE
CALLER REPORTS IT LOOKS LIKE A CAR REAR-ENDED A SNOW PLOW
FROM: (2) HIGH ST TO (2) MAIN ST
OIC NOTIFIED
NOTHING FOUND BY THE FIRE DEPT
1614 HINE3 REPORTS CHECKING THE AREA, NOTHING FOUND. E3, MED3 CLEAR AND
RETURNING.
INCIDENT CLOSED
FROM MVC UNK INJURY TO MVC MINOR

*

Incident #: 15008108 Date: 2015-02-17 17:09:55 Type: GAS INSIDE

Location: 25 HEMLOCK RD Disposition: NO PD SERVICE R ()

Notes:

CALELR CAN SMELL GAS INSIDE HER HOME,
Added by Update-and-Continue: More information to follow.
HOUSE IS BEING EVACUATED
HIN49 REPORTS INVESTIGATING A HEAVY ODER OF GAS INSIDE.
1719 HINQ1 ON SCENE
1720 HINMED3, E3 ON SCENE. E3 HAS HEMLOCK COMMAND
NATIONAL GRID NOTIFIED 45 MIN ETA
1725 COMMAND REPORTS CANCEL GAS COMPANY, APPEARS RESIDENT LEFT A BURNER ON. NO
READINGS AT THE METER. GAS COMPANY ADVISED OF SAME
1728 C3 REPORTS RESIDENT HAS BEEN ADVISED, ALL UNITS CLEAR AND RETURNING.
COMMAND TERMINATED

*

Incident #: 15008109 Date: 2015-02-17 17:15:17 Type: MVC MINOR

Location: 44 FORT HILL ST Disposition: WEATHER/POWER R ()

Notes:

915 REPORT HE CAME UPON A MINOR MVC
FROM: (2) 30 FORT HILL ST TO (2) 44 FORT HILL ST
PAPER EXCHANGE ASISITED BY 915/ MA REG 5DNC40 VS NH REG 3673489

*

Incident #: 15008110 Date: 2015-02-17 17:37:40 Type: WATER LEAK INS

Location: CURTAIN COMPANY / 108 NORTH ST Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.
ON THE CALLBACK NOW
WATER LEAK AND THE OWNER CANNOT SHUT THE WATER OFF/LEAKING INTO THE CELLAR
FROM: 911 ABANDONED TO WATER LEAK INS
POLICE FROM: 911 ABANDONED TO WATER LEAK INS
FIRE/RESCUE ADDED: WATER LEAK INS
Added by Update-and-Continue: More information to follow.
REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED
DIVERTED TO MVC
1751 COMMAND REPORTS BURST WATER PIPES IN BASEMENT. ABLE TO SECURE THE WATER.
OWNERS WILL NEED TO CONTACT A PLUMBER. WILL BE CLEARING SHORTLY
1800 E2 REPORTS COMMAND TERMINATED, E2 TO QUARTERS. OCCUPANTS HAVE BEEN
ADVISED, THEY WILL TAKE THE APPROPRIATE MEASURES.

*

Incident #: 15008112 Date: 2015-02-17 17:42:22 Type: MVC MINOR

Location: 90 KILBY ST Disposition: INVESTIGATED/ R ()

Notes:

CALLER REPORTS VEHICLE ROLLED OVER
Added by Update-and-Continue: More information to follow.

ALL OCCUPANTS OUT OF THE VEHICLE
VEHICLE IS A MOUNTAINEER
CALLER REPORTS NO APPARANT INJURY
915 OUT ON KILBY ST
THOMAS PAGED
1748 HINQ1 ON SCENE, MV ON IT'S PASSENGER SIDE COMPLETELY BLOCKING KILBY ST.
REQUEST DUTY WRECKER AND PD FOR TRAFFIC
ROAD NEEDS TO BE BLOCKED OFF
913 AT ROCKLAND ST AT KILBY ROAD CLOSED
THOMAS NOTIFIED AND NOTIFIED TO ENTER OFF ROCKLAND ST
THOMAS RESPONDING.
1750 COMMAND REPORTS TWO OCCUPANTS IN VEHICLE HAVE EXTRICATED THEMSELVES. CODE
C HINMED2.
1752 COMMAND REPORTS CANCEL HINMED2
REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED
THOMAS RESPONDING
1818 Q1 REPORTS THAT THOMAS HAS THE VEHICLE, COMMAND TERMINATED, Q1 CLEAR AND
RETURNING TO QUARTERS
FROM MVC UNK INJURY TO MVC MINOR

*

Incident #: 15008116 Date: 2015-02-17 18:03:47 Type: FALARM COMM

Location: CASEY & HAYES, INC / 100 INDUSTRIAL PK RD Disposition: NO PD SERVICE R ()

Notes:

COMM FIRE ALARM, MAIN ELECTRIC ROOM SMOKE DETECTOR
1818 E3, MED3 ON SCENE, E3 HAS COMMAND. NOTHING SHOWING.
1820 C-3, C49 ON SCENE, REAR OF THE BUILDING
1822 COMMAND REPORTS THAT DISPATCH WILL BE RECIEVING THE BURGLAR ALARM FROM
THAT LOCATION
1823 HINE2 REPORTS STAGING ON INDUSTRIAL PARK RD
KEYHOLDER RESPONDING NO ETA
1845 COMMAND REPORTS HINMED RETURNING
1854 COMMAND REPORTS COMPANIES CLEAR AND RETURNING, ACCIDENTAL TRIGGERED BY A
MACHINE BEING STARTED INSIDE. COMMAND TERMINATED
KEYHOLDER ON SCENE AND WILL BE SECURING THE BUILDING.

*

Incident #: 15008121 Date: 2015-02-17 18:44:20 Type: WELL BEING CK

Location: 5 FULLING MILL LN Disposition: UNFOUNDED ()

Notes:

OIL COMPANY REPORTS THAT THEY HAVE NOT BEEN ABLE TO REACH A CLIENT FOR OVER 2 WEEKS. THE OIL TRUCK WENT BY THE RESIDENCE AND WAS NOT ABLE TO MAKE THE DELIVERY AS THE DRIVEWAY HADN'T BEEN TAKEN CARE OF. CALLER IS CONCERNED FOR THE RESIDENT'S WELL BEING.
LIGHTS ON DRIVEWAY PLOWED NONE COMES TO THE DOOR
OIL CO NOTIFIED
CALLER ADVISED

*

Incident #: 15008124 Date: 2015-02-17 18:51:08 Type: MEDICAL AID

Location: 207 SOUTH ST Disposition: SERVICES RENDER ()

Notes:

43 YO MALE UNRESPONSIVE
Added by Update-and-Continue: More information to follow.
PT IS BREATHING
Added by Update-and-Continue: More information to follow.
HAVE TRIED TO AROUSE HIM AND HE MOVES THEIR HANDS AWAY
HISTORY OF ALCOHOL ABUSE
UNKNOWN HOW MUCH OR IF HE TOOK ANYTHING ELSE

Added by Update-and-Continue: More information to follow.
HE IS AWAKE AND TALKING NOW
GOING IN AND OUT

Added by Update-and-Continue: More information to follow.
UPSTAIRS ON THE 2ND FLOOR
1858 HINE2 ON SCENE
1900 SOUTH ST COMMAND REQUESTS PD INSIDE FOR ASSISTANCE WITH THE PATIENT
FIRE TRANSPORTING
1909 HINMED2 TRANSPORTING BLS TO SSH
1909 HINE2 CLEAR AND RETURNING, COMMAND TERMINATED
1921 HINMED2 ON ARRIVAL AT SSH

*

Incident #: 15008128 Date: 2015-02-17 19:21:15 Type: POLICE INFO

Location: HINGHAM POLICE DEPARTMENT / 212 CENTRAL ST Disposition: HOT SHEET ()

Notes:

WEYMOUTH RPTS THAT THEY HAD A HIT ON MA REG 22TZ36 AS A STOLEN PLATE. THEY BELIEVE IT WAS ON A WHITE PICKUP POSSIBLY WITH A PLOW. WAS IN THE JACKSON SQUARE AREA, UNKNOWN DIRECTION OF TRAVEL. UNITS NTFD.

*

Incident #: 15008129 Date: 2015-02-17 19:23:43 Type: WELL BEING CK

Location: NANCY TOLMAN / 53 BRADLEY PK DR Disposition: CANCELED BEFORE ()

Notes:

CALLER REPORTS HIS 80 YR OLD MOTHER NOT ANSERING THE PHONE MA REG 86510 A BLACK ACURA SHOULD BE IN THE GARAGAE CANCELLED/ CALLER MADE CONTACT BY PHONE CALLER REPORTS THAT HE JUST SPOKE TO HIS MOTHER, SHE IS FINE. UNITS CAN CANCEL

*

Incident #: 15008132 Date: 2015-02-17 19:29:07 Type: MV ERRATIC OP

Location: USS AMESBURY DR Disposition: AREA SEARCH NEG ()

Notes:

GRAY 4 DOOR ALL OVER THE ROAD. CALLER REPORTS THE FEMALE OPERATOR WAS TEXTING AND NOT PAYING ATTENTION. Added by Update-and-Continue: More information to follow. FURTHER REPORTS THEY WERE HEADING SOUTH ON LINCOLN ST AND SHE PULLED INTO THE SHIPYARD. CALLER CONTINUED. 913 OUT CHECKING THE SHIPYARD FOR THE MV

*

Incident #: 15008134 Date: 2015-02-17 19:42:35 Type: PARK COMPLT

Location: HINGHAM BEER WORKS / 18 SHIPYARD DR Disposition: SERVICES RENDER ()

Notes:

WHITE FORD F250 WITH A PLOW ON FRONT, PARKED IN THE FIRE LANE. OPERATOR EATING
DINNER INSIDE THE RESTAURANT AND REFUSES TO MOVE THE VEHICLE.
CALLER CAN NOT SEE LIC PLATE AS IT IS COVERED IN SNOW
913 IS OUT
OPER MOVED HIS TRUCK WILLINGLY

*

Incident #: 15008135 Date: 2015-02-17 19:52:31 Type: FALARM COMM

Location: 28 SOUTH ST Disposition: SERVICES RENDER ()

Notes:

GENERAL FIRE ALARM
Added by Update-and-Continue: More information to follow.
2ND CALLER FROM THE BUSINESS, FIRE ALARMS GOING OFF AND CAN SMELL SMOKE ON THE
UPPER FLOOR
Added by Update-and-Continue: More information to follow.
YARNS IN THE SQUARE BUSINESS
Added by Update-and-Continue: More information to follow.
1955 HINC49 REPORTS ON SCENE, NOTHING SHOWING, BUILDING BEING EVACUATED
1957 HINC49 REPORTS INVESTIGATING ZONE 4, GARAGE, NOTHING SHOWING
1957 HINC3 ON SCENE AND HAS COMMAND
1958 Q1 OFF STAGING AT NORTH AND SOUTH
2011 PER C-3 HINMED 3 HINQ1 DIVERTING TO LINCOLN ST
2004 COMMAND REPORTS THAT THIS APPEARS TO BE WEATHER RELATED. INVESTIGATING
FURTHER TO CONFIRM
2033 COMMAND REQUESTS WIRE INSP TO SCENE
2036 WIRE INSP NOTIFIED, ETA 15 MINUTES
2037 COMMAND REQUESTS BUILDING INSP TO SCENE
2040 BUILDING INSP NOTIFIED, HALF HOUR ETA
2054 COMMAND REPORTS WIRE INSP ON SCENE
2055 COMMAND REPORTS THIS IS THE SAME SITUATION AS BEFORE. THERE IS NO HAZARD.
WIRES TO THE ALARM SYSTEM HAVE BEEN DISCONNECTED. COMMAND TERMINATED,
HINMED2 CLEAR AND RETURNING
(DISREGARD NOTES ON ALARM SYSTEM AND WIRES DISCONNECTED... WRONG LOG ITEM)
2124 COMMAND REPORTS BUILDING COMMISSIONER ON SCENE
2145 C3 REPORTS THAT THE BUILDING INSP HAS BEEN ADVISED BY BOTH INSPECTORS ON
HOW TO PROCEED. C3 CLEAR AND RESPONDING TO THE SHIP YARD

*

Incident #: 15008137 Date: 2015-02-17 19:59:50 Type: FALARM COMM

Location: SALSA'S OF HINGHAM / 211 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

GENERAL FIRE ALARM

Added by Update-and-Continue: More information to follow.

913 ON SCENE

NOTHING SHOWING FROM THE OUTSIDE

2005 HINQ1 REPORTS ON SCENE, BUILDING HAS NOT BEEN EVACUATED. INVESTIGATING

2005 HINMED3 ON SCENE

2010 Q1 REPORTS THIS IS NOT A FIRE ALARM BUT INSTEAD A BURGLAR ALARM FROM AN OLD OUTDATED SYSTEM. THEY ARE UNABLE TO SILENCE THE ALARM AS THEY CAN NOT GET

AHOLD OF THE BUILDING OWNER. COMMAND TERMINATED, COMPANIES CLEAR AND RETURNING TO QUARTERS

*

Incident #: 15008140 Date: 2015-02-17 20:10:09 Type: MV DISABLED

Location: LONGMEADOW RD & PROSPECT ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORS SHE SLID AND HER CAR IS STUCK IN THE SNOW BANK

Added by Update-and-Continue: More information to follow.

FROM: MVC MINOR TO MV DISABLED

POLICE FROM: MVC MINOR TO MV DISABLED

AWAITING AAA ETA TIME

THOMAS EN ROUTE

MV NEEDS TO BE MOVED IMED AND THOMAS NOTIFIED TO TOW

*

Incident #: 15008141 Date: 2015-02-17 20:36:02 Type: ASST PUBLIC

Location: 196 SOUTH ST Disposition: SERVICES RENDER ()

Notes:

913 REPORTS ELDERLY MALE NEEDS HELP UP HIS FRONT WALK/913 ASSISTING
REQUEST FOR FIRE/RESCUE: ENGINE VOIDED
MALASSISTED UP HIS LONG SNOWY DRIVEWAY

*

Incident #: 15008142 Date: 2015-02-17 20:41:59 Type: FALARM COMM

Location: SALSA'S OF HINGHAM / 211 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

ZONE 1 FIRE ALARM

Added by Update-and-Continue: More information to follow.

REQUEST FOR POLICE: PATROL VOIDED

REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

REQUEST FOR FIRE/RESCUE: CHIEF VOIDED

2045 PER C3, HINMED2 TO RESPOND AS A STILL ALARM

2049 HINMED2 ON SCENE AND HAS COMMAND

2055 COMMAND REPORTS THIS IS THE SAME SITUATION AS BEFORE, NO HAZARD. WIRES TO
THE ALARM SYSTEM HAVE BEEN DISCONNECTED. COMMAND TERMINATED, HINMED2 CLEAR
AND RETURNING.

*

Incident #: 15008144 Date: 2015-02-17 20:56:35 Type: POLICE INFO

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: REFERRED TO
OTH ()

Notes:

CALLER RPTS THAT THERE IS A GREY MINIVAN BROKEN DOWN IN THE ENTRANCE TO THE
SUNOCO ACROSS FROM THE ROUTE 3 NORTHBOUND RAMP. HANOVER PD ADVISED.

*

Incident #: 15008145 Date: 2015-02-17 21:03:35 Type: MEDICAL AID

Location: 457 MAIN ST Disposition: REFERRED TO OTH ()

Notes:

NOT FEELING WELL

Added by Update-and-Continue: More information to follow.

LEVELS ARE IMBALANCED

56 YO FEMALE

SHORTNESS OF BREATH

2107 HINQ1, HINC49 ON SCENE. Q1 HAS COMMAND

MEDIC 3 WILL BE TRANSPORTING TO SSH BLS Q1 CLEAR TO

2117 HINMED3 TRANSPORTING TO SSH

2129 HINMED3 OUT AT SSH

*

Incident #: 15008146 Date: 2015-02-17 21:09:54 Type: SMOKE IN BLDG

Location: SALSA'S OF HINGHAM / 211 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

EMPLOYEE OF THE BUILDING REPORTS THAT THEY CAN SMELL BURNING PLASTIC IN THE BASEMENT. CALLER REPORTS THAT THE SMELL IS NOW BEING NOTICABLE UPSTAIR.

CALLER CAN VISABLY SEE SMOKE IN THE BASEMENT.

FROM: FALARM COMM TO SMOKE IN BLDG

POLICE FROM: FALARM COMM TO SMOKE IN BLDG

FIRE/RESCUE FROM: FALARM COMM TO SMOKE IN BLDG

2117 HINE2 ON SCENE, NOTHING SHOWING, HAS COMMAND

2119 COMMAND REPORTS LIGHT HAZE CONDITION IN THE BASEMENT, INVESTIGATING, HOLDING ALL COMPANIES

REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED

2127 HINE3 OUT AT THE HYDRANT

2130 HINMED3 CLEARING AND GOING TO STATION 1

2132 C-3 REPORTS WIRE INSP EN ROUTE TO LINCOLN ST.

2138 SALSA'S COMMAND REPORTS RELEASING Q1 AND MED 2 TO RESPOND TO HMS HALSTED

DR

CLEAR WITH THE FIRE DEPT

2236 COMMAND REPORTS LOCATED THE PROBLEM, IT IS A BURNED OUT ATLAS FIRE ALARM PANNEL, COMPANIES WILL BE MAKING UP AND RETURNING SHORTLY

2244 HINE2 CLEAR RETURNING TO QUARTERS, HINC49 AND WIRE INSP EN ROUTE TO HALSTED

*

Incident #: 15008150 Date: 2015-02-17 21:35:51 Type: WATER LEAK INS

Location: 161 HMS HALSTED DR Disposition: SERVICES RENDER ()

Notes:

WATER POURING FROM THE CEILING

Added by Update-and-Continue: More information to follow.

LOOKS LIKE THE CEILING IS GOING TO FALL IN

HOMEOWNERS EVACUATING

FIRE ALARMS ARE GOING OFF AS WELL

913 OUT WITH THE FIRE DEPT

2142 Q1 ON SCENE AND HAS COMMAND. BUILDING SEMI EVACUATED.

MULTIPLE 911 CALLS FROM RESIDENTS REPORTING FIRE ALARMS AND WATER LEAKS

2153 C-3 REPORTS BUILDING COMMISSIONER ON SCENE

BUILD INSPECTOR ON SCENE

2204 HINMED2 CLEARED BY COMMAND, RETURNING TO QUARTERS

2244 WIRE INSP EN ROUTE

2247 COMMAND REPORTS WIRE INSP ON SCENE

2308 HINE3 CLEAR AND RETURNING

2317 C-3 REPORTS PROBLEM ISOLATED TO SPRINKLER SYSTEM IN UNIT 161. REST OF THE BUILDING HAS BEEN RESTORED. BUILDING MAINTENANCE ON SCENE. UNITS CLEAR, COMMAND TERMINATED.

*

Incident #: 15008151 Date: 2015-02-17 21:39:55 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ()

Notes:

CHECKED SECURE

*

Incident #: 15008152 Date: 2015-02-17 21:40:45 Type: WATER LEAK INS

Location: 163 HMS HALSTED #NE SECTOR FL NE SECTOR Disposition: INVESTIGATED/ R ()

Notes:

CALLER REPORTS A LEAK IN HIS CEILING.

Added by Update-and-Continue: More information to follow.

FIRE DEPT ADVISED.

REQUEST FOR POLICE: PATROL VOIDED

REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

INCIDENT CLOSED

*

Incident #: 15008154 Date: 2015-02-17 21:43:06 Type: FALARM COMM

Location: 153 HMS HALSTED DR Disposition: NO PD SERVICE R ()

Notes:

ASG SECURTY REPORTS FIRE ALARM ACTIVATIONS BUILD 153-157
SEE CAD# 15008150
INCIDENT CLOSED

*

Incident #: 15008156 Date: 2015-02-17 21:59:12 Type: DISTURB

Location: 72 CHIEF JUSTICE CUSHING HWY #4 Disposition: SERVICES RENDER ()

Notes:

CALLER IN APT 3 IS BANGING ON HER WALL
Added by Update-and-Continue: More information to follow.
WALL HANGINGS ARE SHAKING
NO YELLING OR SCREAMING
STATES ON GOING ISSUE
915 ON SCENE
BOTH ADVSIED OF EACH OTHERS COMPANITS AND THE LANLORD NOTIFIED

*

Incident #: 15008158 Date: 2015-02-17 22:18:58 Type: MV DISABLED

Location: 36 ARNOLD RD Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS HER CAR IS STUCK IS AT THE END OF THE DRIVEWAY AND SHE CAN NOT
GET IN
CALLER TRIED TO CALL AAA AND THEY DECLINED TO RESPOND
CALLER STATES VEHICLE IS PARTIALLY STICKING INTO THE ROAD

915 OUT ON SCENE
DRIVER ASSISTED

*

Incident #: 15008160 Date: 2015-02-17 22:30:28 Type: NOTIFICATION

Location: TEDESCHI FOOD SHOPS # 175 / 340 ROCKLAND ST Disposition: LOG ENTRY INFO ()

Notes:

CALLER REPORTS HER VEHICLE IS GOING TO BE PARKED IN THE PARKING LOT. SHE WAS UNABLE TO GET HER VEHICLE UP THE HILL ON JERUSALEM RD IN COHASSET. SILVER VOLKSWAGON JETTA WITH ILLINOIS PLATES. SHE STATES IT IS A RENTAL. ANY QUESTIONS REGARDING THE VEHICLE PLEASE CALL ABOVE NUMBER

*

Incident #: 15008164 Date: 2015-02-18 00:26:39 Type: FALARM COMM

Location: 104 HMS STAYNER DR Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.
102 to 112 HMS STAYNER DR
911 CALL FROM RES. IN THE BUILDING REPORTS NO SMOKE OR FIRE. BUILDING BEING EVACUATED NOW
FROM: (2) 102 HMS STAYNER DR TO (2) 104 HMS STAYNER DR
REQUEST FOR FIRE/RESCUE: CHIEF VOIDED
CALLER REPORTS SPRINKLER BURST IN UNIT 104.
ENG2 REPORTS THEY HAVE SYSTEM SHUT DOWN IN THE BACKSIDE OF THE CORRIDOR.
COMMAND REPORTS SPOKE TO CONDO ASSOCIATION REP . FIRE HAD NO KEYS SO THEY BREACHED THE DOOR TO GET IN AND ACCESS THE PANEL. SYSTEM HAS BEEN SHUT OFF.
ENG2, C3 AND CAR42 WILL BE STANDING BY. ALL OTHER COMPANIES ARE CLEAR AND RETURNING.
917 CLEAR
COMMAND REPORTS ALL COMPANIES ARE CLEAR AND RETURNING.

*

Incident #: 15008165 Date: 2015-02-18 00:55:23 Type: NOTIFICATION

Location: MBTA RAIL CROSSING / 4 HERSEY ST Disposition: SERVICES RENDER ()

Notes:

DETAIL OFFICER REPORTS TRAIN TRYING TO COME THROUGH BUT CROSSING SIGNAL WILL NOT GO DOWN

MBCR REPORTS THEY ARE TOWING A TRAIN THROUGH THE CROSSING NOW. NOTIFIED THE CROSSING IS NOT WORKING MBCR WILL BE SENDING A A CREW TO WORK ON IT AT SOME POINT.

TRAIN HAS GONE THROUGH, ARMS WONT COME DOWN DUE TO SNOW BANKS

MBCR ADVISED, CREW WILL REMOVE SNOW TONIGHT

*

Incident #: 15008168 Date: 2015-02-18 01:18:01 Type: BUILDING CHK

Location: EAST ELEMENTRY SCHOOL / 2 COLLINS ST Disposition: APPEARS SECURE ()

*

Incident #: 15008169 Date: 2015-02-18 01:21:24 Type: MV STOP

Location: MAIN ST & MILL LN Disposition: CITATION ISSUED ()

Notes:

CLEAR, CITATION ISSUED

*

Incident #: 15008174 Date: 2015-02-18 01:33:08 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 15008175 Date: 2015-02-18 01:52:46 Type: WELL BEING CK

Location: BROAD COVE BALLROOM / 20 BROAD COVE RD Disposition: SERVICES RENDER ()

Notes:

915 CLEAR, 917 TRANSPORTING MALE HOME. MA REG 811YR6 WILL BE LEFT PARKED AT 29

BROAD COVE RD.

917 CLEAR THE TRANSPORT

*

Incident #: 15008176 Date: 2015-02-18 01:53:32 Type: BUILDING CHK

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: APPEARS SECURE ()

*

Incident #: 15008178 Date: 2015-02-18 02:12:29 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 15008186 Date: 2015-02-18 02:46:31 Type: BUILDING CHK

Location: AQUARION WATER COMPANY / 101 S PLEASANT ST Disposition: APPEARS SECURE ()

*

Incident #: 15008188 Date: 2015-02-18 03:12:39 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ()

*

Incident #: 15008193 Date: 2015-02-18 03:45:15 Type: BUILDING CHK

Location: WOMPATUCK STATE PARK ENTRANCE / 205 UNION ST Disposition: APPEARS SECURE ()

*

Incident #: 15008197 Date: 2015-02-18 06:15:48 Type: WIRES CALL

Location: MANOR DR & WINDSOR DR Disposition: REFERRED TO OTH ()

Notes:

TREE LEANING ON WIRES, TREE ON FIRE

Added by Update-and-Continue: More information to follow.

CALLER WILL WAIT TO SHOW RESPONDERS

912 ON SCENE, WIRE NOT ON FIRE

LIGHT DEPT NOTIFIED

POLICE UNITS CLEAR

POLE #4 . WIRE IMPACTING TREE. ENG 2 CLEAR .

HINGHAM LIGHT NOTIFIED.

*

Incident #: 15008199 Date: 2015-02-18 06:52:32 Type: SUSP ACTIVITY

Location: BLACK ROCK DR Disposition: AREA SEARCH NEG ()

Notes:

CALLER REPORTS HEARING LOUD BANGS SIMILIAR TO GUN SHOTS IN THE AREA.

CALLER REPORTED THIS AT 0645. NOTHING FOUND

*

Incident #: 15008201 Date: 2015-02-18 07:09:02 Type: MV DISABLED

Location: LINSKOTT RD & MAIN ST Disposition: AREA SEARCH NEG ()

Notes:

CALLER REPORTS A WHITE VAN STUCK IN THE SNOW IN THE AREA

Added by Update-and-Continue: More information to follow.

CALLER HAS NO MORE INFO EXECPT THE VEHICLE IS NEAR A CORNER AND IS CAUSING A

TRAFFIC ISSUE

NOTHING FOUND IN THE AREA

*

Incident #: 15008202 Date: 2015-02-18 07:12:45 Type: SMOKE OUTSIDE

Location: PANERA BREAD / 1 SHIPYARD DR Disposition: NO PD SERVICE R ()

Notes:

CALLER REPORTS A SMELL OF SMOKE AND THICK BLUE SMOKE IN THE AREA OF THIS BUSINESS. DOES NOT APPEAR TO BE COMING FROM ANY CERTAIN AREA.
REQUEST FOR POLICE: PATROL VOIDED
E2 CLEAR REPORTING NOTHING FOUNDED AT THIS TIME POSSIBLY SNOW REMOVAL EQUIPMENT STARTING UP FOR AM.

*

Incident #: 15008210 Date: 2015-02-18 08:35:02 Type: ALARM COMM

Location: PHILLIPS,DIPISA & ASSOCIATES / 62 DERBY ST Disposition: ACCID/DEFECT/BU ()

Notes:

OFFICE MOTION.
Added by Update-and-Continue: More information to follow.
THERE IS A WOMAN THERE NAMED ELLEN WITH NO PASSCODE.
914 RPTS COPY OF THE BY-LAW SLIP LEFT.

*

Incident #: 15008211 Date: 2015-02-18 08:35:35 Type: SUSP ACTIVITY

Location: BANK OF AMERICA / 95 SGT WM B TERRY DR Disposition: SERVICES RENDER ()

Notes:

BANK OF AMERICA EMPLOYEE REQ PD, STATES THE ROOF HATCH OF THE BUILDING WAS LEFT OPEN. THE EMPLOYEE ON SITE IS ANDREW, WHT MALE WEARING BLK JACKET IN A GOLD SUBARU AT THE LEFT SIDE OF THE BLDG. HIS PHONE NUMBER IS 617-347-6918.
FROM: OFF REQUEST TO SUSP ACTIVITY
POLICE FROM: OFF REQUEST TO SUSP ACTIVITY
913 WENT UP THE HATCH, NO FOOT PRINTS. WAS ABLE TO SECURE IT.

*

Incident #: 15008213 Date: 2015-02-18 08:41:18 Type: GAS INSIDE

Location: 242 LAZELL ST Disposition: REFERRED TO OTH ()

Notes:

CALLER SMELLS GAS INSIDE AFTER TRYING TO RESET THE SYSTEM, REPORTS THE HEAT WAS

NOT WORKING BEFORE SHE TRIED TO RESET
C4 TO NOTIFY THE GAS INSPECTOR
C3 HAS COMMAND, ALL THOSE HOUSES ARE PROPANE, AWAITING THE PLUMBING INSPECTOR
PLUMBING INSPECTOR ENROUTE
LASTORIA PLUMBING INSTALL FOR THE NEW HOUSES, 781-659-7300 NO ANSWER, MESSAGE
LEFT, NO EMERGENCY NUMBER LISTED
POWER AND GAS SHUT OF TO HEATING UNIT
PLUMBING INSPECTOR ON SCENE, PLUMBER ENROUTE, ALL COMPANIES IN SERVICE AT THE
SCENE
PLUMBER ON SCENE

*

Incident #: 15008215 Date: 2015-02-18 08:50:47 Type: MVC MINOR

Location: 15 PRESIDENTS RD Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS BEING HIT BY A PLOW
Added by Update-and-Continue: More information to follow.
PLOW DRIVER LEFT THE SCENE
PRIVATE PLOW COMPANY, COSTELLOS, CALELR HAS THE NUMBER OFF THE PLOW TRUCK
NO INJURY
2ND CALLER REPORTS PLOW DRIVER UNCOOPERATIVE
RPTS HE WAS ABLE TO RESOLVE THE VERBAL ARGUEMENT AND THEY HAVE EXCHANGED
PAPERWORK.

*

Incident #: 15008221 Date: 2015-02-18 09:39:44 Type: ANIMAL CALL

Location: 31 EAST ST Disposition: SERVICES RENDER ()

Notes:

FEMALE JUST HIT A DEER.
FROM: MVC MINOR TO ANIMAL CALL
POLICE FROM: MVC MINOR TO ANIMAL CALL
VEHICLE CONTINUED ON.
FROM: (2) EAST ST & LEAVITT ST TO (2) 31 EAST ST
ANIMAL IS OFF ON THE SIDE OF THE ROAD.

*

Incident #: 15008225 Date: 2015-02-18 10:10:16 Type: PARK COMPLT

Location: BROAD COVE BALLROOM / 20 BROAD COVE RD Disposition: CANCELED BEFORE ()

Notes:

CALLER WOULD LIKE TO SEE AN OFFICER REGARDING A BLACK LINCOLN THAT IS PARKED ON THE PROPERTY

INCIDENT CLOSED

SPOKE WITH FAMILY, THEY WILL CONTACT MV OWNER TO HAVE IT MOVED, BALLROOM ADVISED

*

Incident #: 15008226 Date: 2015-02-18 10:13:01 Type: TRAFFIC HAZ

Location: LIBERTY POLE RD Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS HER NEIGHBORHOOD HAS NOT BEEN PLOWED, SHE CONTACTED THE DPW TO NO AVAIL, WOULD LIKE AN OFFICER TO GO LOOK AT TEH NEIGHBORHOOD AND SEE IF IT CAN BE ADDRESSED

ROADS ARE ALL ICY AND DANGEROUS

914 RPTS IT IS PASSABLE.

*

Incident #: 15008228 Date: 2015-02-18 10:13:50 Type: WELL BEING CK

Location: PLANET FITNESS / 211 LINCOLN ST Disposition: GOOD INTENT CAL ()

Notes:

CALLER RPTS A MALE WALKING AROUND THE PARKING LOT AND SEEMED A LITTLE 'OFF'.

CALLER WAS CONCERNED BECAUSE HE WAS NOT DRESSED APPROPRIATELY FOR THE WEATHER AND THAT HE MAY BE HOMELESS. CALLER WAS WEARING RED TRACK SUIT AND APPEARED TO BE IN HIS 70'S, CAUCASIAN.

FROM: SUSP PERSON TO WELL BEING CK

POLICE FROM: SUSP PERSON TO WELL BEING CK

MALE WAITING FOR HIS RIDE, HE CHECKS OK. CLEAR.

*

Incident #: 15008229 Date: 2015-02-18 10:26:33 Type: MVC MINOR

Location: 42 FREE ST Disposition: MVC PAPER EXCHA ()

Notes:

2 CAR MVA

Added by Update-and-Continue: More information to follow.

THIRD PARTY CALLER, NO AIRBAG, NO SMOKE, NO FLUID THAT SHE CAN SEE

NO INJURY, FIRE CAN CANCEL, WRECKER NEEDED.

PD REPORTS NO PI, FD BACK IN QUARTERS

WRECKER NOT NEEDED.

FROM MVC UNK INJURY TO MVC MINOR

*

Incident #: 15008231 Date: 2015-02-18 10:40:12 Type: PD INVEST

Location: BANK OF AMERICA / 95 SGT WM B TERRY DR Disposition: LOG ENTRY INFO ()

Notes:

OUT ON A FOLLOW UP.

*

Incident #: 15008236 Date: 2015-02-18 11:17:03 Type: ANIMAL CALL

Location: 36 BRADLEY HILL RD Disposition: LOG ENTRY INFO ()

Notes:

FEMALE BLACK LAB, NO COLLAR, ACO HAS THE DOG

ACO ADVISED, WILL CALL DOG OWNER DIRECTLY.

*

Incident #: 15008237 Date: 2015-02-18 11:20:15 Type: ANIMAL CALL

Location: 100 S PLEASANT ST Disposition: AREA SEARCH NEG ()

Notes:

CALLER REPORTING SMALL DEER WALKING IN THE MIDDLE OF THE ROAD TOWARD MAIN ST

*

Incident #: 15008238 Date: 2015-02-18 11:22:22 Type: PARK COMPLT

Location: MAPLE GROVE BLDG / 302 LINDEN PONDS WY Disposition: SERVICES RENDER ()

Notes:

TRUCK PARKED IN FRONT OF THE FIRE HYDRANT

Added by Update-and-Continue: More information to follow.

FROM: (2) 302 LINDEN PONDS WY TO (2) MAPLE GROVE BLDG / 302 LINDEN PONDS WY

SECURITY WILL SEND SOMEONE

SECURITY REPORTS THERE IS ACCESS TO FIRE HYDRANT, PEOPLE MOVING FURNATURE IN FOR NEW RESIDENT.

HYDRANT IS NOT BLOCKED.

*

Incident #: 15008242 Date: 2015-02-18 11:36:32 Type: WIRES CALL

Location: GLASTONBURY ABBEY / 16 HULL ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS A POWER LINE PULLED FROM THE BUILDING.

Added by Update-and-Continue: More information to follow.

HINGHAM LIGHT NOTIFIED

E2 ON SCENE, REPORT WIRE IS DOWN ACROSS THE MAIN ENTRY WAY

912 CLEAR, HAZARD CONTAINED BY FD.

LIGHT COMPANY ON SCENE

*

Incident #: 15008243 Date: 2015-02-18 11:37:17 Type: ANIMAL CALL

Location: 32 BEL AIR RD Disposition: SERVICES RENDER ()

Notes:

CALLER RPTS THAT HE HAS A SQUIRREL TRAPPED ON THE THIRD FLOOR AND NEEDS ASSISTANCE. ACO BADGER NTFD AND RESPONDING.

ACO BADGER GIVEN THE CODE TO THE GARAGE SO SHE CAN ENTER AND GO DIRECTLY TO THE THIRD FLOOR.

ACO RPTS SQUIRREL REMOVED.

*

Incident #: 15008244 Date: 2015-02-18 11:43:23 Type: PARK COMPLT

Location: CENTRAL ST & SANBORN RD Disposition: SERVICES RENDER ()

Notes:

927 REQUESTS CRUISER RESPOND TO SPEAK AGAIN TO THE CONTRACTOR THAT IS PARKING AND BLOCKING TRAFFIC. 915 RPTS SPEAKING TO THE OWNER AND THE VEHICLE WILL BE MOVED.

*

Incident #: 15008248 Date: 2015-02-18 12:51:27 Type: FIRE INVEST

Location: 30 THAXTER ST #BUILDING 9 Disposition: ()

Notes:

FIRE LT REPORTING HT ENTRANCE COVER IS BEGINING TO BOW, QUESTIONING THE INTEGRITY OF THE BUILDING, REQUEST BUILDING COMMISIONER TO THE SCENE BUILDING COMM ON SCENE

*

Incident #: 15008255 Date: 2015-02-18 14:09:12 Type: TRAFFIC HAZ

Location: MBTA RAIL CROSSING / 2 HULL ST FL NE SECTOR Disposition: SERVICES RENDER ()

Notes:

CALLER STATES THE TRAIN WARNING DEVICES HAVE BEEN ACTIVATED FOR APPROX 10 MINUTES.

CALLER STATES TRAFFIC HAS BEEN REROUTING IN OTHER DIRECTION.

FROM: (2) EAST ST FL NE SECTOR TO (2) MBTA RAIL CROSSING / 2 HULL ST FL NE SECTO

FROM: TRAIN EMERGENCY TO TRAFFIC HAZ

POLICE FROM: TRAIN EMERGENCY TO TRAFFIC HAZ

FIRE/RESCUE REMOVED: TRAIN EMERGENCY

MBCR DISPATCH CONTACTED AND INFORMED

MAINTENANCE CREW ON SCENE, TESTING - CLEAR

*

Incident #: 15008257 Date: 2015-02-18 14:16:26 Type: FALARM COMM

Location: AVALON AT HINGHAM SHIPYARD / 121 USS FOGG WY Disposition: REFERRED TO OTH ()

Notes:

WATER FLOW ALARM AND MAIN SWITCH TAMPER ALARM
WATER COMING OUT FROM UNDER THE GARAGE AT 121 FOGG
MED 2 ACCESS GAINED INVESTIGATING THE APARTMENT
ISSUE IS A RUPTURED SPRINKLER IN A CLOSET PLUMBING INSPECTOR TO THE SCENE
PLUMBING INSPECTOR MCPHERSON RESPONDING FROM SOUTH HINGHAM
BUILDING COMM ON SCENE
MAINT TO HANDLE
C4 ON SCENE 1440
FIRE ALARM HAS BEEN RESTORED TO THE REST OF THE BUILDING 121 IS OFF LINE PER C4

*

Incident #: 15008258 Date: 2015-02-18 14:20:31 Type: 911 ACCIDENT

Location: QUEEN ANNE NURSING HOME / 50 RECREATION PK DR Disposition: ACCID/DEFECT/BU ()

Notes:

E911 CALLER REQ HELP. SHE DOES NOT KNOW WHAT ROOM SHE IS IN.
Added by Update-and-Continue: More information to follow.
WOMAN'S NAME IS FLORENCE.
NURSE GETS ON THE PHONE, STATES SHE IS ROOM NUMBER 9.
THE NURSE STATES THE PATIENT IS SIMPLY CONFUSED.
FROM: MEDICAL AID TO 911 ACCIDENT
POLICE FROM: MEDICAL AID TO 911 ACCIDENT
FIRE/RESCUE REMOVED: MEDICAL AID
SPOKE TO THE STAFF AND THEY HAVE SPOKEN TO THE PATIENT AND SHE WAS CONFUSED AND
THEY FEEL AS IF EVERYTHING IS ALRIGHT.

*

Incident #: 15008260 Date: 2015-02-18 14:27:46 Type: FALARM RES DAY

Location: 16 MAST HILL RD Disposition: SERVICES RENDER ()

Notes:

KITCHEN HEAT DETECTOR

Added by Update-and-Continue: More information to follow.

2 AND A HALF STORY WOOD FRAME, NOTHING SHOWING OUT INVESTIGATING

CAUSED BY WATER FROM ICE DAMS LEAKING INTO DETECTOR, COMMAND TERMINATED

*

Incident #: 15008266 Date: 2015-02-18 14:59:32 Type: ANIMAL CALL

Location: ABERDEEN RD & MAIN ST Disposition: AREA SEARCH NEG ()

Notes:

CALLER RPTS TWO DOGS RUNNING LOOSE, ONE IS BLACK AND ONE THAT LOOKED LIKE A SWISS MOUNTAIN DOG.

FROM: (2) MAIN ST & ABERDEE TO (2) ABERDEEN RD & MAIN ST

Added by Update-and-Continue: More information to follow.

*

Incident #: 15008270 Date: 2015-02-18 15:32:29 Type: MV ERRATIC OP

Location: HINGHAM CENTRAL FIRE / 339 MAIN ST Disposition: VERBAL WARNING ()

Notes:

CAR 49 REPORTS A BLUE CHEV AVALANCHE MA DLR 3738A SWERVED AT THEM AND WAS
VERBALL ABUSIVE

914 HAS THE VEHICLE STOPPED AT MAIN AT PROSPECT

914 SPOKE WITH THE OPERATOR AND HAS BEEN ADVISED, CLEAR VERBAL WARNING, STOPPED
AT MAIN @ GRENDIER

*

Incident #: 15008274 Date: 2015-02-18 15:43:08 Type: DPW

Location: 735 MAIN ST Disposition: REFERRED TO OTH ()

Notes:

82 YOF REPORTS SHE IS OUTOF OIL, OIL COMPANY CAN NOTDELIVER THE RAOD NEXT TO
HER HOSUE IS NOT WIDE ENOUGH FOR THE TRUCK, DISPATCHER SPOKE WITH DPW NAME AND
NUMBER PASSED TO THEM

*

Incident #: 15008275 Date: 2015-02-18 15:46:02 Type: ANIMAL CALL

Location: 15 BRADLEY PK DR Disposition: REFERRED TO OTH ()

Notes:

CALLER REPRTS THERE IS A DEER NEAR THE POND SHE BELIEVES IT MAY BE STUCK
2ND CALLER REPORTS THE DEER IS STUCK INTHE MARSH BETWEEN BRADLEY PARK DRIVE AND
HILLTOP RD HAS BEEN THERE A COUPLE OF HOURS
LEFT MESSAGE FOR THE ACO
INCIDENT CLOSED
ACO NOTIFIED REPORTS SHE BELIEVES THE DEER TO BE RESTING.
ANIMAL IS NOW IN THE WOODS,

*

Incident #: 15008276 Date: 2015-02-18 15:50:26 Type: ALARM RES

Location: 18 TOWERBROOK RD Disposition: APPEARS SECURE ()

Notes:

FRONT DOOR

Added by Update-and-Continue: More information to follow.

915 CLEAR, REPORTS THE FRONT DOOR BLOCKED BY THE SNOW, CHECKED THE PERIMETER AND ALL SECURE, BY LAW SLIP LEFT,

*

Incident #: 15008286 Date: 2015-02-18 17:30:56 Type: BUILDING CHK

Location: HINGHAM INSTITUTE FOR SAVINGS / 37 WHITING ST Disposition: APPEARS SECURE ()

Notes:

BUILDING CHECK, APPEARS SECURE

*

Incident #: 15008287 Date: 2015-02-18 17:33:11 Type: ALARM RES

Location: 18 TOWERBROOK RD Disposition: FALSE/ACCIDENTA ()

Notes:

FRONT DOOR

ALARM COMPANY WILL BE ATTEMPTING TO NOTIFY KEYHOLDER

UNITS ON SCENE

UNITS CLEAR, CHECKED THE PROPERTY WITH THE HOMEOWNER

*

Incident #: 15008288 Date: 2015-02-18 17:43:23 Type: MEDICAL AID

Location: 37 BRADLEY PK DR Disposition: SERVICES RENDER ()

Notes:

MALE HAVING SEIZING

Added by Update-and-Continue: More information to follow.

STATION 2 COMPANIES ON SCENE/E2 HAS COMMAND

COMMAND REPORTS A PATIENT REFUSAL/ MED2 OBTAINING THE SIGN OFF

ALL COMPANIES CLEAR/COMMAND TERMINATED

*

Incident #: 15008289 Date: 2015-02-18 17:51:50 Type: MV DISABLED

Location: BROAD COVE RD & OTIS ST Disposition: SERVICES RENDER ()

Notes:

RED CHEVY BLAZER BROKEN DOWN, FLASHERS ARE ON,
CAR IS ON THE RESIDENTIAL SIE OF OTIS ST, OFFICER TO CHECK IN WITH THEM
THOMAS EN ROUTE
PRIVATE PARTY TOW
THOMAS ON SCENE

*

Incident #: 15008291 Date: 2015-02-18 17:59:24 Type: ALARM RES

Location: 181 NORTH ST Disposition: CANCELED BEFORE ()

Notes:

ATLAS REPORTS LEFT FRONT MOTION ALARM
ACCIDENTAL BY HOMEOWNER, PROPER PASSCODE RECEIVED.
DISPATCHER 10.
912 CANCELLED PRIOR TO ARRIVAL, PROPER PASSCODE RECEIVED

*

Incident #: 15008294 Date: 2015-02-18 18:35:32 Type: WELL BEING CK

Location: 735 MAIN ST Disposition: NO PD SERVICE R ()

Notes:

REQUEST FOR POLICE: PATROL VOIDED
DRIVEWAY LOOKS TIGHT BUT IS PLOWED

*

Incident #: 15008301 Date: 2015-02-18 20:02:09 Type: PROPERTY DAMAGE

Location: 291 CUSHING ST Disposition: INVESTIGATED/ R (Y)

Notes:

FENCE WAS DAMAGED DURING SNOW REMOVAL

*

Incident #: 15008302 Date: 2015-02-18 20:37:52 Type: GAS INSIDE

Location: 906 TUCKERS LN Disposition: SERVICES RENDER ()

Notes:

ODOR OF GAS INSIDE
Added by Update-and-Continue: More information to follow.
HOUSE IS EVACUATING
LIGHT ODOR OUTSIDE ATTEMPTING TO LOCATE THE METER UNDER THE SNOW
911 CLEAR, FIRE TO HANDLE
C3 REQUESTS NATIONAL GRID RESPONSE/ NATIONAL GRID NOTIFIED AND REPORTS THEY ARE
6 CALLS OUT AND RESPONSE TIME 1-2 HOURS/C3 ADVISED
BOB LOWE MAINTANACE CONTACTED HE IS UNABLE TO RESPOND BUT WILL CONTACT THE SITE
MANAGER
MR LOWE RESPONDING
STATION ONE COMPANIES CLEARED TO QUARTERS
E2 REPORTS THE VALVE IS FROZEN OPEN
COMPANIES CLEAR TO QUARTERS / MR LOWE ON SCENE AND THE RESIDENT TO STANDBY FOR
NATIONAL GRID/ 0% READINGS IN THE HOUSE

*

Incident #: 15008306 Date: 2015-02-18 21:03:03 Type: TRAFFIC HAZ

Location: CENTRAL ST & SOUTH ST Disposition: SERVICES RENDER ()

Notes:

VEHICLE IN THE BOBCAT, HEADING DOWN DOUTH ST TOWARDS THE SQUARE, NO LIGHTS ON THE VEHICLE SOUTH ST TOWARDS THE SQUARE

*

Incident #: 15008307 Date: 2015-02-18 21:04:38 Type: FALARM RES NGHT

Location: 9 RIVERVIEW RD Disposition: SERVICES RENDER ()

Notes:

SMOKE DETECTOR ACTIVATION NO SMOKE OR FIRE

Added by Update-and-Continue: More information to follow.

JUST MOVED IN.

Added by Update-and-Continue: More information to follow.

ADVISED PARTY TO EVACUATE HOME.

REQUEST FOR POLICE: PATROL VOIDED

REQUEST FOR FIRE/RESCUE: CHIEF VOIDED

REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED

APPARENT FAULTY DETECTOR /COMPANIES ON SCENE CHECKING THE RESIDENCE

FAULTY DETECTOR/ WALK THROUGH WITH THE METER 0% READINGS/COMPANIES CLEAR TO QUARTERS

*

Incident #: 15008308 Date: 2015-02-18 21:06:20 Type: FIRE INVEST

Location: 280 HIGH ST Disposition: ()

Notes:

Added by Update-and-Continue: More information to follow.

REQUESTING THE FIRE DEPT TO CHECK HER HOME, HER EXHAUST VENT IS BLOCKED BY SNOW AND IS AFRAID TO GO IN THE HOUSE

APPARENT FAULTY DETECTOR/COMPANIES CHECKING THE HOUSE

STATION 3 COMPANIES ON SCENE

VENT CLEARED / APLLIANCES STARTED UP / SLIGHT ODOR IN HOUSE VENTILATED

COMPANIES CLEAR TO QUARTERS

*

Incident #: 15008313 Date: 2015-02-18 22:43:19 Type: TRAFFIC HAZ

Location: MINUTEMAN RD Disposition: SERVICES RENDER ()

Notes:

CALELR STATES THAT MINUTEMAN, VOLUNTEER AND COLONIAL RD ARE SLIPERY AND DANGEROUS, PATRIOT WAY IS OK AS IT IS A BUSIER STREET, SHE HAS CALLED THE DPW THREE TIMES WITH NO RESULT, ASKING FOR AN OFFICER TO GO AND CHECK SO THE DPW CAN BE NOTIFIED AGAIN, MESSAGE LEFT BY RESIDENT AND DISPATCH AGAIN, DPW HUNG UP ON HER PER THE RESIDENT EARLIER TODAY
914 CHECKED THE AREA AND STATES COULD USE SOME ATTENTION, FIRE ABLE TO GET DOWN

*

Incident #: 15008314 Date: 2015-02-18 22:53:48 Type: HARASSMENT

Location: 30 THAXTER ST #7 42 Disposition: INVESTIGATED/ R (Y)

Notes:

ANSWERING MACHINE ON CALLBACK
Added by Update-and-Continue: More information to follow.
FROM: (2) 30 THAXTER ST #APT 7-32 FL APT 7-32 TO (2) 30 THAXTER ST #7 42 FL APT
CALLER STATES THAT SOMEONE THREATENED HIS NEICE OVER THE PHONE AND THIS EVENING THE MALE CALLED HIM THIS EVENING AND THE MALE DOES NOT WANT HIM TO CONTACT
FROM: (2) 30 THAXTER ST #7 42 FL APT 7-32 TO (2) 30 THAXTER ST #7 42
CALLER STATES THAT THE MALE IS ON PROBATION FOR KILLING HIS WIFE. STATES HIS NEICE WAS FRIENDS WITH HIM AND SHE WAS BEING THREATENED FOR MONEY
CALLER STATES HE DOES NOT WANT THIS MALE CONTACTING HIM OR HIS NIECE
FROM: 911 ABANDONED TO HARASSMENT
SEE REPORT
POLICE FROM: 911 ABANDONED TO HARASSMENT
Added by Update-and-Continue: More information to follow.

*

Incident #: 15008319 Date: 2015-02-18 23:52:44 Type: DPW

Location: QUEEN ANNS CORNER / MAIN ST Disposition: REFERRED TO OTH ()

Notes:

CALLER REPORTS THE TRAFFIC SIGNAL NEVER CHANGED TO GREEN
FROM: TRAFFIC HAZ TO DPW
POLICE FROM: TRAFFIC HAZ TO DPW
MA HIGHWAY NTFD
INCIDENT CLOSED

*

Incident #: 15008322 Date: 2015-02-19 00:39:04 Type: BUILDING CHK

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: APPEARS SECURE ()

Notes:

BUILDING CHECKS
CLEAR

*

Incident #: 15008331 Date: 2015-02-19 01:20:32 Type: SUSP VEHICLE

Location: PLYMOUTH QUARRIES INC / 410 WHITING ST Disposition: SERVICES RENDER ()

Notes:

MA REG 883AG6 IN THE PARKING LOT
914 REPORTS VEHICLE CHECKS OUT TOLD TO MOVE ON FOR NIGHT UNITS CLEAR

*

Incident #: 15008332 Date: 2015-02-19 01:37:08 Type: BUILDING CHK

Location: EAST ELEMENTARY SCHOOL / 2 COLLINS ST Disposition: APPEARS SECURE ()

Notes:

BUILDING CHECKS
CLEAR

*

Incident #: 15008333 Date: 2015-02-19 01:42:05 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ()

Notes:

BUILDING CHECK APPEARS SECURE

*

Incident #: 15008334 Date: 2015-02-19 01:42:55 Type: BUILDING CHK

Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: APPEARS SECURE ()

Notes:

BUILDING CHECK APPEARS SECURE

*

Incident #: 15008335 Date: 2015-02-19 01:43:53 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ()

Notes:

BUILDING CHECK APPEARS SECURE

*

Incident #: 15008340 Date: 2015-02-19 01:48:58 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ()

Notes:

BUILDING CHECKS

CLEAR

*

Incident #: 15008348 Date: 2015-02-19 02:24:11 Type: SUSP ACTIVITY

Location: 29 HOPE RD Disposition: APPEARS SECURE ()

Notes:

CALL REPORTS HEARING TWO BANGS SOME WHERE NEAR THE HOUSE
Added by Update-and-Continue: More information to follow.
CALLER REPORTS IT SOUNDED LIKE SOMETHING BANGING AGAINST THE STORM DOOR IN THE FRONT
CALLER REPORTS BEING SCARED. CALLER IS UPSTAIRS
CALLER REPORTS HEARING ANOTHER NOISE ON THE PHONE REPORTS SCARED TO TALK

914 REPORTS OUTSIDE CHECKS OUT FINE AND BASEMENT CHECKS OUT FINE BUILDING IS SECURE UNITS CLEAR

*

Incident #: 15008349 Date: 2015-02-19 02:50:11 Type: MV DISABLED

Location: 427 MAIN ST Disposition: SERVICES RENDER ()

Notes:

OFF WITH MA REG 3766AO
913 REPORTS VEHICLE IS STUCK IN A SNOW BANK. OWNER HAS A PRIVATE TOW ENROUTE.
913 WILL STAND BY TILL TOW ARRIVES
912 REPORTS VEHICLE HAS BEEN REMOVED UNITS CLEAR

*

Incident #: 15008350 Date: 2015-02-19 03:01:19 Type: BUILDING CHK

Location: FOSTER ELEMENTARY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ()

Notes:

BUILDING CHECKS
CLEAR

*

Incident #: 15008354 Date: 2015-02-19 04:22:17 Type: MEDICAL AID

Location: 16 QUEEN ANNE LN Disposition: REFERRED TO OTH ()

Notes:

65 YOM NOT FEELIN WELL VOMITTING THINKS SHE PASSED OUT
Added by Update-and-Continue: More information to follow.
DOOR IS UNLOCKED
IS CONCIOUS AND ALERT
CLEAR FIRE TO HANDLE
MED3 IS LOADED FOR TRANSPORT.

*

Incident #: 15008356 Date: 2015-02-19 05:34:31 Type: DISTURB

Location: MANAGEMENT CONTACT / 185 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS SNOW BEING DUMPED IN THE BACK PARKING LOT OF HIS BUILDING AND
WOULD LIKE TO SPEAK TO AN OFFICER ABOUT IT
UNITS CLEAR CONTRACTER HAS BEEN CONTACTED. SIMPLE MISS UNDERSTANDING IN SNOW
PLACEMENT. WILL RETURN TO MOVE SNOW.

*

Incident #: 15008361 Date: 2015-02-19 06:21:29 Type: MVC MINOR

Location: 491 CUSHING ST Disposition: INVESTIGATED/ R ()

Notes:

Added by Update-and-Continue: More information to follow.
RIGHT BEFORE THE LIGHTS MV HAD BEEN HIT BY A CAR THAT WAS BACKING OUT OF THE
DRIVE WAY.
NO INJURES
MERCURY GRAND MARQUI
FROM: (2) CUSHING ST & WHITING ST TO (2) 491 CUSHING ST
914 REPORTS HEAVY DAMAGE TO ONE VEHICLE REQUESTING THOMAS'
THOMAS PAGED AND ENROUTE
914 REPORTING 2 TOWS NEEDED AT THIS LOCATION THOMAS UPDATED
915 WILL FILE THOMAS IN PROSSES OF PICKING VEHICLES UP 914 WILL STAND BY TILL
DONE
914 CLEAR THOMAS HAS BOTH VEHICLES

*

Incident #: 15008362 Date: 2015-02-19 06:39:17 Type: MVC MINOR

Location: EAST ST & JOY LN Disposition: SERVICES RENDER ()

Notes:

VEHICLE PUN OUT HIT A SNOWBANK 2 CHILREN IN THE CAR

DPW ALSO CALLED TO REPORT SAME

Q1 REPORTS NO INJURIES AND TO CANCEL MED 2.

Q1 WILL BE WAITING FOR A TOW.

UNITS ON SCENE REQUESTING THOMAS'S

THOMAS NOTIFIED AND ENROUTE

THOMAS ADVICED OF VEHICLE IN BAD SPOT. WILL SEND SECOND TRUCK

THOMAS ON SCENE

ROADWAY NOW OPEN

UNITS CLEAR, THOMAS WILL FOLLOW THE VEHICLE TO HOME DEPOT TO COLLECT PAYMENT,

IF THERE IS AN ISSUE. POLICE WILL HEAD OVER AND TOW THE VEHICLE FROM THERE

FROM MVC UNK INJURY TO MVC MINOR

*

Incident #: 15008363 Date: 2015-02-19 07:01:18 Type: ALARM COMM

Location: SOUTH SHORE EDUCATIONAL COLLAB / 75 ABINGTON ST Disposition: CANCELED BEFORE ()

Notes:

GEN BURG CALLED IN BY THE ALARM CO

INCIDENT CLOSED

GOOD PASSCODE RECIEVED BY ALARM COMPANY

*

Incident #: 15008371 Date: 2015-02-19 07:59:13 Type: MBOX DISCON

Location: BOX 7831/ 25 TECHNOLOGY DR Disposition: ()

Notes:

TECH IS TAKING BOX 7831 OFFLINE AND WILL CALL WHEN THE BOX IS BACK ONLINE

BACK IN SERVICE

*

Incident #: 15008375 Date: 2015-02-19 09:03:58 Type: 911 ACCIDENT

Location: MEDICAL OFFICES / 300 LINDEN PONDS WY Disposition: 911 ACCIDENTAL ()

Notes:

SECURITY GOING TO CONFIRM AND CALL BACK WITH DISPOSITION

SECURITY CONFIRMED ACCIDENTAL

INCIDENT CLOSED

*

Incident #: 15008376 Date: 2015-02-19 09:12:05 Type: WATER LEAK INS

Location: 10 OLD COUNTY RD #B Disposition: SERVICES RENDER ()

Notes:

ENGINE 3 RPTS RESPONDING FOR A WATER INVESTIGATION.

SMALL LEAK IN THE BATHROOM, CIRCUIT HAS BEEN ISOLATED AND HOMEOWNER TO CONTACT AN ELECTRICIAN, CLEAR.

*

Incident #: 15008377 Date: 2015-02-19 09:13:29 Type: MESSAGE

Location: MAPLE GROVE BLDG / 302 LINDEN PONDS WY #110 Disposition: MESSAGE DELIVER ()

Notes:

HAD HIM CALL THE CALLER REGARDING A MVC THAT OCCURRED IN HANOVER

HAVE

INCIDENT CLOSED

*

Incident #: 15008378 Date: 2015-02-19 09:14:35 Type: ASST PUBLIC

Location: 49 PIONEER RD Disposition: SERVICES RENDER ()

Notes:

913 TO ASSIST WITH TRAFFIC
REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

*

Incident #: 15008379 Date: 2015-02-19 09:18:25 Type: FRAUD

Location: 29 PLYMOUTH RIVER RD Disposition: SERVICES RENDER ()

Notes:

911 CALLER REPORTS HE REC'D A CALL REGARDING CHIMNEY INSPECTION, SUSPECTS ITS A
SCAM CALL, WOULD LIKE ADVICE
NO PERSONAL INFORMATION WAS GIVEN, CALLER WANTED ADVICE REGARDING THE CURRENT
SCAMS

*

Incident #: 15008381 Date: 2015-02-19 09:36:48 Type: TRAFFIC HAZ

Location: JULIAN WY & MAIN ST Disposition: SERVICES RENDER ()

Notes:

SNOW RAKE EQUIPMENT WAS FOUND IN THE ROADWAY, 917 WILL BE BRINGING EQUIPMENT
BACK TO THE STATION

*

Incident #: 15008385 Date: 2015-02-19 10:03:20 Type: DPW

Location: BEAL ST & SGT WM B TERRY DR Disposition: REFERRED TO OTH ()

Notes:

FROM: (2) LINCOLN ST & SGT WM B TERRY DR TO (2) BEAL ST & SGT WM B TERRY DR
BELL TRAFFIC BEING ADVISED BY TOWN DPW

*

Incident #: 15008387 Date: 2015-02-19 10:31:10 Type: TRAFFIC HAZ

Location: RT 3 N Disposition: SERVICES RENDER ()

Notes:

ON THE RAMP THERE IS A MALE WALKING UP THE ON RAMP.
Added by Update-and-Continue: More information to follow.
914 CHECKED THE ON RAMP. NO SIGN OF THE MALE
nothing showing rte 3 north between 15 and 16

*

Incident #: 15008391 Date: 2015-02-19 10:55:02 Type: MV STOP

Location: 317 WHITING ST Disposition: VERBAL WARNING ()

Notes:

OUT ON A MV STOP
CLEAR, VERBAL WARNING

*

Incident #: 15008392 Date: 2015-02-19 10:58:23 Type: MEDICAL AID

Location: 92 WOMPATUCK RD Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS HIS NEIGHBOR SLIPPED IN SNOW AND CANT GET UP. NO INJURIES
Added by Update-and-Continue: More information to follow.
JUST NEEDS HELP GETTING UP
FROM: (2) 91 WOMPATUCK RD TO (2) 92 WOMPATUCK RD
REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED
ENGINE 2 RPTS LIFT ASSIST ONLY.

*

Incident #: 15008394 Date: 2015-02-19 11:02:02 Type: ALARM RES

Location: 2 FRANKLIN RODGERS RD Disposition: APPEARS SECURE ()

Notes:

Added by Update-and-Continue: More information to follow.

FOYER DINER ROOM

PROPERTY APPEARS SECURE,
917 REPORTS WAS ABLE TO ONLY CHECK HALF OF THE OUTSIDE PERIMETER DUE TO THE
SNOW, ALARM COMPANY WILL NOTIFY KEYHOLDER,
BY LAW SLIP LEFT

*

Incident #: 15008398 Date: 2015-02-19 11:20:57 Type: GAS OUTSIDE

Location: 6 ELIZABETH LN Disposition: NO PD SERVICE R ()

Notes:

C49 REQUESTS NATIONAL GRID PUT THIS ADDRESS ON THEIR LIST FOR AN OUTSIDE ODOR
OF GAS.

REQUEST FOR POLICE: PATROL VOIDED

REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

NATIONAL GRID NTFD.

*

Incident #: 15008399 Date: 2015-02-19 11:23:23 Type: ALARM RES

Location: 18 TOWERBROOK RD Disposition: CANCELED BEFORE ()

Notes:

FRONT DOOR

ALARM CO REQUESTS TO CANCEL, ACCIDENTAL BY HOMEOWNER

917 CANCELLED PRIOR TO ARRIVAL, PROPER PASSCODE WAS GIVEN

*

Incident #: 15008400 Date: 2015-02-19 11:24:40 Type: MEDICAL AID

Location: ALLERTON HOUSE AT HARBOR PARK / 15 CONDITO RD #APT 101 Disposition: SERVICES RENDER
()

Notes:

94 Y/O F CONGESTION, GENERAL SICKNESS

Added by Update-and-Continue: More information to follow.

NURSE IS ON SCENE

MED2 TRANSPORTING TO SSH, E2 CLEAR

*

Incident #: 15008404 Date: 2015-02-19 11:55:05 Type: GAS INSIDE

Location: 39 HIGHVIEW DR Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.

UNKNOWN EMERGENCY HERE, CALLED INTO STATE POLICE BY NH DUE TO HORRIBLE CELL SERVICE

FROM: WELL BEING CK TO GAS INSIDE

POLICE FROM: WELL BEING CK TO GAS INSIDE

FIRE/RESCUE ADDED: GAS INSIDE

Added by Update-and-Continue: More information to follow.

GOT THROUGH TO THE HOMEOWNER VIA NUMBER FROM STATE PD, SHE REPORTS SHE IS AWAY IN NH AND THE CLEANER IS REPORTING STRONG ODOR OF GAS INSIDE AND OUTSIDE THE HOME

ENGINE 2 RPTS STRONG ODOR OF GAS JUST WALKING UP TO THE DOOR, NATIONAL GRID NTFD AND RESPONDING.

C-3 REQUESTS HINGHAM LIGHT RESPONDING.

HINGHAM LIGHT RESPONDING.

C3 RPTS HE HAS HIGHVIEW DRIVE COMMAND, POSITIVE READINGS, HOUSE HAS BEEN EVACUATED AND THEY WILL BE STANDING BY FOR NATIONAL GRID AND HINGHAM LIGHT.

COMMAND RPTS HINGHAM LIGHT IS ON SCENE.

REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

COMMAND RPTS HOLDING ALL COMPANIES, IF NEED BE MEDIC 3 COULD BE IN SERVICE IF NEEDED, POWER HAS BEEN SHUT OFF TO THE HOUSE AND IT APPEARS AS IF THERE IS A BROKEN EXTERNAL METER, AWAITING NATIONAL GRID.

FIRE DEPT HAS OWNER INFO. 910 CLEAR NOW.

COMMAND RPTS NATIONAL GRID ON SCENE.

COMMAND RPTS THAT THE GAS HAS BEEN SHUT OFF AND CREWS ARE VENTILATING.

911 CLEAR, NATIONAL GRID ON SCENE

COMMAND REPORTS READINGS IN HOUSE ARE NOW 0. ALL CO'S CLEAR. COMMAND TERMINATED

*

Incident #: 15008407 Date: 2015-02-19 12:40:41 Type: MEDICAL AID

Location: SOUTH SHORE COUNTRY CLUB / 274 SOUTH ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS 70 Y/O F FELL AND CUT HER FACE

Added by Update-and-Continue: More information to follow.

MAIN ENTRANCE USE THE ONE FOR THE RESTAURANT AND SHE IS IN THE CONFERENCE ROOM

MEDIC 2 RPTS THAT ENGINE 3 CAN CANCEL.

917 CLEAR, FD TO HANDLE

CLEAR OF THE COUNTRY CLUB, PATIENT TO GO BY OTHER MEANS.

*

Incident #: 15008408 Date: 2015-02-19 12:41:26 Type: HAZARD SITN

Location: TOSCA / 14 NORTH ST Disposition: GOOD INTENT CAL ()

Notes:

LIGHTS ON THE BUILDING HAVE BROKEN PANES OF GLASS, PIECES ARE HANGING, ONE ON THE CORNER OF NORTH AND THE FIRST TWO ON THE FRUIT CENTER SIDE

FROM: TRAFFIC HAZ TO HAZARD SITN

POLICE FROM: TRAFFIC HAZ TO HAZARD SITN

915 SPOKE WITH STAFF, STEFF IS FIXING THE LIGHT ISSUE NOW, 915 CLEAR

*

Incident #: 15008414 Date: 2015-02-19 13:48:38 Type: 911 TRANSFER

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: ()

Notes:

SOUTH SHORE MEDICAL CENTER CALLING TO REPORT A 14 Y/O MALE HAS ASSAULTED HIS MOTHER. THIS ADDRESS IS IN KINGSTON AT 9 DILLINGHAM RD. 911 CALL WAS

TRANSFERRED TO KINGSTON

INCIDENT CLOSED

*

Incident #: 15008415 Date: 2015-02-19 14:09:37 Type: FIRE INVEST

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: SERVICES RENDER ()

Notes:

C-1 REQUESTS QUINT 1 RESPOND FOR A ROOF INVESTIGATION.
C1 RPTS THAT THE QUINT WILL BE AVAILABLE FOR RESPONSES BUT ON A DELAY.
C-4 AND C-2 WERE ON THIS CALL ALSO AT THE SAME TIME AS C-1

*

Incident #: 15008417 Date: 2015-02-19 15:03:22 Type: SUSP ACTIVITY

Location: 89 THAXTER ST Disposition: INVESTIGATED/ R (Y)

Notes:

CALLER REPORTS BETWEEN 2 15 AND 230TWO GENTLEMEN WEARING NATIONWIDE UNIFORM
CAME TO DO AN INSPECTION ON THEIR HOME FOR CARBON MONOXIDE, HE TURNED THEM AWAY
AND THEN THE OFFICE CALLED STATING THAT THEY HAD AN APPT AND WAS ANGRY THAT
THE HOMEOWNER DID NOT LET THEM IN THE HOME

*

Incident #: 15008418 Date: 2015-02-19 15:08:28 Type: INSP FIRE

Location: 62 DERBY ST Disposition: ()

Notes:

C2 REPORTS HIMSELF AND C1 HEADING UP HERE TO INVESTIGATE EXIT AND ENTRY DOORS

*

Incident #: 15008419 Date: 2015-02-19 15:10:35 Type: TRANSPORT

Location: PILGRIM SKATING ARENA / 75 RECREATION PK DR Disposition: SERVICES RENDER ()

Notes:

TRANSPORTING PARTY TO 62 DERBY ST, SHUTTLE COMPLETE

*

Incident #: 15008422 Date: 2015-02-19 15:22:50 Type: 911 ABANDONED

Location: 6 SHIPYARD DR #SUIT 1E Disposition: 911 ACCIDENTAL ()

Notes:

CHARMING CHARLIES.

Added by Update-and-Continue: More information to follow.

NO ANSWER ON CALL BACK

FROM: (2) 6 SHIPYARD DR #SUIT 1E FL SUIT 1E TO (2) 6 SHIPYARD DR #SUIT 1E

WAS TRYING TO DIAL OUT.

CONFIRMED ACCIDENTAL

*

Incident #: 15008423 Date: 2015-02-19 15:24:57 Type: POLICE INFO

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: SERVICES RENDER (N)

Notes:

REF CAD 15008415, THE FIRE DEPT RESPONDED EARLIER CHECKING THE ROOF, THIS EVENING HEAVY MACHINERY WILL BE WORKING TO REMOVE THE SNOW.

*

Incident #: 15008424 Date: 2015-02-19 15:38:37 Type: MV DISABLED

Location: EAST ST & JOY LN Disposition: SERVICES RENDER ()

Notes:

AFTER LIBRARY QUARTER MILE TOWARDS HULL

Added by Update-and-Continue: More information to follow.

SEDAN, LIGHT COLORED

FROM: (2) MAIN ST TO (2) HINGHAM PUBLIC LIBRARY / 66 LEAVITT ST

FROM: (2) HINGHAM PUBLIC LIBRARY / 66 LEAVITT ST TO (2) LEAVITT ST

FEMALE IN VEHICLE, NO INJURIES. CALLER WAS DEIVING BY

FROM: (2) LEAVITT ST TO (2) EAST ST

C3 REPORTS THE SAME

FROM: (2) EAST ST TO (2) EAST ST & JOY LN

THOMAS EN ROUTE

917 CLEAR THOMAS HAS VEHICLE.

*

Incident #: 15008425 Date: 2015-02-19 15:44:04 Type: GAS INSIDE

Location: AVALON AT THE HINGHAM SHIPYARD / 152 SHIPYARD DR Disposition: SERVICES RENDER ()

Notes:

PLOW STRUCK GAS LINE TO BUILDING

Added by Update-and-Continue: More information to follow.

BUILDING BEING EVACUATED

GAS IS ESCAPING FROM THE LINE

NATIONAL GRID NOTIFIED

GES COMP NOTIFIED, 20 MINUTES

E2 ADVISES THE BLG IS EVACUATED, STRONG ODOR OF GAS IN THE BACK OF THE BLG

910 RPTS UNITS ON SCENE, BLOCKING THE ENTRANCES

WHOLE METER BROKEN OFF, AWAITING GAS CO TO SHUT OFF THE GAS

Q1 ADVISES POWER HAS BEEN SHUT OFF TO THE BLG

Added by Update-and-Continue: More information to follow.

C3 CLEARED E3 MED3

COMMAND ADVISES ABLE TO STOP FLOW OF GAS, STILL NEED GAS CO, 0 READING IN BLG,

E2 MED2 STANDING BY INSERVICE. Q1 CLEARED BY COMMAND

ALL POLICE UNITS CLEAR, FIRE STANDING BY AWAITING NATIONAL GRID

NATIONAL GRID ON SCENE

COMMAND ADVISES GAS HAS BEEN SHUT OFF, 0 READINGS IN BLG, ALL UNITS CLEAR.

NATIONAL GRID TO HANDLE

*

Incident #: 15008433 Date: 2015-02-19 17:12:43 Type: HAZARD SITN

Location: LEAVITT ST Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.

DPW WORKER REPORTS A PRIVATE PLOW IS PUSHING SNOW ONTO THE STREET AND HE ASKED

HIM TO STOP PUSHING IT INTO THE STREET. THE OPERATOR SAID EVERYONE DOES IT AND

CONTINUED TO PLOW.

O/HERMIDA ADVISED AND RESPONDING.

DPW STATE IT IS A BLACK PICKUP AND HAVE BEEN ADVISED AGAINST THAT

*

Incident #: 15008437 Date: 2015-02-19 17:23:50 Type: BUILDING CHK

Location: HINGHAM INSTITUTE FOR SAVINGS / 37 WHITING ST Disposition: APPEARS SECURE ()

*

Incident #: 15008438 Date: 2015-02-19 17:32:23 Type: TRAFFIC HAZ

Location: 2 WOODBINE LN Disposition: SERVICES RENDER ()

Notes:

RP SAYS ROADS VERY BAD AT JONES AND WOODBINE. THEY NEED DPW TO PLOW IT.
911 CALLER. ADVISED HIM OFFICER WOULD COME BY.

*

Incident #: 15008439 Date: 2015-02-19 17:45:39 Type: BUILDING CHK

Location: ROCKLAND TRUST COMPANY / 100 SGT WM B TERRY DR Disposition: APPEARS SECURE ()

Notes:

BUILDING CHECK, APPEARS SECURE

*

Incident #: 15008441 Date: 2015-02-19 17:49:35 Type: BUILDING CHK

Location: TD BANK / 421 LINCOLN ST Disposition: APPEARS SECURE ()

Notes:

BUILDING CHECK, APPEARS SECURE

*

Incident #: 15008443 Date: 2015-02-19 17:53:32 Type: ALARM COMM

Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: APPEARS SECURE ()

Notes:

LIBRARY OFFICE BURG

Added by Update-and-Continue: More information to follow.

ALARM CO ATTEMPTING TO CONTACT KEYHOLDER

APPEARS SECURE, UNITS CLEAR
NO RESPONDER

*

Incident #: 15008445 Date: 2015-02-19 18:11:54 Type: ALARM RES

Location: 15 HAWTHORNE RD Disposition: APPEARS SECURE ()

Notes:

RESIDENT AWAY AND HER ALARM CO REPORTED A GENERAL BURGLAR ALARM SHE THINKS IT
MAY BE THE CAT SITTER BUT SHE WAS UNABLE TO REACH HER BY PHONR
PROPERTY APPEARS SECURE

*

Incident #: 15008449 Date: 2015-02-19 19:00:44 Type: TREE DOWN

Location: CHIEF JUSTICE CUSHING HWY & SUMMER Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.
TREE ACROSS THE ROAD ON THE SOUTHBOUND SIDE JUST PAST THE ROTARY
ON 3A
911/917 CHECKING THE AREA
911 REMOVED A TREE BRANCH FROM THE ROADWAY, CANCEL
E2 CANCELLED PER PD

*

Incident #: 15008450 Date: 2015-02-19 19:14:58 Type: KEEP PEACE

Location: THOMAS AUTO BODY SHOP, INC. / 15 FORT HILL ST Disposition: SERVICES RENDER ()

Notes:

911 TO ASSIST WITH KEEPING THE PEACE
Added by Update-and-Continue: More information to follow.
THOMAS ETA 2 MINS

*

Incident #: 15008452 Date: 2015-02-19 19:31:33 Type: ALARM COMM

Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: APPEARS SECURE ()

Notes:

BURGLAR ALARM, LIBRARY OFFICE

Added by Update-and-Continue: More information to follow.

WORKING ON KEYHOLDER.

UNITS CLEAR, SAME VEHICLES IN THE PARKING LOT AND THE BLDG IS SECURE. INFORMED

ALARM COMPANY NEED A KEYHOLDER, SECOND TIME THE ALARM HAS COME IN TONIGHT

*

Incident #: 15008455 Date: 2015-02-19 20:24:27 Type: MEDICAL AID

Location: BURTONS GRILL / 94 DERBY ST #SUIT 271 FL SUIT 271 Disposition: SERVICES RENDER ()

Notes:

FEMALE POSSIBLY HAVING A SEIZURE

Added by Update-and-Continue: More information to follow.

PT IS BREATHING

914 CLEAR, FIRE TO HANDLE

MED3 TO SSH ALS

*

Incident #: 15008457 Date: 2015-02-19 20:35:46 Type: ALARM COMM

Location: 35 POND PK RD Disposition: CANCELED BEFORE ()

Notes:

MEDIAVUE SYSTEMS, SUITE 14, REAR RIGHT DOOR

Added by Update-and-Continue: More information to follow.

Added by Update-and-Continue: More information to follow.

PROPER PASSCODE GIVEN, CANCELLED UNITS PRIOR TO ARRIVAL

*

Incident #: 15008458 Date: 2015-02-19 20:46:38 Type: COMMTY SERV

Location: GLASTONBURY ABBEY / 16 HULL ST Disposition: SERVICES RENDER ()

Notes:

917 WILL BE ASSISTING WITH TRAFFIC

*

Incident #: 15008459 Date: 2015-02-19 20:46:52 Type: MEDICAL AID

Location: PILGRIM SKATING ARENA / 75 RECREATION PK DR Disposition: SERVICES RENDER ()

Notes:

RINK A SKATER FACE FIRST INTO BOARDS

Added by Update-and-Continue: More information to follow.

FEMALE 15, CONSCIOUS AND BREATHING.

POSSIBLE NECK INJURY

POLICE OFFICER ON SCENE.

HIN Q1 CANCELLED, E3 TO RESPOND

NOT BLEEDING.

914 CLEAR, FIRE TO TRANSPORT

MED2 BLS TO SSH

*

*

Incident #: 15008463 Date: 2015-02-19 21:43:23 Type: DISPUTE

Location: 3 FARM HILLS LN Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS HER NEIGHBOR PLOWED THE SNOW ONTO HER FRONT LAWN, COMPANY IS LAWN CARE

Added by Update-and-Continue: More information to follow.

HE JUST LEFT

CALLED THE MALE INVOLVED AND IMFORMED HIM OF THE COMPLAINT AND HE HAS BEEN ADVISED

*

Incident #: 15008466 Date: 2015-02-19 21:57:39 Type: FIRE INVEST

Location: 3 WEIR RIVER LN Disposition: SERVICES RENDER ()

Notes:

OIL HEAT AND SHUT THE BURNER OFF, COMPANY COMING BACK TOMORROW. ODOR OF OIL INSIDE

Added by Update-and-Continue: More information to follow.

0% READINGS SLIGHT ODOR OF OIL Q1 CLEAR TO QUARTERS

*

Incident #: 15008475 Date: 2015-02-19 23:52:34 Type: DPW

Location: QUEEN ANNS CORNER / MAIN ST Disposition: NO PD SERVICE R ()

Notes:

CALLER REPORTS TRAFFIC LIGHTS COMING FROM ROCKLAND AT QUEN ANNS CORNER IS NOT CYCLING TO GREEN. MASS DOT NOTIFIED

*

Incident #: 15008476 Date: 2015-02-20 00:15:06 Type: MEDICAL AID

Location: 9 HAYES RD Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.
90 yof fell hit her heaed
she has a larceration .
HER SON IN LAW IS THERE WITH HER
SHE IS CONCIOUS.
SHE HAS A TOWEL AND IS PUTING PRESSURE ON IT.
SHE IS ON MEDICATION BUT SON IN LAW DOESNT KNOW FOR WHAT.
E2 REPORTS THIS WILL BE A MED2 TRANSPORT
MED2 TO SSH W/1 BLS E2 CLEAR RETURNING
MED2 OA SSH
MED2 CLEAR SSH RETURNING

*

Incident #: 15008483 Date: 2015-02-20 01:02:38 Type: FALARM RES NGHT

Location: 108 TURKEY HILL LN Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS FIRE ALARMS ARE GOING OFF FOR 5 MINUTES. UNKNOWN REASON
HOME HAS BEEN EVACUATED
C3 Q1 ON SCENE. C3 WITH TURKEY HILL COMMAND

COMMAND REPORTS FAULTY DETECTOR E2 MED3 CLEAR RETURNING
C3 REPORTS FAULTY DETECOR FOUND UNITS CLEAR RETURNING

*

Incident #: 15008484 Date: 2015-02-20 01:03:23 Type: MV STOP

Location: MAIN ST & TOWERBROOK RD Disposition: CITATION ISSUED ()

Notes:

915 OUT ON MV STOP.
SAME REPORTS CITATION ISSUED.

*

Incident #: 15008487 Date: 2015-02-20 01:19:15 Type: MV STOP

Location: 28 GEO WASHNGTN BLVD Disposition: VERBAL WARNING ()

Notes:

912 OUT ON MV STOP.
SAME REPORTS ISSUING A VERBAL.

*

Incident #: 15008491 Date: 2015-02-20 01:28:48 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15008492 Date: 2015-02-20 01:31:45 Type: 911 TRANSFER

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: ()

Notes:

911 WIRELINE CALL FROM 3 STONE RD SCITUATE. ELDERLY FEMALE REPORTING WATER

LEAKING FROM ROOF. CALL TRANSFERED TO SCITUATE NO ISSUES

*

Incident #: 15008496 Date: 2015-02-20 01:37:35 Type: BUILDING CHK

Location: EAST ELEMENTRY SCHOOL / 2 COLLINS ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15008498 Date: 2015-02-20 01:38:35 Type: BUILDING CHK

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: APPEARS SECURE ()

Notes:

BUILDING CHECKS.

*

Incident #: 15008499 Date: 2015-02-20 01:43:08 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15008502 Date: 2015-02-20 01:54:26 Type: BUILDING CHK

Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15008503 Date: 2015-02-20 01:55:14 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15008504 Date: 2015-02-20 01:56:30 Type: BUILDING CHK

Location: CONGREGATION SHA-ARRAY / 1112 MAIN ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15008507 Date: 2015-02-20 02:24:50 Type: BUILDING CHK

Location: FOSTER ELEMENTRY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKS.

*

Incident #: 15008510 Date: 2015-02-20 03:38:15 Type: GAS INSIDE

Location: 58 RHODES CIR Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS SLIGHT ODOR OF GAS IN THE HOME DUE TO HER PILOT BEING OUT

Added by Update-and-Continue: More information to follow.

CALLER REPORTS SHE ALSO HAS NO POWER IN CERTIAN AREAS OF HER HOME

CALLER ADVISED TO WAIT OUTSIDE UNTIL FD ARRIVIES

C3 REPORTS ON GOING ELECTRICAL ISSUE WILL FOLLOW UP WITH WIRING INSPECTOR IN

MORNING. ALL UNITS CLEAR RETURNING

*

Incident #: 15008511 Date: 2015-02-20 04:49:10 Type: FALARM RES NGHT

Location: 3 PINECREST RD Disposition: FALSE/ACCIDENTA ()

Notes:

GENERAL FIRE ALARM 1ST AND 2ND FLOOR

Added by Update-and-Continue: More information to follow.

STA 1/3 OA

915 STA 1/3 OAS

NO APPARENT CAUSE E3 WITH HOMEOWNER

FAULTY DETECTOR HOMEOWNER WILL CALL ALARM CO

*

Incident #: 15008512 Date: 2015-02-20 05:30:43 Type: ALARM RES

Location: 15 HARVEST LN Disposition: APPEARS SECURE ()

Notes:

FRONT FOYER MOTION ALARM

Added by Update-and-Continue: More information to follow.

913 MA REG BR15AB IN DRIVEWAY

913 CLEAR APPEARS SOMEONE HOME NO ONE ANSWERING DOOR

*

Incident #: 15008515 Date: 2015-02-20 06:03:46 Type: MV DISABLED

Location: 17 WARD ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS HIS FORD PICKUP IS DISABLED IN THE MIDDLE OF THE ROAD

Added by Update-and-Continue: More information to follow.

CALLER STATES HE IS CONCERNED HE IS IN THE ROUTE OF THE MBTA BUS

THOMAS CALLED AND ENROUTE.

*

Incident #: 15008519 Date: 2015-02-20 06:52:08 Type: MEDICAL AID

Location: 171 SUMMER ST Disposition: SERVICES RENDER ()

Notes:

90M DIFFICULTY BREATHING

Added by Update-and-Continue: More information to follow.

PT IS UP AND MOVING

PT WAS RESTLESS DURING NIGHT

BREATHING SOUNDS LIKE WHEEZING

PT DOES NOT HAVE A HISTORY OF THIS

PT HAS NO INJURIES OR BLEEDING

E2 REPORTS THIS WILL BE A TRANSPORT

MED2 TO SSH W/1 ALS E2 CLEAR

*

Incident #: 15008521 Date: 2015-02-20 07:16:56 Type: ALARM COMM

Location: FANEUIL KITCHEN CABINETS / 165 BEAL ST Disposition: FALSE/ACCIDENTA ()

Notes:

SHOW ROOM DOOR.

Added by Update-and-Continue: More information to follow.

912 DTLD AND APPEARS ACCIDENTAL.

OFFICER REPORTS IT APPEARS ACCIDENTAL, EMPLOYEES IN THE PARKING LOT.

FROM: ALARM MV TO ALARM COMM

POLICE FROM: ALARM MV TO ALARM COMM

*

Incident #: 15008525 Date: 2015-02-20 07:51:05 Type: ANIMAL CALL

Location: S PLEASANT ST Disposition: LOG ENTRY INFO ()

Notes:

DEER ON THE SIDE OF THE ROAD NEAR THE FOREST, THIS IS THE BEST LOCATION CALLER

CAN GIVE

DPW ADVISED

INCIDENT CLOSED

*

Incident #: 15008534 Date: 2015-02-20 08:54:22 Type: 911 TRANSFER

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: LOG ENTRY INFO ()

Notes:

TRANSFERED TO BOSTON

*

Incident #: 15008537 Date: 2015-02-20 09:30:31 Type: 911 ACCIDENT

Location: 22 SYCAMORE LN Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS SHE CALLED THE HINGHAM PD NON EMERGENCY LINE AND AN OFFICER TOLD HER TO CALL 911, SHE WAS REQUESTING A LIFT ASSIST TO HELP HER MOTHER TO THE CAR AT 1015, SHE WAS ADVISED TO CALL BACK THE SSRECC NON EMERGENCY LINE AT 1000 INSTEAD OF 911.

*

Incident #: 15008539 Date: 2015-02-20 09:59:23 Type: LIFT ASSIST

Location: 22 SYCAMORE LN Disposition: SERVICES RENDER ()

Notes:

CALLER NEEDS HELP GETTING HER 97 Y/O MOTHER TO THE CAR FOR A DOCTORS APPT

*

Incident #: 15008541 Date: 2015-02-20 10:07:05 Type: HAZARD SITN

Location: OLD SHIP PARISH HOUSE / 107 MAIN ST Disposition: SERVICES RENDER ()

Notes:

DUMP TRUCK IS BLOCKING ROADWAY, THEY HAVE CALLED FOR A DETAIL REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

FROM: ASST PUBLIC TO HAZARD SITN

POLICE FROM: ASST PUBLIC TO HAZARD SITN

FIRE/RESCUE REMOVED: ASST PUBLIC

*

Incident #: 15008542 Date: 2015-02-20 10:08:10 Type: FRAUD

Location: 22 PROSPECT ST Disposition: LOG ENTRY INFO ()

Notes:

CALL FROM THE IRS 2026843436 NO INFORMATION WAS GIVE, NO OFFICER NEEDED

*

Incident #: 15008546 Date: 2015-02-20 10:21:11 Type: NOTIFICATION

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: LOG ENTRY INFO ()

Notes:

CALL FROM BRAINTREE PD REPORTING A MALE PARTY CALLED 911 AND HUNG UP, ON CALL BACK HE WAS DIZZY, ON CALL BACK BY SSRECC, MALE IS IN HOLBROOK WAS HAVING A PANIC ATTACK, PULLED OVER FEELS BETTER NOW IS ON THE WAY TO WORK IN BROCKTON

*

Incident #: 15008547 Date: 2015-02-20 10:24:41 Type: MV DISABLED

Location: 136 S PLEASANT ST Disposition: LOG ENTRY INFO ()

Notes:

CALLER REPORTS HIS BOX TRUCK IS BROKEN DOWN
THOMAS' RESPONDING
THOMAS ON SCENE EVALUATING
OFFICER REPORTS TRUCK MOVED INTO THE DRIVEWAY WITH THE PERMISSION OF THE HOMEOWNER TO AWAIT 'ALL MAKE TOWING' MV OWNER NTFD.
Added by Update-and-Continue: More information to follow.

*

Incident #: 15008548 Date: 2015-02-20 10:31:01 Type: FALARM RES DAY

Location: 1 ACCORD POND DR Disposition: SERVICES RENDER ()

Notes:

ALARM CO REPORT GENERAL FIRE ALARM.
Added by Update-and-Continue: More information to follow.
SET OFF BY WORKMAN

*

Incident #: 15008550 Date: 2015-02-20 10:32:42 Type: MBOX DISCON

Location: BOX 7791/ BEST CHEVROLET Disposition: ()

Notes:

CALLER RPTS THAT THEY ARE TAKING THE BOX OUT FOR SERVICE.

*

Incident #: 15008553 Date: 2015-02-20 10:50:50 Type: 911 ABANDONED

Location: QUEEN ANNE NURSING HOME / 50 RECREATION PK DR #9 Disposition: 911 ACCIDENTAL ()

Notes:

Added by Update-and-Continue: More information to follow.
CALLER WAS DROPPING THE PHONE
FROM: (2) QUEEN ANNE NURSING HOME / 50 RECREATION PK DR TO (2) QUEEN ANNE NURSIN

*

Incident #: 15008556 Date: 2015-02-20 11:08:32 Type: 911 ACCIDENT

Location: 425 LINCOLN ST Disposition: 911 ACCIDENTAL ()

Notes:

FEMALE STATING SHE WAS TRYING TO CALL A CUSTOMER AND ASKED PD NOT RESPOND.
Added by Update-and-Continue: More information to follow.
OFFICER REPORTS CONFIRMING SAME ACCIDENTAL.

*

Incident #: 15008558 Date: 2015-02-20 11:17:16 Type: PARK COMPLT

Location: PARK VIEW DR & THAXTER ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS CONST VAN PARKED IN THE ROAD BLOCKING TRAFFIC. HAS BEEN THERE FOR OVER AN HOUR, CALL STATED IT WAS UP THE HILL FROM 3A OWNER WILL MOVE THE MV

*

Incident #: 15008559 Date: 2015-02-20 11:27:48 Type: GAS OUTSIDE

Location: 8 BRADLEY WOODS DR Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS ODOR OUTSIDE, CAN NOT SMELL IT INSIDE HOUSES ARE CLEAR OF ODOR, GRID ETA 30 TO 60,

*

Incident #: 15008560 Date: 2015-02-20 11:33:51 Type: MV DISABLED

Location: BARNES RD & SUMMER ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS WHITE PICK UP TRUCK BROKE DOWN, ALSO REPORTS THE OCCUPANTS APPEARED TO BE FIGHTING

Added by Update-and-Continue: More information to follow.

AAA ENROUTE

THOMAS' PAGED

THOMAS' RESPONDING

TRANS PARTIES TO STARBUCKS STARTING MIL 95280.3 @ 1207

ENDING MIL 95281.8 @ 1210

*

Incident #: 15008562 Date: 2015-02-20 11:57:23 Type: GAS INSIDE

Location: 6 MARYKNOLL DR Disposition: SERVICES RENDER ()

Notes:

DRYER WAS RUNNING AND NOW HAS GAS SMELL IN HOUSE ON SECOND FLOOR

Added by Update-and-Continue: More information to follow.

NATIONAL GRID NTFD, ETA 45 MIN TO A HOUR.

Q1 STAGING ON CHARLES.

LOW READINGS IN THE HOUSE, DRYER VENT CAME UNATTACHED, WILL BE REATTACHED,

COMPANIES CLEAR

*

Incident #: 15008563 Date: 2015-02-20 12:05:07 Type: MV DISABLED

Location: 179 MAIN ST Disposition: SERVICES RENDER ()

Notes:

FROM: (2) 203 MAIN ST TO (2) 179 MAIN ST

ATTEMPTING TO LOCATE THE OPERATOR

APPORTION PLATE 88621

OPER ON HIS WAY

*

Incident #: 15008568 Date: 2015-02-20 12:58:37 Type: NOTIFICATION

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: LOG ENTRY INFO ()

Notes:

CALLER RPTS THAT THEY HAVE A CUSTOMER WHO NEEDS A JUMP AND THEY ARE REQUESTING THE PHONE NUMBER OF THE COMPANY THAT WE USE. CALLER WAS GIVEN THE INFORMATION FOR THOMAS AUTO BODY.

*

Incident #: 15008569 Date: 2015-02-20 13:21:46 Type: TRAFFIC HAZ

Location: POND PK RD Disposition: SERVICES RENDER ()

Notes:

ASSISTING WITH TRAFFIC

*

Incident #: 15008574 Date: 2015-02-20 14:03:24 Type: ALARM RES

Location: 5 PATRICKS WY Disposition: ACCID/DEFECT/BU ()

Notes:

GARAGE DOOR
Added by Update-and-Continue: More information to follow.
ELECTRICIAN ON SCENE WRONG PASSCODE
JOHN HEALEY ELECTRICIAN
BYLAW SLIP LEFT

Incident #: 15008577 Date: 2015-02-20 14:32:13 Type: PD INVEST

Location: PLAZA AZTECA MEXICAN RESTAURANT / 6 WHITING ST Disposition: SERVICES RENDER ()

Notes:

FOLLOW-UP

*

Incident #: 15008578 Date: 2015-02-20 14:46:06 Type: TRAFFIC HAZ

Location: BEAL ST & SGT WM B TERRY DR Disposition: SERVICES RENDER ()

Notes:

LIGHTS ARE OUT

LIGHT DEPT NOTIFIED

MASS DPW NOTIFIED.

MIKE MULLIN AT DPW NOTIFIED, HE WILL CHECK THEM AND ADVISE.

MIKE MULLEN RPTS THAT THEY WILL HAVE TO ADDRESS THE PROBLEM TOMORROW.

OIC NOTIFIED.

*

Incident #: 15008580 Date: 2015-02-20 14:56:38 Type: MBOX DISCON

Location: BOX 5126/ HINGHAM DISTRICT COURT Disposition: ()

Notes:

BOX 5126 BACK IN SERVICE

*

Incident #: 15008581 Date: 2015-02-20 15:06:10 Type: ALARM RES

Location: 8 MERRILL ST Disposition: FALSE/ACCIDENTA ()

Notes:

BASMENT DOOR

ALARM CO REPORTS ADDITIONAL ALARMS COMING FROM BASEMENT DOORS, OFFICER RPTS IT WAS HIM, APPEARS SECURE, BYLAW SLIP LEFT/CLEAR

*

Incident #: 15008582 Date: 2015-02-20 15:18:37 Type: ALARM RES

Location: 8 STEVEN'S WY Disposition: APPEARS SECURE ()

Notes:

MUD ROOM DOOR ALARM IS COMING IN.

ALARM COMPANY RPTS NO KEY HOLDER RESPONDING.

912 reports checking interior he set off the alarm again

912 REPORTS AN OPEN DOOR AND APPEARS THERE WAS A FLOWER DELIVERY

APPEARS SECURE. CALLING VILLAGE GREENERY TO SEE IF THEY DELIVERED FLOWERS. 912

LEAVING A SLIP.
GREENERY DID MAKE DELIVERY.

*

Incident #: 15008583 Date: 2015-02-20 15:31:32 Type: GAS INSIDE

Location: 124 HMS STAYNER DR Disposition: SERVICES RENDER ()

Notes:

caller smells gas in garage
Added by Update-and-Continue: More information to follow.
CALLER HAS EVACUATED
ENGINE 2 AND MEDIC 2 ON SCENE.
ENGINE 2 RPTS WORKMEN ON SCENE AND THERE IS A LIGHT ODOR OF GAS, NTFY THE GAS
COMPANY.
NATIONAL GRID RPTS ETA OF 60 MINUTES.
ENGINE 2 RPTS THIS COULD BE FROM A GAS GRILLE BUT THE GAS TO THE UNIT HAS BEEN
SHUT OFF AND HE WILL BE STANDING BY FOR NATIONAL GRID.
ENGINE 2 RPTS NATIONAL GRID IS ON SCENE.

*

Incident #: 15008585 Date: 2015-02-20 15:35:51 Type: MV DISABLED

Location: 87 WOMPATUCK RD Disposition: SERVICES RENDER ()

Notes:

MV HAS BEEN PARKED IN THE ROADWAY AND IT IS VERY DIFFICULT TO GET BY.
VEH IS A PU TRUCK AND CALLER DID NOT GIVE THE REG.
FROM: (2) WOMPATUCK RD TO (2) 87 WOMPATUCK RD
912 SPOKE TO OPERATOR. HE IS FIXING A SNOWBLOWER IN NEIGHBORHOOD AND WILL MOVE
TRUCK SHORTLY.

*

Incident #: 15008587 Date: 2015-02-20 15:54:02 Type: MV DISABLED

Location: CVS PHARMACY / 405 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS HE IS IN THE TRAVEL WAY ON LINCOLN ST IN FRONT OF THE CVS WITH A
DISABLED MV
PER PRDOR OF OWNER NOTIFY THOMAS. VEHICLE IN BAD SPOT.
VEHICLE PUSHED INTO CVS LOT, UNITS CLEAR.

*

Incident #: 15008592 Date: 2015-02-20 16:27:39 Type: PROPERTY FOUND

Location: AVALON AT THE HINGHAM SHIPYARD / 152 SHIPYARD DR Disposition: AREA SEARCH NEG ()

Notes:

FIRST ENTRANCE OF THE SHIPYARD ON 3A GOING INTO THE AVALON APARTMENTS A LADDER
FELL OFF A TRUCK AND NOW ITS IN THE MIDDLE OF THE ROAD THERE. CALLER IS A
PASSERBY AND IS NO LONGER THERE

*

Incident #: 15008594 Date: 2015-02-20 16:41:48 Type: BUILDING CHK

Location: 1 DERBY ST Disposition: APPEARS SECURE ()

Notes:

915 LOG PROPERTY CHECK.

*

Incident #: 15008595 Date: 2015-02-20 16:49:47 Type: BUILDING CHK

Location: CITIZEN SAVINGS BANK / 11 FEARING RD Disposition: APPEARS SECURE ()

Notes:

911 LOG PROPERTY CHECK

*

Incident #: 15008597 Date: 2015-02-20 16:59:18 Type: BUILDING CHK

Location: HINGHAM INSTITUTE FOR SAVINGS / 37 WHITING ST Disposition: APPEARS SECURE ()

Notes:

915 LOG PROPERTY CHECK

*

Incident #: 15008598 Date: 2015-02-20 17:00:14 Type: MEDICAL AID

Location: HOBART GROVE BLDG / 205 LINDEN PONDS WY #723 Disposition: SERVICES RENDER ()

Notes:

ELDERLY FEMALE POSSIBLE CVA
Added by Update-and-Continue: More information to follow.
CLEAR.
THIS WILL BE A TRANSPORT
ON ARRIVAL AT SSH.

*

Incident #: 15008602 Date: 2015-02-20 17:13:41 Type: ALARM RES

Location: 153 CENTRAL ST Disposition: ACCID/DEFECT/BU ()

Notes:

SIDE ENTRY DOOR
Added by Update-and-Continue: More information to follow.
JACKIE FORD ON SITE, NO CODE, STATES SHE IS LEAVING NOW
OWNERS SAY ITS OK FOR JACKIE TO BE THERE, REQ TO CANCEL

*

Incident #: 15008603 Date: 2015-02-20 17:22:46 Type: BUILDING CHK

Location: BRIGHT HORIZONS DAY CARE CENTE / 168 SHIPYARD DR Disposition: APPEARS SECURE ()

Notes:

911 LOG PROPERTY CHECK

*

Incident #: 15008604 Date: 2015-02-20 17:27:49 Type: FIRE MV OUTSD

Location: 4 KEITH WY #1 Disposition: SERVICES RENDER ()

Notes:

CAR CLOSE TO BUILDING

Added by Update-and-Continue: More information to follow.

ADVISED CALLER TO EVACUATE KEP EVERYBODY AWAY.

915 REPORTS IN REAR BY FALVEY, UNDER SNOWBANK AND SMOKING.

914 REPORTS OLD 02 TANKS IN TRUCK, REPORTED TO BE EMPTY.

SMOKE SHOWING FROM A BURIED CAR.

C-3 REQUESTS THOMAS AUTO BODY RESPOND.

THOMAS AUTO BODY IS RESPONDING.

C-3 CLEAR, ENGINE 3 REMAINING ON SCENE.

THOMAS AUTO BODY ON SCENE.

915 ON SCENE. THOMAS WORKING ON GETTING VEHICLE OUT OF SNOW.

915 CLEAR, THOMAS HAS VEHICLE.

*

Incident #: 15008609 Date: 2015-02-20 18:11:35 Type: BUILDING CHK

Location: OLD ORDINARY MUSEUM / 21 LINCOLN ST Disposition: APPEARS SECURE ()

Notes:

911 LOG PROPERTY CHECK

*

Incident #: 15008611 Date: 2015-02-20 18:30:13 Type: MV STOP

Location: CUSHING ST Disposition: VERBAL WARNING ()

Notes:

914 CLEAR. VERBAL NO LIGHTS.

*

Incident #: 15008614 Date: 2015-02-20 19:27:55 Type: MV COMPLNT

Location: THE MOORINGS / 23 SHIPYARD DR Disposition: SERVICES RENDER ()

Notes:

MEET MRS. DRYER IN LOBBY. VEHICLE PAEKED IN HER SPOT.
923 CLEAR.

*

Incident #: 15008616 Date: 2015-02-20 19:50:19 Type: MV DISABLED

Location: HINGHAM LIGHT DEPARTMENT GARAGE / 308 CUSHING ST Disposition: SERVICES RENDER ()

Notes:

914 OUT WITH TIRE CHANGER
914 CLEAR, AAA RESPONDING.
TIRE COMPLETELY OFF
915 CHECK BACK ON VEHICLE, STILL THERE. CALLED OWNER AND LRFT VOICEMAIL.
NOTIFYING AAA
AAA GIVES 20 MINUTE ETA. THAT IS ACCEPTABLE WITH 915, 912.

*

Incident #: 15008617 Date: 2015-02-20 19:51:21 Type: WATER LEAK INS

Location: 27 BONNIE BRIER CIR Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS HER CEILING IS POURING OUT WATER IN ONE ROOM
Added by Update-and-Continue: More information to follow.
THEY WILL WAIT OUTSIDE
THIS IS SNOW AND ICE FROM THE ROOF, TAKEN CARE OF SOME OF THE PROBLEMS AND HE
WILL SQUARE IT AWAY TOMORROW.

*

Incident #: 15008619 Date: 2015-02-20 20:01:12 Type: 911 ABANDONED

Location: 170 ROCKLAND ST #8 Disposition: 911 ACCIDENTAL ()

Notes:

Added by Update-and-Continue: More information to follow.

FROM: (2) AUTO HOSPITAL TOO / 170 ROCKLAND ST #LOT 8 FL LOT 8 TO (2) 170 ROCKLAN

CALLER IS SAYING SHE MEANT TO CALL BRAINTREE POLICE

FROM: (2) 170 ROCKLAND ST TO (2) 170 ROCKLAND ST #8

913 REPORTS ACCIDENTAL,. NO ISSUES.

*

Incident #: 15008620 Date: 2015-02-20 20:08:28 Type: ALARM COMM

Location: OLD DERBY ANIMAL CLINIC / 40 RECREATION PK DR Disposition: APPEARS SECURE ()

Notes:

PROTECTION ONE REPORTS LEFT SIDE DOOR ALARM

*

Incident #: 15008621 Date: 2015-02-20 20:08:40 Type: ANIMAL CALL

Location: 6 HITCHING POST LN Disposition: SERVICES RENDER ()

Notes:

RESIDENT RPTS A INJURED DOG WITH A BLEEDING PAW. RES HAS THE DOG AT HER HOUSE.

UNK TAGS

Added by Update-and-Continue: More information to follow.

NOTIFIED 912. TRYING TO REACH ACO.

914 ON LOCATION

914 TRANSPORTING THE DOG TO 53 COLONIAL RD

914 CLEAR OF TRANSPORT.

*

Incident #: 15008622 Date: 2015-02-20 20:13:27 Type: ALARM COMM

Location: ORKIN PEST CONTROL / 60 SHARP ST #100 Disposition: APPEARS SECURE ()

Notes:

FRONT DOOR, SIDE DOOR, HALL MOTION AND ADMIN MOTION

Added by Update-and-Continue: More information to follow.

ALARM CO ATTEMPTING KEYHOLDER, WILL CALL BACK IF RESPONDING

ADDITIONAL SIGNALS IN BREAK ROOM MOTION

Added by Update-and-Continue: More information to follow.

915 CLEAR, SET OFF BY CLEANER.

*

Incident #: 15008630 Date: 2015-02-20 21:23:45 Type: MV COMPLNT

Location: SCARLET OAK TAVERN / 1217 MAIN ST Disposition: PEACE RESTORED ()

Notes:

RP SAYS PIECE OF EQUIPMENT PARKED IN HIS LOT FOR A WEEK. THEY HAVE CALLED SEVERAL TIMES. ARGIRO LANDSCAPING SPOKE TO ANSWERING SERVICE, WILL CALL OWNER AND CALL BACK WITH SOLUTION. 915 REPORTS MANAGER JUST SPOKE TO OWNER DIRECTLY. HE AGREED TO MOVE EQUIPMENT

OUT OF WAY TONIGHT AND COME REMOVE IT TOMORROW. MANAGER IS SATISFIED WITH THAT, HE WILL CALL TOMORROW IF IT IS NOT MOVED.

*

Incident #: 15008631 Date: 2015-02-20 21:46:38 Type: ALARM COMM

Location: ORKIN PEST CONTROL / 60 SHARP ST #100 Disposition: APPEARS SECURE ()

Notes:

SIDE DOOR EXIT
Added by Update-and-Continue: More information to follow.
915 REPORTS CLEANERS STILL ON SCENE.
915 WILL HAVE CLEANER STOP FOR NIGHT, DUE TO ALARM. SHE WILL SPEAK TO OWNER TOMORROW.
915 CLEAR. CLEANERS PACKING UP, SHE WILL REMAIN IN AREA AND IS AVAILABLE.

*

Incident #: 15008632 Date: 2015-02-20 21:50:29 Type: MV STOP

Location: 15 FORT HILL ST Disposition: CITATION ISSUED (Y)

Notes:

FROM: (2) WEST ST TO (2) 15 FORT HILL ST
911 REQUESTS WRECKER FOR UNLICENSED AND 94C

THOMAS ENROUTE

911 REPORTS THOMAS HAS VEHICLE.

COMPLAINT FOR UNLICENSED.

911 REQUESTS INCIDENT.

*

Incident #: 15008635 Date: 2015-02-20 22:11:54 Type: MEDICAL AID

Location: 303 LINDEN PONDS WY #111 Disposition: SERVICES RENDER ()

Notes:

LINDEN PONDS SECURITY REPORTING A 400-500LB FEMALE SLIPPED ATTEMPTING TO
TRANSFER FROM WHEELCHAIR TO A CHAIR, SHE IS NOT INJURED BUT ON THE GROUND
ENGINE 3 AND MEDIC 3 ON SCENE.

ENGINE 2 RPTS LIFT ASSIST ONLY, COMPANIES CLEAR.

*

Incident #: 15008634 Date: 2015-02-20 22:12:58 Type: DISTURB

Location: 20 BRADLEY PK DR Disposition: PEACE RESTORED ()

Notes:

CALLER REPORTS KIDS ACROSS STREET POSSIBLE PARTY, FIGHT
Added by Update-and-Continue: More information to follow.
CALLER SAYS BROWN COLONIAL ACROSS FROM 17
OUT IN STREET A LOT OF YELLING
NOW WALKING DOWN THE STREET TOWARDS LOWER NUMBERS
WOMAN YELLING PLEASE LEAVE
NOW DISPERSING TOWARDS ENTRANCE TO BRADLEY PARK
ABOUT 10 OR 11 KIDS TOTAL. HIGH SCHOOL OR EARLY COLLEGE
1 GROUP LRFT IN VEHICLE POSSIBLE VOLVO
CALLER WILL TALK TO OFFICER.
HOUSE ACROSS FROM 15.

913 REPORTS HE SPOKE TO RP, GOING OUT AT RESIDENCE.

FROM: (2) 17 BRADLEY PK DR TO (2) 20 BRADLEY PK DR

913 REPORTS UNITS CLEAR. NO ISSUE NOW, HOMEOWNER HAD FRIENDS OVER AND SOME
UNWEANTEDS SHOWED UP. ARGUEMENT ENSUED, EVERYONE HAS BEEN SENT ON WAY.

*

Incident #: 15008637 Date: 2015-02-20 23:23:25 Type: WATER LEAK INS

Location: 4 COUNTRY DR Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.
MAIN BEDROOM UPSTAIRS, DOWNSTAIRS COMPLETELY
RP CANNOT TELL WHERE ITS COMING FROM
ADVISED CALLER TO LEAVE HOUSE. HE JUST CAME HOME NOT SURE HOW LONG ITS BEEN
GOING ON
915 REPORTS NOBODY IN HOUSE.
COMPANY REPORTS BROKEN WATER PIPES. 1ST FLOOR AND BASEMENT ARE FLOODED.
ATTEMPTING TO DISCONNECT WATER AT THIS TIME
ENGINE 3 REQUESTS WIRING INPECTOR TO THE SCENE
WI BENNET ENROUTE
ENGINE 3 CLEAR. WATER SHUTDOWN. ELECTRICAL HAS BEEN ISOLATED.

*

Incident #: 15008639 Date: 2015-02-21 00:04:43 Type: DISTURB

Location: OCEAN KAI RESTAURANT / 300 LINCOLN ST Disposition: UNFOUNDED ()

Notes:

STATE PD REPORTING DK MALE INSIDE THE RESTURNAT
Added by Update-and-Continue: More information to follow.
CALL WAS DISCONNECTED PRIOR TO CONNECTING
TALKED TO RESTURANT. EMPLOYEE STATES THERE IS NO ISSUE THAT THEY ARE AWARE OF
ATTEMPTED TO CALL BACK THE NUMBER FROM 911 LINE HOWEVER IT GOES RIGHT TO
VOICEMAIL
912 REPORTS SPEAKING TO EMPLOYEES, NO ISSUE THERE
FROM: SUSP PERSON TO DISTURB
POLICE FROM: SUSP PERSON TO DISTURB

*

Incident #: 15008641 Date: 2015-02-21 00:35:29 Type: MV STOP

Location: HERSEY ST Disposition: CITATION ISSUED ()

Notes:

913 REPORTS OUT ON A MV STOP
Q2 STATUS ACTIVE, OWNER/OP STATUS ACTIVE, NEG WMS
913 REPORTS CLEAR, CITATION ISSUED

*

Incident #: 15008642 Date: 2015-02-21 00:42:08 Type: MV STOP

Location: 99 DERBY ST Disposition: CITATION ISSUED ()

Notes:

914 REPORTS OUT ON A MV STOP
Q2 STATUS REV/INS
914 REQUESTS DUTY WRECKER
THOMAS AUTO PAGED
THOMASD EN ROUTE
OWNER/OP ACTIVE, NEG WMS
913 REPORTS TRANSPORTING REG OWNER TO LIBERTY POLE RD
913 REPORTS CLEAR OF THE TRANSPORT
914 REPORTS CLEAR, CITATION ISSUED

*

Incident #: 15008644 Date: 2015-02-21 00:46:55 Type: ALARM COMM

Location: WOMPATUCK STATE PARK ADMIN BUILDING / 205 UNION ST Disposition: APPEARS SECURE ()

Notes:

HALLWAY MOTION DETECTOR
912 REPORTS CLEAR, APPEARS SECURE

*

Incident #: 15008658 Date: 2015-02-21 01:30:57 Type: NOISE COMPLAINT

Location: 37 NEWBRIDGE ST Disposition: LOG ENTRY INFO ()

Notes:

CALLER REPORTS A LOUD NOISE IN THE AREA CALLER DESCRIBES NOISE AS A JET ENGINE.

Added by Update-and-Continue: More information to follow.

CALLER DOES NOT NEED TO SPEAK TO AN OFFICER ABOUT ISSUE JUST WANTS THE AREA

CHECKED TO MAKE SURE THINGS ARE OK

913 REPORTS SPEAKING TO A CREW ON THE TRACKS. USING A SNOWBLOWER WITH A JET

ENGINE.

*

Incident #: 15008660 Date: 2015-02-21 01:34:50 Type: BUILDING CHK

Location: FOSTER ELEMENTARY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ()

Notes:

912 REPORTS A CHECK OF THIS LOCATION

*

Incident #: 15008661 Date: 2015-02-21 01:37:24 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ()

Notes:

914 REPORTS A CHECK OF THIS LOCATION

*

Incident #: 15008663 Date: 2015-02-21 01:44:25 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ()

Notes:

914 REPORTS A CHECK OF THIS LOCATION

*

Incident #: 15008665 Date: 2015-02-21 01:45:19 Type: BUILDING CHK

Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: APPEARS SECURE ()

Notes:

914 REPORTS A CHECK OF THIS LOCATION

*

Incident #: 15008667 Date: 2015-02-21 01:49:31 Type: BUILDING CHK

Location: EAST ELEMENTRY SCHOOL / 2 COLLINS ST Disposition: APPEARS SECURE ()

Notes:

913 REPORTS A CHECK OF THIS LOCATION

*

Incident #: 15008673 Date: 2015-02-21 02:16:59 Type: MUTL AID GIVEN

Location: LINCOLN ST Disposition: LOG ENTRY INFO ()

Notes:

WEYMOUTH POLICE REPORT LOOKING FOR A BLACK VW 4DOOR SEDAN OPERATED BY A BLACK MALE. VEHICLE WAS INVOLVED IN AN INCIDENT IN WEYMOUTH WHERE AN INDIVIDUAL WAS THROWN OUT OF THE VEHICLE ON BRIDGE ST/RT 3A.

SEE CAD# 15008674
INCIDENT CLOSED

*

Incident #: 15008674 Date: 2015-02-21 02:19:57 Type: MV STOP

Location: BATHING BEACH / 95 OTIS ST Disposition: LOG ENTRY INFO ()

Notes:

FROM: (2) BATH / null TO (2) BATHING BEACH / 95 OTIS ST
912 REPORTS THIS TO BE THE VEHICLE FROM CAD# 15008673
Q2 STATUS ACTIVE, OWNER/OP STATUS ACTIVE, NEG WMS
WEYMOUTH PD ADVISED AND HAS A UNIT RESPONDING
912 REPORTS THAT THIS WAS THE PARTY WEYMOUTH WAS LOOKING FOR. THEY HAVE ALL HIS INFORMATION. HE HAS BEEN SENT ON HIS WAY

*

Incident #: 15008675 Date: 2015-02-21 02:55:33 Type: MV STOP

Location: CHIEF JUSTICE CUSHING HWY Disposition: CITATION ISSUED ()

Notes:

915 REPORTS OUT ON A MV STOP
Q2 STATUS ACTIVE
OWNER/OP STATUS ACTIVE, NEG WMS
915 REPORTS CLEAR, CITATION ISSUED

*

Incident #: 15008676 Date: 2015-02-21 03:07:51 Type: BUILDING CHK

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: APPEARS SECURE ()

Notes:

913 REPORTS A CHECK OF THIS LOCATION

*

Incident #: 15008677 Date: 2015-02-21 03:14:51 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ()

Notes:

913 CHECK OF THE PLYMOUTH RIVER SCHOOL

*

Incident #: 15008678 Date: 2015-02-21 03:29:41 Type: ALARM COMM

Location: WOMPATUCK STATE PARK ADMIN BUILDING / 205 UNION ST Disposition: APPEARS SECURE ()

Notes:

WOMPATUCK STATE PARK - STATE PARK OFFICE - HALLWAY MOTION DETECTOR.
FROM: (2) 204 UNION ST TO (2) WOMPATUCK STATE PARK ADMIN BUILDING / 205 UNION ST
913 REPORTS CLEAR, EVERYTHING APPEARS SECURE AND LOCKED UP

*

Incident #: 15008686 Date: 2015-02-21 06:59:05 Type: ANIMAL CALL

Location: 5 FISHER RD Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS A POSSIBLE ANIMAL IN DISTRESS. WOULD LIKE TO SEE AN OFFICER
Added by Update-and-Continue: More information to follow.
915 REPORTS SPEAKING TO THE CALLER. SHE THOUGHT IT MIGHT BE A DOG. THE NOISE
STOPPED A WHILE AGO. 915 CLEAR

*

Incident #: 15008691 Date: 2015-02-21 08:41:08 Type: MUTL AID GIVEN

Location: DERBY ST Disposition: SERVICES RENDER ()

Notes:

STATE POLICE REQUESTS OFFICER SHUT DOWN DERBY STREET TO RT. 3 NORTH RAMP SO TOW
TRUCK CAN PULL A MV OUT
Added by Update-and-Continue: More information to follow.
FROM: TRAFFIC HAZ TO MUTL AID GIVEN
POLICE FROM: TRAFFIC HAZ TO MUTL AID GIVEN
STATES ON SCENE, 913 CLEAR

*

Incident #: 15008692 Date: 2015-02-21 08:52:55 Type: TEST

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: TEST 911 CALL ()

Notes:

ATTEMPTED TO ANSWER THE 2 WAY 911 CALL, NO RESPONSE TO VOICE, CLICKED TTY
ACTIVE AND HEARD THE TWEEDLE, CALL WAS THEN DISCONNECTED
INCIDENT CLOSED

*

Incident #: 15008694 Date: 2015-02-21 09:11:43 Type: ANIMAL CALL

Location: LAZELL ST & S PLEASANT ST Disposition: SERVICES RENDER ()

Notes:

DECEASED DEER IS STILL THERE FROM YESTERDAY
INCIDENT CLOSED
DPW NOTIFIED

*

Incident #: 15008696 Date: 2015-02-21 09:20:27 Type: MEDICAL AID

Location: 20 LIBERTY RD Disposition: APPEARS SECURE ()

Notes:

73 YEAR OLD MALE FELL DOWN FIVE OR SIX STAIRS AND HIT HIS HEAD ON THE CASING
AND SPLIT HIS HEAD OPEN.
Added by Update-and-Continue: More information to follow.
MALE IS IN THE FRONT HALL AND IS AWAKE AND CONSCIOUS.

*

Incident #: 15008699 Date: 2015-02-21 09:46:31 Type: BUILDING CHK

Location: HINGHAM FEDERAL CREDIT UNION / 10 DOWNER AV Disposition: APPEARS SECURE ()

*

Incident #: 15008700 Date: 2015-02-21 10:01:34 Type: GAS INSIDE

Location: GOURMET GARDEN / 48 WHITING ST Disposition: SERVICES RENDER ()

Notes:

NATIONAL GRID ON SCENE HERE STATING THEY ARE GETTING POSITIVE READINGS OF GAS
FROM UNDER THE DOOR, STATES THEY CANNOT GET IN TO THE BUILDING AND NEED FIRE
TO COME FORCE ENTRY
FROM: (2) 48 WHITING ST TO (2) GOURMET GARDEN / 48 WHITING ST
REQUEST FOR FIRE/RESCUE: ENGINE VOIDED
SINGLE STORY, NOTHING SHOWING, E3 HAS COMMAND
GETTING GAS READINGS THROUGH CRACKS IN DOOR, ATTEMPTING TO GAIN ENTRY,

ATTEMPTING TO SHUT OFF GAS ON OUTSIDE, NOTIFY GAS INSPECTOR

C3 HAS COMMAND, AWAITING GAS INSPECTOR, ATTEMPTING TO LOCATE GAS METER
GAS INSPECTOR ON SCENE

COMMAND TERMINATED, C3 STANDING BY WITH GAS INSPECTOR AND GAS COMPANY UNITL GAS
IS TURNED OFF
GAS HAS BEEN SHUT OFF

*

Incident #: 15008704 Date: 2015-02-21 10:07:35 Type: TRAFFIC HAZ

Location: 10 BERKLEY CIR Disposition: UNFOUNDED ()

Notes:

CALLER RPTS THAT SHE JUST ALMOST HIT A CHILD AND TO AVOID THE CHILD SHE WENT
INTO A SNOW BANK. CALLER RPTS THAT THIS WAS BECAUSE OF THE ROAD CONDITIONS AND
IT NEEDS TO BE TAKEN CARE OF IMMEDIATELY. THE CALLER REFUSED TO GIVE HER
NAME.
NO PROBLMS FOUND

*

Incident #: 15008703 Date: 2015-02-21 10:09:31 Type: BUILDING CHK

Location: TD BANK / 421 LINCOLN ST Disposition: SERVICES RENDER ()

*

Incident #: 15008705 Date: 2015-02-21 10:10:24 Type: MV COMPLNT

Location: VICTORIA'S SUB SHOP / 345 ROCKLAND ST Disposition: SERVICES RENDER ()

Notes:

CAR PARKED IN THE LOT TAKING UP PARKING SPACE, NO NOTE, NO REASON WHY IT IS
THERE
SPOKE TO REPORTING PARTY AND ADVISED OF RIGHTS AND RECOURSES
ATTEMPTING TO OBTAIN A PRIVATE PARTY TOW.

*

Incident #: 15008708 Date: 2015-02-21 10:22:02 Type: ALARM COMM

Location: GOURMET GARDEN / 48 WHITING ST Disposition: DUPLICATE CALL ()

Notes:

ALARM COMPANY RPTS THAT THE FRONT DOOR ALARM AND MULTI FRONT MOTION DETECTOR ALARMS ARE COMING IN.

REFERENCE 15008700.

INCIDENT CLOSED

*

Incident #: 15008716 Date: 2015-02-21 11:28:44 Type: OPEN DR WN

Location: MBTA NANTASKET JUNCTION STATION / 190 SUMMER ST Disposition: SERVICES RENDER ()

Notes:

OFFICER REPORTS AN OPEN DOOR AT A TRACTOR STORAGE SHED

Added by Update-and-Continue: More information to follow.

MBTA POLICE NOTIFIED

MBTA REP ON SCENE.

CLEAR MBTA TO HANDLE

*

Incident #: 15008717 Date: 2015-02-21 11:31:54 Type: WELL BEING CK

Location: 17 LIBERTY POLE RD Disposition: LOG ENTRY INFO ()

Notes:

MAIL CARRIER REPORTS ELDERLY PEOPLE LIVE HERE, NO ACTIVITY IN THE HOUSE, DRIVEWAY HAS NOT BEEN SHOVELED, HE WENT TO THE DOOR TODAY WITH NO RESULT, NEIGHBORS STATE THEY ARE NOT AWAY

Added by Update-and-Continue: More information to follow.

MAIL CARRIER HAS NOT BEEN ABLE TO DELIVER DO TO THE SNOW, HE WENT TO THE DOOR TODAY

TRACKS IN THE SNOW TO THE SIDE DOOR BELONG TO MAILMAN

DISPATCH CALLED AND SPOKE TO MARTHA, SHE STATED THE DRIVEWAY HASNT BEEN DONE

DUE TO HER HUSBAND BEING AWAY AND SHE CANT SHOVEL. SHE IS HEADING TO SPEAK TO THE OFFICER

*

Incident #: 15008719 Date: 2015-02-21 11:35:16 Type: TRAFFIC HAZ

Location: 168 S PLEASANT ST Disposition: SERVICES RENDER ()

Notes:

RESIDENT PUT SNOW IN THE ROAD MAKE THE ROADWAY A LANE AND A HALF

*

Incident #: 15008721 Date: 2015-02-21 11:42:20 Type: PROPERTY FOUND

Location: BOAT RAMP P LOT / 47 OTIS ST Disposition: MESSAGE DELIVER ()

Notes:

FEMALE IN A GREY GREY HONDA CIVIC FOUND A WALLET WOULD LIKE TO SEE AN OFFICER TO TURN IT OVER

912 HAS THE PROPERTY, WILL BE HEADING OVER TO ADDRESS TO TRY AND RETURN IT OFF AT 72 TOWER ROAD TRYING TO RETURN WALLET

OFFICER REPORTS NO ANSWER, MESSAGE LEFT FOR OWER THAT THE WALLET WAS AT THE POLICE STATION.

Added by Update-and-Continue: More information to follow.

*

Incident #: 15008722 Date: 2015-02-21 11:43:54 Type: MV DISABLED

Location: 14 HERSEY ST Disposition: SERVICES RENDER ()

Notes:

RED PU WITH A PLOW STUCK IN THE SNOW, REQUESTS THOMAS. THOMAS AUTO PAGED.

Added by Update-and-Continue: More information to follow.

THEY WERE PLOWING OUT A CUSTOMERS DRIVEWAY.

VEHICLE STUCK IN DRIVEWAY NOT ROADWAY, WILL REMAIN IN AREA IF THOMAS NEEDS TRAFFIC STOPPED

911 HEADING BACK FOR TRAFFIC

911 REPORTS THOMAS STATED IT IS TOO STUCK FOR HIM TO GET OUT, WILL HAVE TO

CONTACT LARGER VEHICLE.
THOMAS STATES ALL MATE WILL HEAD UP

*

Incident #: 15008724 Date: 2015-02-21 12:16:49 Type: TRAFFIC HAZ

Location: HIGH ST & WARD ST Disposition: SERVICES RENDER ()

Notes:

CALLER RPTS THAT IT IS DANGEROUS TRYING TO PULL ONTO THE STREET BECAUSE THE
SNOW PILES ARE TOO HIGH AND YOU CAN'T SEE.
914 REPORTS HE DROVE THROUGH THERE MULTIPLE TIMES TODAY WITH NO ISSUES TO CALL
HER BACK AND PASS ON THE DPW NUMBER

*

Incident #: 15008727 Date: 2015-02-21 13:04:42 Type: FMUTAID AMB GVN

Location: HINGHAM ST-ROCKLAND Disposition: ()

Notes:

RTE 3 OFFRAMP BY HOME DEPOT MVC UNK INJURY
FIRST AMBULANCE IN

*

Incident #: 15008729 Date: 2015-02-21 13:09:47 Type: ALARM COMM

Location: ORKIN PEST CONTROL / 60 SHARP ST #100 Disposition: CANCELED BEFORE ()

Notes:

ZONE 3 ADMIN MOTION, ZONE 6 HALL MOTION, ZONE 7 SIDE EXIT DOOR AND ZONE 14
BREAK ROOM MOTION.
PROPER PASSCODE

*

Incident #: 15008731 Date: 2015-02-21 13:14:32 Type: ANIMAL CALL

Location: BEAL ST FL SE SECTOR Disposition: GONE ON ARRIVAL ()

Notes:

LITTLE CHIHUAHUA (COLORED BLACK) RUNNING LOOSE IN THE STREET.
NOTHING FOUND

*

Incident #: 15008730 Date: 2015-02-21 13:15:05 Type: LARC REPORT

Location: 99 SOUTH ST #UNIT 102 Disposition: INVESTIGATED/ R (Y)

Notes:

BUSINESS OWNER REPORTS SHE JUST HAD SOMEONE STEAL SOMETHING FROM HER STORE,
PERSON LEFT BUT SHE KNOWS WHO IT WAS. STOLE BODY SCRUB VALUED AT \$40.

Added by Update-and-Continue: More information to follow.

LEFT ON FOOT.

BLACK FEMALE, BLACK JACKET, PETITIE, BLUE JEANS BLACK HAIR

RAN DOWN SOUTH STREET TOWARDS HAIR SALON

UNITS CHECKED THE AREA AND HAVE NOT FOUND ANYTHING, CHECKING TO SEE IF STORE

HAS VIDEO SURVEILLANCE

CHECK OF THE AREA REVEALED NOTHING, NO VIDEO SURVEILLANCE

*

Incident #: 15008736 Date: 2015-02-21 14:05:23 Type: MV STOP

Location: UNION & S PLEASABT Disposition: VERBAL WARNING ()

*

Incident #: 15008737 Date: 2015-02-21 14:16:35 Type: ANIMAL CALL

Location: 53 FOTTLER RD Disposition: UNFOUNDED ()

Notes:

SMALL GREY DOG RUNNING DOWN ROAD TOWARDS BEAL ST
NOTHING FOUND

*

Incident #: 15008741 Date: 2015-02-21 14:40:54 Type: ALARM RES

Location: 38 MARYKNOLL DR Disposition: SERVICES RENDER ()

Notes:

GARAGE AND REAR HALL ENTRY

Added by Update-and-Continue: More information to follow.

HOMEOWNER AND OFFICER WALKED BUILDING AND EVERYTHING IS SECURE

*

Incident #: 15008745 Date: 2015-02-21 15:05:27 Type: ALARM COMM

Location: NHIC / 75 SGT WM B TERRY DR Disposition: APPEARS SECURE ()

Notes:

GLASS BREAK DET, EDS OFFICE

COMPANY REMOVING SNOW FROM WINDOWS SET IT OFF MOST LIKELY

*

Incident #: 15008748 Date: 2015-02-21 15:15:14 Type: GAS INSIDE

Location: CVS PHARMACY / 86 SOUTH ST Disposition: SERVICES RENDER ()

Notes:

CVS CUSTOMER REPORTS ODOR OF GAS INSIDE

NATIONAL GRID RESPONDING

COMMAND REPORTS NATIONAL GRID ON SCENE.

COMMAND REPORTS GAS COMPANY ON SCENE, 0 READINGS. FIRE COMPANIES TO CLEAR,

SCENE LEFT IN CARE OF GAS CO.

*

Incident #: 15008752 Date: 2015-02-21 15:40:23 Type: DISTURB

Location: 53 BEAL ST Disposition: SERVICES RENDER (Y)

Notes:

CALLER REPORTS NEIGHBOR AT 51 BEAL WAS BLOWING SNOW AGAINST THE HOUSE WHEN
CALLER ASKED HIM TO STOP HE BEGAN SWEARING

Added by Update-and-Continue: More information to follow.

PARTYS HAVE AGREED TO STOP AND KEEP THINGS NEIGHBORLY 911 CLEAR WILL FILE

*

Incident #: 15008753 Date: 2015-02-21 16:15:51 Type: ALARM BANK

Location: EASTERN BANK. / 274 MAIN ST Disposition: APPEARS SECURE ()

Notes:

ATM SKIM ALERT

Added by Update-and-Continue: More information to follow.

912 REPORTS ATM APPEARS TO BE OUT OF ORDER NOTHING APPEARS TO HAVE BEEN
TAMPERED WITH ALL APPEARS IN ORDER

*

Incident #: 15008756 Date: 2015-02-21 16:29:33 Type: ROAD RAGE

Location: WASH AND DRY. / 296 LINCOLN ST Disposition: SERVICES RENDER (Y)

Notes:

CALLER REPORTS GENTLEMAN THREATENED TO SLASH HIS TIRES. STARTED FROM ROAD RAGE.
HE IS NO LONGER ON SCENE. LEFT IN SILVER BMW NORTH TOWARDS WEYMOUTH. MA REG
285424

Added by Update-and-Continue: More information to follow.

CALLER DOING LAUNDRY, IN GRAND MARQUIS NAVY BLUE. NOTHING PHYSICAL
OCCURRED ABOUT 5 MINUTES AGO.

NOTIFIED WEYMOUTH PD

WEYMOUTH REPORTS THEY CHECKED THE RESIDENCE THE VEHICLE WAS NOT THERE OFFICERS
WILL KEEP AN EYE OUT

ROBERT CARROLL CALLING BACK ADVISED HINGHAM OFFICER WILL BE CALLING HIM BACK AT
HIS RESIDENT

911 EN ROUTE TO WESSAGUSSET RD WEYMOUTH TO FOLLOW UP WITH INVOLVED PARTY

911 OFF 229 WESSAGUSSET RD.

911 CLEAR NO ISSUES

*

Incident #: 15008757 Date: 2015-02-21 16:42:14 Type: DISPUTE

Location: 19 SHIP ST Disposition: SERVICES RENDER ()

Notes:

PARTY LOOKING TO SPEAK TO AN OFFICER REGARDING AN ISSUE WITH A NEIGHBOR AND SNOW
912 SPOKE WITH PARTYS RESIDENT AT 9 SHIP ST HAD A PROBLEM WITH A PLOW AT 19 SHIP. NO ISSUES

*

Incident #: 15008762 Date: 2015-02-21 17:22:05 Type: FALARM RES DAY

Location: 14 PORTER'S COVE RD Disposition: SERVICES RENDER ()

Notes:

FOYER SMOKE DETECTOR BACK HALLWAY BASEMENT STAIRS SMOKE DETECTOR
Added by Update-and-Continue: More information to follow.
ALARM COMPANY REOPORTS HO,EOWNER SAYS SET OFF BY COOKING, NO ISSUE. PER E2,
RETURN MED3.
E2 ON SCENE.
E2 REPORTS CONFIRMED ACCIDENTAL, CLEAR.

*

Incident #: 15008763 Date: 2015-02-21 17:27:40 Type: MV COMPLNT

Location: CROOKED MEADOW LN & MAIN ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS CAR IN FRONT OF HER SPUN OUT SHE SWIRVED TO NOT HIT VEHICLE AND GOT STUCK IN SNOW BANK
CALLER STATES VEHICLE STICKING INTO THE ROAD

E2 ON SCENE.
DISREGARD NOTED REGARDING E2
INCIDENT CLOSED
FROM: MV DISABLED TO OFF REQUEST
POLICE FROM: MV DISABLED TO OFF REQUEST
Added by Update-and-Continue: More information to follow.
FROM: OFF REQUEST TO MV DISABLED

POLICE FROM: OFF REQUEST TO MV DISABLED

Added by Update-and-Continue: More information to follow.

INCIDENT CLOSED

INCIDENT CLOSED

INCIDENT CLOSED

INCIDENT CLOSED

INCIDENT CLOSED

INCIDENT CLOSED

INCIDENT CLOSED

FROM: MV DISABLED TO MV COMPLNT

POLICE FROM: MV DISABLED TO MV COMPLNT

INCIDENT CLOSED

*

Incident #: 15008764 Date: 2015-02-21 17:36:44 Type: TRAFFIC HAZ

Location: 16 HARBOR VIEW DR Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS A LARGE CRACK IN THE STREET IN THE AREA OF 16-23 HARBOR VIEW THAT IS RISING UP POSSIBLY CREATING A HAZARD 911 CLEAR DPW TO BE NOTIFIED. DPW NOTIFIED.

*

Incident #: 15008765 Date: 2015-02-21 17:45:50 Type: DPW

Location: MAIN ST Disposition: ()

Notes:

ROADS GETTING SLIPPERY. HINGHAM DPW AND STATE DPW NOTIFIED.

*

Incident #: 15008767 Date: 2015-02-21 18:08:19 Type: ALARM RES

Location: 5 PATRICKS WY Disposition: FALSE/ACCIDENTA ()

Notes:

GARAGE DOOR

Added by Update-and-Continue: More information to follow.

ALARM CO SPOKE WITH HOMEOWNER, PROPER PASSCODE GIVEN REQ TO CANCEL

*

Incident #: 15008768 Date: 2015-02-21 18:09:20 Type: TRAFFIC HAZ

Location: HIGH ST & MAIN ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS ONE SIDE OF THE LIGHTS ARE NOT CHANGING TO GREEN THEY HAVE STAYED RED CAUSING A TRFFIC ISSUE. FREE, HIGH AND MAIN 918 REPORTS LIGHT IS FUNCTIONING PROPERLY BUT IS INCLUDING THE PEDESTRIAN CROSSING IN THE CYCLE

*

Incident #: 15008773 Date: 2015-02-21 19:32:30 Type: DPW

Location: BEAL ST & LINCOLN ST Disposition: ()

Notes:

CALLER REPORTS LARGE POTHOLE IN NORTHBOUND LANE 3A. DPW NOTIFIED.

*

Incident #: 15008775 Date: 2015-02-21 19:44:00 Type: SUSP ACTIVITY

Location: 10 WARD ST Disposition: SERVICES RENDER ()

Notes:

DAUGHTER PLAYING OUTSIDE A OLDER WHITE CAR WATCHING THE YOUNG KIDS HEADED SOUTH ON WARD ST TOWARDS

Added by Update-and-Continue: More information to follow.

CALLER DECLINED TO SPEAK TO AN OFFICER

913 CLEAR NOTHING SHOWING TRAVELED NORTH ON WARD NOTHING FOUND

*

Incident #: 15008781 Date: 2015-02-21 21:04:54 Type: BUILDING CHK

Location: DERBY ACADEMY, OFFICE AND CLAS / 56 BURDITT AV Disposition: APPEARS SECURE ()

Notes:

911 CHECKING ON ME REG353TJ5 IN PARKING LOT APPEARS SOMEONE JUST GOT OUT AND HEADED TOWARDS THE BUILDING

911 CLEAR ALL CHECKS OUT FEMALE IS FACULTY WORKING IN THE ART BUILDING

*

Incident #: 15008782 Date: 2015-02-21 21:17:55 Type: ALARM BANK

Location: EASTERN BANK. / 274 MAIN ST Disposition: APPEARS SECURE ()

Notes:

WALK IN TO STATION REPORTS AN AUDIBLE ALARM AT THE ATM

Added by Update-and-Continue: More information to follow.

912 CLEAR APPEARS SECURE APPERS TO BE THE SAME ISSUE FROM EARLIER CALL

*

Incident #: 15008783 Date: 2015-02-21 21:26:19 Type: MV STOP

Location: STODDARDS NECK STATE PARK / 463 LINCOLN ST Disposition: CITATION ISSUED ()

Notes:

CLEAR CITATION

*

Incident #: 15008784 Date: 2015-02-21 21:29:24 Type: BUILDING CHK

Location: LINDEN PONDS GATEHOUSE / 50 LINDEN PONDS WY Disposition: APPEARS SECURE ()

Notes:

OFF ON RIDE THROUGH

*

Incident #: 15008786 Date: 2015-02-21 21:49:57 Type: MV STOP

Location: 51 SUMMER ST Disposition: CITATION ISSUED ()

Notes:

CLEAR CITATION

*

Incident #: 15008789 Date: 2015-02-21 22:24:07 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ()

Notes:

CLEAR SECURE

CORRECTION 913 CLEARED CHECK OF SOUTH SCHOOL

*

Incident #: 15008792 Date: 2015-02-21 22:46:41 Type: TRAFFIC HAZ

Location: CROW'S LANDING / 6 CROW POINT LN Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS A LARGE PICE OF CONCRETE STICKING OUT OF A SNOW BANK. STATES HER HUSBAND POPPED A TIRE AND THERE WAS ANOTHER PARTY WHO HAD POPPED A TIRE AS WELL. CALLER NO LONGER ON SCENE BACK HOME IN WEYMOUTH
912 REPORTS LARGE PICE OF CONCRETE THEY WERE UNABLE TO MOVE. DPW NOTIFIED.
DPW REPORTS THE CONCRETE HAS BEEN MOVED INTO THE LOT SHOULD NO LONGER BE A HAZARD

*

Incident #: 15008793 Date: 2015-02-21 22:50:56 Type: BUILDING CHK

Location: GRATTA SOCCER FIELD / 222 BEAL ST Disposition: APPEARS SECURE ()

Notes:

911 REPORTS LIGHTS ARE ON IN THE SNACK SHACK CHECKING THE BUILDING

*

Incident #: 15008797 Date: 2015-02-21 23:28:21 Type: MVC MINOR

Location: EAST ST & HULL ST Disposition: ARREST (N)

Notes:

CALLER REPORTS CAR STUCK ON THE MEDIAN

Added by Update-and-Continue: More information to follow.

CALLER BELIEVES THE DRIVER MAY BE DK

STATES MALE DIDNT SEEM RIGHT WHEN SHE SPOKE WITH HIM

STATES THE CAR STRUCK A SIGN

912 REQ THOMAS

thomas's is en route 20 min eta

E2 CONTINUE, MEDIC 2 CLEAR NO P-I

E2 OAS

911 reports one in custody, returning

912 ADVISES CLEAR OF THE CRASH, RETURNING WITH PARTY

912 AT THE STATION

E2 CLEAR RETURNING

FROM MVC UNK INJURY TO MVC MINOR

Arrested:

Name: KINSELLA , BERNARD Age: 54

Address: 433 WASHINGTON ST

NORWELL , MA

Charges: OUI LIQUOR c90 S24

RECKLESS OPERATION OF MOTOR VEHICLE c90 S24

MARKED LANES VIOLATION c89 S4A

*