

HINGHAM POLICE DEPARTMENT

Incident #: 16007192 Date: 2016-02-14 00:34:17 Type: ALARM COMM

Location: MCCUSKER-GILL, INC / 60 RESEARCH RD Disposition: APPEARS SECURE ()

Notes:

FRONT LOBBY MOT.

Added by Update-and-Continue: More information to follow.

ALARM SLIP LEFT

*

Incident #: 16007193 Date: 2016-02-14 00:35:38 Type: BUILDING CHK

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: APPEARS SECURE ()

*

Incident #: 16007198 Date: 2016-02-14 00:49:53 Type: BUILDING CHK

Location: EAST ELEMENTRY SCHOOL / 2 COLLINS ST Disposition: APPEARS SECURE ()

*

Incident #: 16007199 Date: 2016-02-14 00:55:17 Type: ALARM COMM

Location: MASSA PRODUCTS CORP / 280 LINCOLN ST Disposition: APPEARS SECURE ()

Notes:

ENGINE ROOM MOTION

PROPERT APPEARS SECURE

ALARM POSS DUE TO EXTREME LOW TEMPS.

*

Incident #: 16007203 Date: 2016-02-14 01:10:57 Type: MEDICAL AID

Location: 30 THAXTER ST #5 FL BLDG 1 Disposition: SERVICES RENDER ()

Notes:

BUILDING 1 APT 5 PARTY FELL OUT OF HIS WHEELCHAIR AGAIN

Added by Update-and-Continue: More information to follow.

DOOR IS UNLOCKED

FROM: (2) 30 THAXTER ST #5 FL 1 TO (2) 30 THAXTER ST #5 FL BLDG 1

PER E2 MEDIC 2 RESPONDING

INCIDENT CLOSED

*

Incident #: 16007207 Date: 2016-02-14 01:55:22 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 16007208 Date: 2016-02-14 01:58:31 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ()

*

Incident #: 16007210 Date: 2016-02-14 02:21:07 Type: BUILDING CHK

Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 16007211 Date: 2016-02-14 02:27:34 Type: BUILDING CHK

Location: FIRESTONE TIRE / 22 WHITING ST Disposition: APPEARS SECURE ()

*

Incident #: 16007212 Date: 2016-02-14 02:51:46 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 16007214 Date: 2016-02-14 03:38:18 Type: ALARM RES

Location: 229 NORTH ST Disposition: FALSE/ACCIDENTA ()

Notes:

CALLER REPORTS SHE IS STAYING WITH A FRIEND AT THIS LOCATION AND SHE HAS SET THE ALARM OFF

Added by Update-and-Continue: More information to follow.

CALLER IS IN THE HOUSE CURRENTLY WITH HER DAUGHTER, HOMEOWNERS ARE IN VT

CALLER WILL MEET POLICE AT DOOR

PARTY IS CARING FOR PETS WHILE HOMEOWNER IS AWAY

*

Incident #: 16007218 Date: 2016-02-14 05:58:56 Type: FALARM COMM

Location: CASEY & HAYES, INC / 100 INDUSTRIAL PK RD Disposition: SERVICES RENDER ()

Notes:

ALARM COMPANY RREPORTS WATER FLOW FIRE ALARM.

Added by Update-and-Continue: More information to follow.

KEYHOLDER RESPONDING 10-15 MIN ETA GREY LEXUS

C3 REPORTS HE HAS COMMAND AND CANNOT ACCESS THE KNOX BOX DUE TO IT BEING FROZEN, POSSIBLY A FROZEN SPRINKLER PIPE

CMD REPORTS WATER FLOW IN NORTH FOUNDRY AND BURG ALARM SET OFF

C3 REPORTS SMALL WATER LEAK IN NORTH FOUNDRY, BUILDING JUST SOUTH OF THE MAIN BUILDING. NO HEAT IN THE SPRINKLER ROOM. C3 STANDING BY FOR KEYHOLDER ALL OTHER UNITS CLEAR

C3 SPOKE WITH KEYHOLDER AND BUILDING LEFT IN HER CARE

*

Incident #: 16007223 Date: 2016-02-14 08:06:20 Type: FALARM RES DAY

Location: 32 HEMLOCK RD Disposition: FALSE/ACCIDENTA ()

Notes:

FIRE ALARMS ARE GOING OFF

Added by Update-and-Continue: More information to follow.

NO SMOKE OR FIRE

ADVISED TO EVACUATE

UNABLE TO WALK WELL AND EVACUATE

GOING OFF FOR ABOUT 10 MIN

FEMALE IS IN THE LIVING ROOM

DOES NOT SMELL ANYTHING, UNKNOWN REASON WHY THE ALARMS ARE GOING OFF

AT 0813 E3 IS ON SCENE

913/914 CLEAR

AT 0827 E-3 REPORTS THIS TO BE A FAULTY DETECTOR RESIDENT TO HANDLE

INCIDENT CLOSED

*

Incident #: 16007224 Date: 2016-02-14 08:21:57 Type: FALARM COMM

Location: BAY STATE COMUNITY SERVICES / 100 BEAL ST Disposition: CANCELED BEFORE ()

Notes:

GENERAL FIRE

Added by Update-and-Continue: More information to follow.

911 clear accidental cooking request fire reset alarm

REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

REQUEST FOR FIRE/RESCUE: CHIEF VOIDED

REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED

AT 0828 E-2 IS ON SCENE

AT 0834 E2 REPORTS SYSTEM HAS BEEN RESET

*

Incident #: 16007225 Date: 2016-02-14 08:34:46 Type: MBOX DISCON

Location: BOX 7624/ 56B BURDITT AV Disposition: ()

Notes:

MBOX DISCONNECT WHILE WORK IS BEING PERFORMED ON THE SPRINKLER SYSTEM

AT 0847 E-2 REPORTS BOX 7624 IS A STREET BOX EMPLOYEE WILL KEEP THE FD INFORMED

COULD TAKE A COUPLE OF DAYS

FROM: (2) DERBY ACADEMY, OFFICE AND CLAS / 56 BURDITT AV TO (2) BOX 7624/ 56B BU

AT 1359 E-2 RESPONDING TO PUT THE MASTER BOX BACK IN SERVICE

E-2 FURTHER REPORTS THE SPRINKLER SYSTEM FOR DERBY ACADEMY IS OFF LINE

*

Incident #: 16007231 Date: 2016-02-14 10:06:18 Type: COMMTY SERV

Location: WHOLE FOODS / 94 DERBY ST Disposition: APPEARS SECURE ()

Notes:

OUT ON PORTABLE - NOTE BAD RECEPTION IN BUILDING

*

Incident #: 16007235 Date: 2016-02-14 10:54:25 Type: PD INVEST

Location: HEWITTS COVE MARINA,LLC (SEA C / 24 SHIPYARD DR Disposition: SERVICES RENDER ()

Notes:

911 CALLER FROM WEYMOUTH STATES THE SHIPYARD WHERE THE GAS PUMPS ARE, THE DOCK IS ALMOST VERTICAL

Added by Update-and-Continue: More information to follow.

VM LEFT FOR HARBORMASTER

HARBORMASTER WILL HEAD THAT WAY SHORTLY, WOULD LIKE A REPORT AFTER OFFICER SEES THE ISSUE

911 ADV SOME DOCKS SUBMERGED, FUEL PUMP SUBMERGED BY ALMA NOVE AND D SIDE OF THE DOCK.

HARBORMASTER TO MAKE NOTIFICATIONS

940 OAS SHIPYARD

940 CLEAR NOTIFIED THE MARINA GAS LINE AND DISEAL LINE SEPERATED A LITTLE

SPILLED NO MAJOR ISSUE MARINA NOTIFIED

*

Incident #: 16007239 Date: 2016-02-14 11:09:47 Type: BUILDING CHK

Location: NATIONAL GUARD ARMORY / 96 CENTRAL ST Disposition: APPEARS SECURE ()

*

Incident #: 16007240 Date: 2016-02-14 11:21:21 Type: FIRE INVEST

Location: HEWITTS COVE MARINA,LLC (SEA C / 24 SHIPYARD DR Disposition: ()

Notes:

MEET HARBORMASTER AT D DOCK, GAS PUMP IS SUBMERGED

Added by Update-and-Continue: More information to follow.

CORRECTION E DOCK...CAN SEE IT FROM BEHIND ALMA NOVE

940 ADVISE FD NOT RESPONDING

INCIDENT CLOSED

940 BACK ON SCENE WITH COAST GUARD

*

Incident #: 16007245 Date: 2016-02-14 12:11:03 Type: ALARM RES

Location: 71 CLUBHOUSE DR Disposition: APPEARS SECURE ()

Notes:

GENERAL ALARM SCHRAM RESIDENCE

Added by Update-and-Continue: More information to follow.

913/914 CLEAR SECURE

INCIDENT CLOSED

*

Incident #: 16007246 Date: 2016-02-14 12:16:46 Type: SUSP VEHICLE

Location: 3 WESTON RD Disposition: GOOD INTENT CAL ()

Notes:

HOMEOWNERS ARE AWAY, CARS ARE PARKED IN THE DRIVEWAY, CARS DONT BELONG

Added by Update-and-Continue: More information to follow.

RED BMW, GREY STATION

CALLER IS THE NEIGHBOR WATCHING THE HOUE, SHE CALLED THE HOMEOWNER, HOMEOWNER

STATES NOONE SHOULD BE THERE AND SHE DOES NOT KNOW WHOSE CARS THEY ARE

CALLER DID NOT SEE ANYONE GET OUT OF THE CARS TO KNOW IF THEY PARKED THERE TO

GO SOMEWHERE ELSE, SEES NO PEOPLE AT THIS TIME

911 SPOKE TO THE CALLING PARTY WHO HAS MADE CONTACT WITH THE HOMEOWNER OF 3

WESTON, BOTH VEHICLES HAVE BEEN GIVEN PERMISSION TO PARK IN DRIVEWAY WHILE

RESIDENT IS AWAY

*

Incident #: 16007247 Date: 2016-02-14 12:49:24 Type: ALARM COMM

Location: ERNIES AUTO BODY / 344 LINCOLN ST Disposition: APPEARS SECURE ()

Notes:

ZONE 6, OFFICE MOTION

Added by Update-and-Continue: More information to follow.

911 OAS MA REG CO H26255 IN DRIVEWAY

916 CANCELLED 911 ADV EVERYTHING LOOKS SECURE

916 CLEAR.

911 CLEAR BUILDING IS SECURE MA LIC S79148223 OWNER OF CO REG.

*

Incident #: 16007248 Date: 2016-02-14 13:20:18 Type: MEDICAL ALARM

Location: 31 BLAISDELL RD Disposition: SERVICES RENDER ()

Notes:

82 YO MALE IS STUCK IN HIS WHEELCHAIR,

Added by Update-and-Continue: More information to follow.

914 OAS

914 CLEAR WITH FD

INCIDENT CLOSED

*

Incident #: 16007250 Date: 2016-02-14 14:04:28 Type: NOTIFICATION

Location: DERBY ACADEMY, OFFICE AND CLAS / 56 BURDITT AV Disposition: LOG ENTRY INFO ()

Notes:

SEE CAD #16007225 THE SPRINKLER SYSTEM TO THIS LOCATION IS OFF LINE

INCIDENT CLOSED

*

Incident #: 16007251 Date: 2016-02-14 14:19:39 Type: ANIMAL CALL

Location: DAVID'S TEA / 92 DERBY ST #103 Disposition: INVESTIGATED/ R ()

Notes:

CALLER REPORTING A DOGIN A CAR, THREE ROWS BACK SILVER NISSAN ALTIMA MA REG
783WF7
914 OAS IN AREA ADV WILL STAY IN AREA DOG LOOKS COMFORTABLE AT THIS TIME
INCIDENT CLOSED
914 CLEAR DOG DOESN'T APPEAR TO BE IN ANY DANGER HAS BLANKETS

*

Incident #: 16007254 Date: 2016-02-14 15:13:19 Type: ALARM RES

Location: 3 SEAL COVE LN Disposition: APPEARS SECURE ()

Notes:

LIVING ROOM MOTION
Added by Update-and-Continue: More information to follow.
911/913 CLEAR HOUSE CHECKED APPEARS SECURE

*

Incident #: 16007256 Date: 2016-02-14 15:21:23 Type: FALARM COMM

Location: ROCKLAND TRUST COMPANY / 100 SGT WM B TERRY DR Disposition: SERVICES RENDER ()

Notes:

FROM: (2) BOX 7612/ ROCKLAND TRUST TO (2) ROCKLAND TRUST COMPANY / 100 SGT WM B
RED HAWK FIRE PROTECTION REPORTS ZONE 1 ACTIVATION.
910 OAS NOTHING SHOWING
911 OAS W/910
AT 1527 C-3 IS ON SCENE AND IN COMMAND NOTHING SHOWING
910 ADV BROKEN PIPES WATER EVERYWHERE, FD UPDATED
AT 1528 COMMAND REPORTS WATER FLOWING SHUTTING THE SYSTEM DOWN
FROM SECURITY WILL BE RESPONDING, ETA 1/2 HOUR TO 45 MIN. WILL BE
ALSO CONTACTING SOMEONE ELSE FROM SECURITY.
C3 REPORTS WATER HAS BEEN SHUT OFF, REP ON SCENE, WIRING AND BLDG INSPECTOR TO
BE NTFD

AT 1540 WIRING INSPECTOR RESPONDING WITH A 10 MIN ETA BUILDING INSPECTOR NTFD

E4 CLEARED BY COMMAND

MED2 CLEARED BY COMMAND

COMMAND RPTS MASTER BOX IS NOW A STREET BOX UNTIL FIXED. COMPANIES CLEAR

*

Incident #: 16007257 Date: 2016-02-14 15:21:31 Type: MEDICAL AID

Location: 423 MAIN ST Disposition: SERVICES RENDER ()

Notes:

8 MONTH OLD WITH A CROUPY SOUNDING COUGH

Added by Update-and-Continue: More information to follow.

CALLER REPORTS SHE HAS NO CAR SEAT, HER HUSBAND HAS THE CAR WITH THE SEAT IN IT

RED HAWK FIRE PROTECTION REPORTS ZONE 1 ACTIVATION.

DISREGARD ABOVE NOTES.

MED3 CLEAR, PT REFUSAL

*

Incident #: 16007259 Date: 2016-02-14 15:53:56 Type: ALARM RES

Location: 71 CLUBHOUSE DR Disposition: APPEARS SECURE ()

Notes:

general alarm zone 21

Added by Update-and-Continue: More information to follow.

schram residence

925 ADVISED

977 NOTIFIED.

*

Incident #: 16007260 Date: 2016-02-14 16:02:35 Type: MV DISABLED

Location: 64 BAKER HILL DR Disposition: CANCELED BEFORE ()

Notes:

RESIDENT REPORTS SHE IS OUT OF TOWN AND HER FATHER WAS CHECKING ON THE HOME AND

SHE STATES HIS VEHICLE GOT STUCK ON THE ICE IN THE DRIVEWAY, SHE HAS TRIED TO

CALL HIM AND UNABLE TO REACH HIM, HE DRIVES A VOLVO, POSSIBLE SILVER OR BLACK,

NO PLATE, REQUESTING AN OFFICER TO CHECK ON HIM

Added by Update-and-Continue: More information to follow.

TRIED CALLING HIS CELL PHONE NUMBER AND GOES TO VOICEMAIL

Added by Update-and-Continue: More information to follow.

LEFT A MESSAGE ON THE VOICEMAIL

Added by Update-and-Continue: More information to follow.

HE CALLED BACK, NEIGHBOR ASSISTED HIM AND HE IS NO LONGER STUCK, HE HAS LEFT THE AREA

*

Incident #: 16007261 Date: 2016-02-14 16:31:29 Type: BUILDING CHK

Location: HINGHAM DISTRICT COURT / 28 GEO WASHNGTN BLVD Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKED AND APPEARS SECURE

*

Incident #: 16007262 Date: 2016-02-14 16:36:26 Type: MV STOP

Location: GALLERY 360 / 30 SUMMER ST Disposition: CITATION ISSUED ()

Notes:

CLEAR CITATION

*

Incident #: 16007263 Date: 2016-02-14 16:46:59 Type: BUILDING CHK

Location: FOSTER ELEMENTRY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKED AND APPEARS SECURE

*

Incident #: 16007264 Date: 2016-02-14 16:47:59 Type: COMMTY SERV

Location: MARGETTS FIELD / 210 WARD ST Disposition: SERVICES RENDER ()

*

Incident #: 16007265 Date: 2016-02-14 17:05:46 Type: MV STOP

Location: ROCKLAND ST Disposition: CITATION ISSUED ()

Notes:

CLEAR CITATION

*

Incident #: 16007268 Date: 2016-02-14 17:13:51 Type: WATER LEAK INS

Location: SOUTH SHORE SPORTS CENTER / 55 RECREATION PK DR Disposition: SERVICES RENDER ()

Notes:

PIPE BURTS INSIDE

Added by Update-and-Continue: More information to follow.

FROM: (2) 55 RECREATION PK DR TO (2) SOUTH SHORE BASEBALL / 55 RECREATION PK DR

FROM: (2) SOUTH SHORE BASEBALL / 55 RECREATION PK DR TO (2) SOUTH SHORE SPORTS C

E3 REQUESTING WATER DEPT, AQUARION NTFD AND RESPONDING

REQUEST FOR POLICE: PATROL VOIDED

E3 REQUESTING WIRING INSPECTOR TO THE SCENE

C3 EN ROUTE

WIRING INSPECTOR EN ROUTE

E3 UNABLE TO FIND THE WATER SHUT OFF

C3 CLEAR

E3 CLEAR,

*

Incident #: 16007271 Date: 2016-02-14 17:15:55 Type: MUTL AID GIVEN

Location: FRENCH ST & FRESH RIVER AV Disposition: SERVICES RENDER ()

Notes:

BLOCKING TRAFFIC FOR WEYMOUTH WORKING FIRE

FROM: (2) COMERCIAL/WEYMOUT & FRENCH/WEYMOUTH TO (2) FRENCH ST & FRESH RIVER AV

Added by Update-and-Continue: More information to follow.

*

Incident #: 16007272 Date: 2016-02-14 17:34:29 Type: ASST PUBLIC

Location: CITIZEN SAVINGS BANK / 11 FEARING RD Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS SHE WORKS AT RITE AID WENT TO THE BANK TO MAKE A DEPOSIT KEY IS

NOW STUCK IN THE DEPOSITORY WITH THE DOOR STUCK OPEN.

REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

FEMALE REPORTS BANK WILL SEND A TECHNICIAN DOWN TO ASSIST NO NEED FOR HIN PD ..

*

Incident #: 16007274 Date: 2016-02-14 17:54:23 Type: FALARM RES DAY

Location: 30 THAXTER ST FL BLD 4 Disposition: SERVICES RENDER ()

Notes:

general alarm

E1 ON SCENE AND NOTHING SHOWING AND E1 HAS COMMAND

REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED

912 REPORTS POSSIBLE WATER LEAK

E1 REQUESTING THE BUILDING AND WIRING INSPECTOR TO THE SCENE ALONG WITH REP

FROM THAXTER PARK

BLDG INSPECTOR EN ROUTE, WIRING INSPECTOR EN ROUTE FROM 55 REC PARK DR

BROKEN WATER PIPE IN THE COMMUNITY ROOM OF BUILDING 4

housing authority paged

REP ON SCENE, ATTEMPTING TO SHUT OFF THE WATER

BUILDING AND WIRING INSPECTOR AN MAINTANENCE HAVE THE SCENE AND E1 CLEAR

*

Incident #: 16007275 Date: 2016-02-14 18:05:43 Type: WELL BEING CK

Location: STOP AND SHOP SUPERMARKET / 400 LINCOLN ST Disposition: GONE ON ARRIVAL ()

Notes:

CALLER REPORTS SILVER JEEP CHEROKEE IN THE PARKING LOT MA REG 878KY3 LEFT
RUNNING WITH A SMALL CHILD INSIDE APROX 10 YEARS OLD. STATES THE VEHICLE HAS
BEEN THERE ABOUT 10 MINUTES. NEAR THE LEFT HAND DOOR ABOUT 20 FEET FROM
ENTRANCE CALLER IS IN WHITE FORD VAN WILL WAIT FOR AN OFFICER
912 SPOKE WITH REPORTING PARTY VEHICLE GOA

*

Incident #: 16007283 Date: 2016-02-14 19:49:14 Type: MEDICAL AID

Location: ALLERTON HOUSE AT HARBOR PARK / 15 CONDITO RD #APT 221 Disposition: SERVICES RENDER
()

Notes:

ELDERLY RESIDENT INJ AFTER FALL
Added by Update-and-Continue: More information to follow.
FROM: (2) ALLERTON HOUSE AT HARBOR PARK / 15 CONDITO RD #APT 221 FL APT 221 TO ()
MED3 ON SCENE
E1 RPTS WILL BE A MED3 TRANSPORT

MED3 TRANSPORTING TO THE SSH

E1 CLEAR

MED3 ON ARRIVAL AT THE SSH
MEDIC 3 CLEAR RTQ.

*

Incident #: 16007284 Date: 2016-02-14 19:53:11 Type: MV STOP

Location: DERBY ST & RECREATION PK DR Disposition: VERBAL WARNING ()

Notes:

CLEAR VERBAL

*

Incident #: 16007286 Date: 2016-02-14 20:10:39 Type: COMMTY SERV

Location: CVS PHARMACY / 405 LINCOLN ST Disposition: LOG ENTRY INFO ()

Notes:

WALK THRU, PHARMACY SECURE

*

Incident #: 16007287 Date: 2016-02-14 20:13:25 Type: BUILDING CHK

Location: EASTERN BANK / 274 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 16007289 Date: 2016-02-14 20:21:06 Type: ALARM COMM

Location: QUEEN ANNE BP / 4 WHITING ST Disposition: SERVICES RENDER ()

Notes:

OFFICE MOTION

Added by Update-and-Continue: More information to follow.

914 REPORTS APPEARS SECURE

914 REPORTS THERE WAS AN OPEN DOOR ON THE EXTERIOR OF THE BUILDING THAT LEADS TO A BATHROOM NO ACESS CAN BE GAINED TO THE REST OF THE BUILDING. STATES THE DOOR WAS SHUT BUT IS STILL UNLOCKED

*

Incident #: 16007290 Date: 2016-02-14 21:06:10 Type: FALARM COMM

Location: 104 HMS BICKERTON WY Disposition: SERVICES RENDER ()

Notes:

102-106 HMS BICKERTON MAIN WATER FLOW AND 104 HMS BICKERTON WATER FLOW AND
GENERAL FIRE ALARM

Added by Update-and-Continue: More information to follow.

REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED

E1 REQ WIRE INSP AND BLDG INSP TO THE SCENE.

INSPECTOR CLANCY 1/2 HR ETA.

REQUEST FOR FIRE/RESCUE: CHIEF VOIDED

BOTH INSPEC ENROUTE. COMMAND RPTS WATER IS SHUT DOWN.

PROPERTY MANAGER ENROUTE. 30 MINUTE ETA.

*

Incident #: 16007291 Date: 2016-02-14 21:08:34 Type: 911 ABANDONED

Location: 300 LINDEN PONDS WY Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.

SECURITY WILL CHECK FRONT DESK AND CALL BACK.

INCIDENT CLOSED

SECURITY REPORTS ALL SET.

*

Incident #: 16007292 Date: 2016-02-14 21:09:38 Type: MV ERRATIC OP

Location: HINGHAM PUBLIC LIBRARY / 66 LEAVITT ST Disposition: AREA SEARCH NEG ()

Notes:

CALLER REPORTS SILVER TOYOTA COROLLA MA REG 22SW7 ALL OVER ROAD

Added by Update-and-Continue: More information to follow.

TOWARDS 3A

TOWARDS 3A PASSING WEIR FARM

AT LIGHTS

CALLER OVER ROAD

VEHICLE WENT STRAIGHT THROUGH THE LIGHTS

CALLER NO LONGER BEHIND VEHICLE

*CORRECTION CALLER REPORTED VEHICLE WAS ALL OVER ROAD

MA REG 222SW7

222SW7 COMES BACK TO SILVER AUDI

HULL UNITS NOTIFIED.

UNITS CHECKED THE AREA TO HULL LINE NOTHING SHOWING

*

Incident #: 16007293 Date: 2016-02-14 21:31:38 Type: BUILDING CHK

Location: FOUNDRY POND RD / 101 KILBY ST Disposition: APPEARS SECURE ()

Notes:

NO VEHICLES ALL APPEARS QUIET

*

Incident #: 16007294 Date: 2016-02-14 21:42:43 Type: BUILDING CHK

Location: HINGHAM AUTO / 191 BEAL ST #H Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKED AND APPEARS SECURE

*

Incident #: 16007295 Date: 2016-02-14 21:50:49 Type: MV STOP

Location: SUPERCUTS / 1 SHIPYARD DR #1B Disposition: VERBAL WARNING ()

Notes:

CLEAR VERBAL

*

Incident #: 16007296 Date: 2016-02-14 22:05:17 Type: DPW

Location: TURKEY HILL / TURKEY HILL LN Disposition: LOG ENTRY INFO ()

Notes:

916 REQ DPW BE NOTIFIED TO HAVE ROADS ADRESSED IN THE MORNING WITH DRIFTING
SNOW WILL NEED TO BE CLEARED. DPW NOTIFIED WILL BE OUT IN THE MORNING

*

Incident #: 16007297 Date: 2016-02-14 22:19:17 Type: MEDICAL AID

Location: 7 SOUTH LN Disposition: SERVICES RENDER ()

Notes:

89 YEAR OLD MALE RECENT SURGERY FACE IS DROOPING
Added by Update-and-Continue: More information to follow.
FACE IS NUMB
LOOKS FLUSH
FACIAL DROOP FOR ABOUT 3 HOURS
NO OTHER NEURO DEFICIT NO SYMPTOMS

*

Incident #: 16007298 Date: 2016-02-14 22:47:52 Type: WATER LEAK INS

Location: 31 MARYKNOLL DR Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS PIPE BURST WATER IS GETTING ONTO ELETRICAL OUTLETS
Added by Update-and-Continue: More information to follow.
CALLER HAS SHUT OFF WATER
CALLER REPORTS FOG IN THE HOME
CALLER REPORTS CHILDREN WERE COMPLAINING OF HEADACHES HOUSE HAS BEEN EVACUATED

WATER SHUT OFF HOME OWNER STAYING OUT FOR THE EVENING

*