

HINGHAM POLICE DEPARTMENT

Incident #: 16007303 Date: 2016-02-15 00:16:26 Type: BUILDING CHK

Location: EAST ELEMENTARY SCHOOL / 2 COLLINS ST Disposition: APPEARS SECURE ()

*

Incident #: 16007304 Date: 2016-02-15 00:18:41 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ()

*

Incident #: 16007306 Date: 2016-02-15 00:25:18 Type: ANIMAL CALL

Location: 12 HAYES RD Disposition: LOG ENTRY INFO ()

Notes:

CALLER REPORTS BLACK LAB MISSING, 8 YO, 65 LBS. WEARING COLLAR 'KONA' IS NAME.

INCIDENT CLOSED

911 ADVISED THAT DOG SITTER WILL BE OUT LOOKING FOR DOG ON FOOT IN THE AREA

912 CHECKING THE AREA FOR THE DOG

912 CHECK OF AREA SHOWED NOTHING

CALLER CALLED BACK AND THE DOG HAS BEEN FOUND :)

CALL BACK REPORTING THEY FOUND THE DOG.

*

Incident #: 16007307 Date: 2016-02-15 00:25:32 Type: BUILDING CHK

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: APPEARS SECURE ()

*

Incident #: 16007309 Date: 2016-02-15 00:26:58 Type: FALARM COMM

Location: CROW POINT VILLAGE / 185 LINCOLN ST Disposition: NO PD SERVICE R ()

Notes:

sprinkler water flow alarm
E2 REPORTS WATER LEAK IN BACK STORAGE ROOM OF CROW POINT PIZZERIA
FROM: FALARM RES NGHT TO FALARM COMM
POLICE FROM: FALARM RES NGHT TO FALARM COMM
FIRE/RESCUE FROM: FALARM RES NGHT TO FALARM COMM
C3 REPORTS WATER SHUT OFF UNITS INVESTIGATING WHERE IT STARTED FROM
911 CLEAR FIRE TO HANDLE
LEAK TRACED TO 3RD FLOOR UNITS, OCCUPANT HAS CALLED BUILDING OWNER AND THEY
WILL BE RESPONDING
C3 REQUEST WIRING INSPECTION AND BOARD OF HEALTH TO SCENE
BOARD OF HEALTH EN ROUTE FROM TAUNTON
WIRE INSPECTOR NOTIFIED AND RESPONDING, 15 MIN ETA.
WIRING INSPECTOR ON SCENE

*

Incident #: 16007314 Date: 2016-02-15 00:43:36 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 16007317 Date: 2016-02-15 01:11:28 Type: BUILDING CHK

Location: FOSTER ELEMENTARY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ()

*

Incident #: 16007325 Date: 2016-02-15 01:29:53 Type: GAS INSIDE

Location: 32 CANTERBURY ST Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.
CALLER REPORTS A STRONG ODOR OF GAS INSIDE.
TWO ADULTS AND A 1 YO CHILD IN THE HOUSE. ADVISED TO LEAVE. WILL BE GOING
INTO THEIR VEHICLE.
CALLER WILL CALL BACK FROM CELL PHONE.

C3 REPORTS NO GAS ODOR, POSSIBLY SOME TYPE OF PLASTIC. WILL BE INVESTIGATING.
NOTHING HAZERDOUS DETECTED IN HOME, ALL UNITS CLEAR

*

Incident #: 16007334 Date: 2016-02-15 02:33:38 Type: ALARM COMM

Location: QUEEN ANNE BP / 4 WHITING ST Disposition: APPEARS SECURE ()

Notes:

GENERAL BURG, OFFICE MOTION
UNITS CLEAR BUILDING SECURE, AUDIBLE SOUNDING AT THIS TIME BUT IT WILL RESET.
ONGOING ISSUE EARLIER IN THE EVENING, 910 TO LEAVE A BYLAW SLIP.

*

Incident #: 16007335 Date: 2016-02-15 02:55:48 Type: ATT BREAK HOUS

Location: 9 CHERRY ST Disposition: INVESTIGATED/ R ()

Notes:

Added by Update-and-Continue: More information to follow.
CALLER THINKS SOMEONE IS TRYING TO GET INTO THE HOUSE.
CALLER THINKS THEY JUST GOT IN.
CALLER HEARD THE TOP LATCH OF THE LOCK MOVING AND SOMEONE TALKING. POSSIBLY
FEMALE.
CALLER TRIED TO TELL HER FATHER AND HE DIDN'T BELIEVE HER.
CALLERS PARENTS ARE IN THE HOUSE.
UNITS CLEAR. NO ENTRY GAINED, POSSIBLY HEARING NOISES. UNITS WILL SEARCH THE
AREA TO BE SURE. OTHERS HOME AT THE TIME DID NOT HEAR ANY NOISES

*

Incident #: 16007336 Date: 2016-02-15 03:03:24 Type: MEDICAL AID

Location: 12 WHITON AV Disposition: SERVICES RENDER ()

Notes:

92 YOF IN PAIN
Added by Update-and-Continue: More information to follow.
LEFT SIDE NEAR HER BACK

FROM: (2) 12 WHITON AV #FLR 1 FL FLR 1 TO (2) 12 WHITON AV
BACK PAIN CARD

*

Incident #: 16007338 Date: 2016-02-15 03:19:05 Type: SUSP ACTIVITY

Location: 167 HMS HALSTED DR Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS THE BUZZER IN HIS APT JUST WENT OFF INDICATING A DOOR OR WINDOW
OPENED IN HIS UNIT. CALLER IS IN THE BEDROOM RIGHT NOW AND CHECKED THE HOUSE
BUT WANTS A WALK THROUGH
Added by Update-and-Continue: More information to follow.
CALLER WILL MEET PD AT THE DOOR

*

Incident #: 16007341 Date: 2016-02-15 04:30:40 Type: FALARM RES NGHT

Location: 133 HMS HALSTED DR Disposition: SERVICES RENDER ()

Notes:

ZONE 22 WHICH IS 133 HALSTEAD SHOWING WATER FLOW. MAIN SPRINKLER ROOM WATER
FLOW
Added by Update-and-Continue: More information to follow.
PIPE BURST IN 133, RESIDENT JUST CALLED 911 TO REPORT IT
FROM: (2) 123-137 HMS HALSTED DR TO (2) 133 HMS HALSTED DR
KEYHOLDER RESPONDING 45 MIN ETA
FIRE TO HANDLE

*

Incident #: 16007343 Date: 2016-02-15 05:19:58 Type: ALARM COMM

Location: QUEEN ANNE BP / 4 WHITING ST Disposition: APPEARS SECURE ()

Notes:

OFFICE MOTION, CANNOT REACH KEYHOLDER
SAME STATUS AS EARLIER, NO CHANGE. BUILDING SECURE. ATTACHED BYLAW SLIP.
REQUEST FOR POLICE: PATROL VOIDED

*

Incident #: 16007342 Date: 2016-02-15 05:20:10 Type: MEDICAL AID

Location: 3004 HOCKLEY DR #102 Disposition: NO PD SERVICE R ()

Notes:

88 YOF TROUBLE BREATHING

Added by Update-and-Continue: More information to follow.

SHORT OF BREATH, HURTS TO BREATHE AND CHEST PAIN

FIRST FLOOR

FROM: (2) 3004 HOCKLEY DR TO (2) 3004 HOCKLEY DR #102

PT REPORTS SHE IS ON THE FIRST FLOOR ON THE LEFT, POSSIBLY 102 SHE CANNOT

REMEMBER

DIFF BREATHING CARD USED

FIRE STANDING BY

*

Incident #: 16007346 Date: 2016-02-15 06:04:16 Type: FALARM COMM

Location: NAZARENE CHURCH, FAITH / 235 NORTH ST Disposition: SERVICES RENDER ()

Notes:

SMOKE BASEMENT / APARTMENT LIVING ROOM ACTIVATION

Added by Update-and-Continue: More information to follow.

C3 REPORTS POSSIBLY BROKEN WATER PIPE, STEAM IN THE SECOND FLOOR AREA

C3 REPORTS PIPE BREAK IN DISHWASHER IN KITCHEN, UNIT SHUT DOWN BUILDING SECURED

AND UNITS CLEAR

*

Incident #: 16007347 Date: 2016-02-15 06:11:58 Type: WATER LEAK INS

Location: SOUTH SHORE HOSPITAL CENTER OR / 2 POND PK RD Disposition: NO PD SERVICE R ()

Notes:

EMPLOYEE AT THIS SITE REPORTS SPRINKLER FLOODING LOBBY. SPRINKLER COMPANY EN

ROUTE BUT REQUESTING FIRE TO SHUT DOWN WATER PRIOR TO COMPANY ARRIVAL

Added by Update-and-Continue: More information to follow.

E3 REPORTS SMALL LEAK IN PIPE, BEING SHUT DOWN E3 CANCEL E4 AND CONTINUE C3
SYSTEM SHUT DOWN AND MAINTENANCE ON SCENE

*

Incident #: 16007351 Date: 2016-02-15 07:24:50 Type: ASST PUBLIC

Location: 185 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.
AT THE LOCATION WITH A REPAIR MAN AND HE NEEDS THE FIRE TO RESPOND W/ A KEY TO
THE KNOX BOX.

*

Incident #: 16007355 Date: 2016-02-15 08:20:43 Type: TRAFFIC HAZ

Location: TURKEY HILL / TURKEY HILL LN Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS SOMEONE LEFT A DUMPSTER RIGHT IN THE MIDDLE OF THE ROAD
Added by Update-and-Continue: More information to follow.
Added by Update-and-Continue: More information to follow.
DUMPSTER COMPANY STATES THEY ARE DOING A DUMPSTER SWAP, WILL BE MOVED IN ABOUT
5 MIN

*

Incident #: 16007358 Date: 2016-02-15 08:53:23 Type: MV STOP

Location: CENTRAL ST & ELM ST Disposition: VERBAL WARNING ()

Notes:

VERBAL

*

Incident #: 16007360 Date: 2016-02-15 09:09:15 Type: ALARM COMM

Location: 62 DERBY ST Disposition: ACCID/DEFECT/BU ()

Notes:

OFFICE MOTION

Added by Update-and-Continue: More information to follow.

ACCIDENTAL BY EMPLOYEE

*

Incident #: 16007362 Date: 2016-02-15 09:14:34 Type: FALARM COMM

Location: CROW POINT VILLAGE / 185 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

sprinkler water flow

Added by Update-and-Continue: More information to follow.

C3 REPORTS HE BELIEVES THERE IS A SPRINKLER CO ON SCENE, WILL HEAD TO THIS
LOCATION AFTER CLEARING CALL

911 ADVISED

REQUEST FOR POLICE: PATROL VOIDED

REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

REQUEST FOR FIRE/RESCUE: CHIEF VOIDED

REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED

E4 REPORTS THEY HAVE SILENCED THE ALARM

*

Incident #: 16007361 Date: 2016-02-15 09:14:44 Type: FALARM BOX

Location: BOX 7717/ NINETY NINE RESTAURANT & PUB Disposition: REFERRED TO OTH ()

Notes:

Added by Update-and-Continue: More information to follow.

FROM: (2) BOX 7717/ 428 LINCOLN ST TO (2) BOX 7717/ NINETY NINE RESTAURANT & PUB
GENERAL FIRE ALARM ALSO CALLED IN BY THE ALARM CO

C3 REPORTS WATER FLOW, THERE IS WATER COMING OUT THE FRONT DOOR

Added by Update-and-Continue: More information to follow.

REQUEST FOR POLICE: PATROL VOIDED

REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED

BOH, BUILDING INSPECTOR, AND WIRING INSPECTOR NOTIFIED AND EN ROUTE

C3 RELEASING E2, C3 TO STAND BY AWAITING INSPECTORS

W.I ON SCENE

BI AND BOH ON SCENE

ALARM CO CALLED BACK TO REPORT ADDITIONAL FIRE ALARM ACTIVATION

C3 CLEARING, INSPECTIONAL SERVICES TO DETERMINE IF THEY OPEN TODAY.

*

Incident #: 16007364 Date: 2016-02-15 09:19:17 Type: MV STOP

Location: LINCOLN ST & SHIPYARD DR Disposition: CITATION ISSUED ()

Notes:

CITATION

*

Incident #: 16007366 Date: 2016-02-15 09:35:07 Type: MEDICAL AID

Location: 59 RHODES CIR Disposition: SERVICES RENDER ()

Notes:

57YOF BEEN THROWING UP FOR 2 DAYS

Added by Update-and-Continue: More information to follow.

CHEST PAIN

PD ARRIVED ON SCENE BEFORE PRE ARRIVALS WERE GIVEN

REQUEST FOR POLICE: PATROL VOIDED

*

Incident #: 16007367 Date: 2016-02-15 09:39:51 Type: MV DISABLED

Location: SGT WM B TERRY DR Disposition: INVESTIGATED/ R ()

Notes:

911 OUT WITH UNOCCUPIED DMV PARTIALLY BLOCKING RD WAY

CALL TO OWNER REPORTS SCITUATE COLLISION ENROUTE SHOULD BE THERE MOMENTARILY

911 CLEAR FOR NOW, WILL CHECK BACK ON IT LATER

*

Incident #: 16007368 Date: 2016-02-15 09:51:42 Type: MEDICAL AID

Location: LINCOLN SCHOOL APARTMENTS / 86 CENTRAL ST #507 Disposition: SERVICES RENDER ()

Notes:

69YOF FELL AND CUT JUST BELOW HER EYE

Added by Update-and-Continue: More information to follow.

HIT HER HEAD A LITTLE

TRIPPED

CALLER DID NOT WISH TO STAY ON THE PHONE

FROM: (2) 86 CENTRAL ST #507 TO (2) LINCOLN SCHOOL APARTMENTS / 86 CENTRAL ST #5

*

Incident #: 16007369 Date: 2016-02-15 09:53:47 Type: FALARM RES DAY

Location: 47 LAFAYETTE AV Disposition: SERVICES RENDER ()

Notes:

FIRE ALARM SOUNDING

Added by Update-and-Continue: More information to follow.

CALLER SEES NO SMOKE AND NO FIRE

CALLER STATES HES SECURING SOMETHING IN HIS HOUSE AND WILL GO BACK TO LOOK FOR SMOKE/FIRE.

CALLER STSTAES HIS NEIGHBOSRS CARS ARE BOTH IN THE DRIVEWAY.

CALLER STATES ITS HIS NEIGHBORS HOUSE FIRE ALARM THAT IS GOING OFF.

Added by Update-and-Continue: More information to follow.

REQUEST FOR POLICE: PATROL VOIDED

B.I AND BOH ON SCENE

^^DISREGARD ABOVE NOTES^^

UNABLE TO GAIN ENTRY TO THE HOUSE, NOBODY HOME, ALARM IS SOUNDING, NOTHING SHOWING

*

Incident #: 16007372 Date: 2016-02-15 10:11:54 Type: MV STOP

Location: BEAL ST & TAYLOR LN Disposition: CITATION ISSUED ()

Notes:

CITATION

*

Incident #: 16007373 Date: 2016-02-15 10:26:56 Type: FALARM RES DAY

Location: 29 IRVING ST Disposition: SERVICES RENDER ()

Notes:

FIRE ALARM SMOKE DETECTORS

Added by Update-and-Continue: More information to follow.

ALARM COMPANY ATTEMPTING TO CONTACT HOMEOWNER.

CAR 49 ON SCENE, REPORTS NOTHING SHOWING FROM EXTERIOR

E2 REPORTS SMALL FIRE, RC CAR THAT WAS CHARGING, FIRE IS OUT

HOMEOWNER ON SCENE, ADVISED

*

Incident #: 16007374 Date: 2016-02-15 10:28:29 Type: MV STOP

Location: BEAL ST & FOTTLER RD Disposition: CITATION ISSUED ()

Notes:

CITATION ISSUED.

*

Incident #: 16007375 Date: 2016-02-15 10:33:02 Type: MV STOP

Location: THAXTER ST Disposition: CITATION ISSUED ()

Notes:

FROM: (2) THAX & BRAD TO (2) THAXTER ST

CITATION ISSUED.

*

Incident #: 16007376 Date: 2016-02-15 10:41:46 Type: TEST

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: TEST 911 CALL ()

Notes:

911 TTY TEST CALL
INCIDENT CLOSED

*

Incident #: 16007377 Date: 2016-02-15 10:50:11 Type: OPEN DR WN

Location: 4 WANDERS DR Disposition: GOOD INTENT CAL ()

Notes:

CALLER REPORTS HER NEIGHBORS DOOR IS WIDE OPEN, STATES AN ELDERLY FEMALE LIVES THERE AND BUT SHE IS AT LINDEN PONDS, NO ONE SHOULD BE THERE. CALLER IS SITTING IN THE DRIVEWAY THERE IN A TOYOTA 4RUNNER TO MEET OFFICER UNITS CHECKED INTERIOR, NOTHING APPEARS DISTURBED. FRONT DOOR HAS BEEN SECURED UNITS CLEAR

*

Incident #: 16007378 Date: 2016-02-15 10:53:46 Type: FALARM COMM

Location: 428 LINCOLN ST Disposition: DUPLICATE CALL ()

Notes:

GENERAL FIRE ALARM
Added by Update-and-Continue: More information to follow.
ALARM HAS BEEN COMING REPEATEDLY EVERY 15 MINUTES
INCIDENT CLOSED
C-3 NOTIFIED.

*

Incident #: 16007382 Date: 2016-02-15 11:12:31 Type: PROPERTY DAMAGE

Location: CHIEF JUSTICE CUSHING HWY & SUMMER ST Disposition: LOG ENTRY INFO ()

Notes:

CALLER REPORTSD HE SRTUCK SOME POTHOLES IN HIGNAHM THAT CAUSED DAMAGE TO HIS CAR, SPOKE WITH INSURNACE AND THEY SUGGESTED HE SPEAKS WITH POLICE TO FILE A REPORT

POT HOLES WERE ON RT 3A IN HINGHAM

CALLER WAS ADVISED TO REPORT IT TO THE HINGHAM POLICE SAME STATES HE WILL RESPOND TO HQ'S

FROM: TRAFFIC HAZ TO PROPERTY DAMAGE

POLICE FROM: TRAFFIC HAZ TO PROPERTY DAMAGE

INCIDENT CLOSED

FROM: (1) 90 DOANE ST TO (2) CHIEF JUSTICE CUSHING HWY & SUMMER ST

*

Incident #: 16007384 Date: 2016-02-15 11:36:46 Type: FALARM COMM

Location: NINETY NINE RESTAURANT & PUB / 428 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

GENERAL FIRE ALARM

REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED

REQUEST FOR FIRE/RESCUE: CHIEF VOIDED

NO ALARMS SOUNDING, THEYVE BEEN ADVISED TO CONTACT ALARM CO AND TAKE SYSTEM

OFFLINE

*

Incident #: 16007390 Date: 2016-02-15 12:02:30 Type: MV DISABLED

Location: THOMAS AUTO BODY SHOP, INC. / 15 FORT HILL ST Disposition: SERVICES RENDER ()

Notes:

DMV WITH 2 FLAT TIRES, OFF THE ROAD HAS AAA EN ROUTE

*

Incident #: 16007393 Date: 2016-02-15 12:34:05 Type: MEDICAL AID

Location: 427 GARDNER ST / 427 GARDNER ST Disposition: REFERRED TO OTH ()

Notes:

Added by Update-and-Continue: More information to follow.

HUSBAND POSSIBLE SEIZURES

HEAVY BREATHIN 69YOM

69YOM CAME IN FROM A BIKE RIDE. THINKS HE MAY HAVE HAD A SEIZURE.

CALLER STATES HER HUSBAND IS BREATHING HEAVY
CALLER REPORTS HUSBAND FELL OFF BIKE AND HAS A CUT ON HIS LEG.
NO PAST HISTORY
CALLER STATES HE TOOK COUMADIN
PATIENT IS NOW IN THE BATHROOM.
PATIENT STILL IN CHAIR
UNABLE TO SPEAK IN FULL SENTENCES
PATIENT STATES THIS BEEN GOING ON FOR 20 MINUTES
WAS HOSPITALIZED IN NOV. BECAUSE A TREE HIT HIM.
CALLER STATES HE HAS SOME ENLARGMENT OF THE HEART.
PERSPIRING.
PATIENT IS ON FIRST FLOOR LIVING ROOM
CALLER STATES PERSONNEL SHOULD USE THE BACK DOOR
CMD ADVISES THIS WILL BE A TRANSPORT, COMPANIES WORKING
MED 3 REPORTS TAKING A DRIVER, C3 ADVISED
SEIZURE/BREATHING CARD USED
Added by Update-and-Continue: More information to follow.

*

Incident #: 16007394 Date: 2016-02-15 12:39:49 Type: MV STOP

Location: 263 CUSHING ST Disposition: CITATION ISSUED ()

Notes:
CITATION ISSUED.

*

Incident #: 16007395 Date: 2016-02-15 12:43:23 Type: FIRE ALARM COMM

Location: SOUTH SHORE HOSPITAL CENTER OR / 2 POND PK RD Disposition: REFERRED TO OTH ()

Notes:
GENERAL FIRE ALARM ZONE 1
Added by Update-and-Continue: More information to follow.
SECURITY NTFD AND RESPONDING.
MAJOR LEAK REAR OF THE BUILDING, REQ WIRING INSPECTOR AND BUILDING INSPECTOR
B.I AND W.I EN ROUTE
REQUEST FOR FIRE/RESCUE: ENGINE VOIDED
REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED
WIRING INSPECTOR ON SCENE

LEAK WAS ISOLATED AND HOMEOWNER ADVISED. COMPANIES RETURNING
CMD PASSED TO LT HURLEY, HE WILL BE STANDING BY. C3 CLEAR

*

Incident #: 16007396 Date: 2016-02-15 12:47:02 Type: MV ERRATIC OP

Location: HINGHAM ROTARY / SUMMER ST Disposition: AREA SEARCH NEG ()

Notes:

SMALL BLUE CHEVY VAN HEADING TOWARDS ROTARY, SPEEDING AND TAILGAITING.
Added by Update-and-Continue: More information to follow.
CONTINUED STRAIGHT ON ROUTE 3, CALLER NO LONGER BEHIND HIM FIRST THREE IS 588
POSSIBLE LAST 3 IS YHR.
RMV NO MATCHING RECORDS. OFFICER REPORTS NEG SEARCH OF THE AREA.

*

Incident #: 16007399 Date: 2016-02-15 13:16:30 Type: FIRE BLDG STRUC

Location: 16 LEWIS CT Disposition: SERVICES RENDER ()

Notes:

GREASE FIRE IN THE KITCHEN
Added by Update-and-Continue: More information to follow.
GO IN THRU THE BACK
Added by Update-and-Continue: More information to follow.
CABINETS ARE CATCHING
RESIDENTS EVACUATED
REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED
COHL-1 RESPONDING.
Added by Update-and-Continue: More information to follow.
ASSIT CHIEF DOCKRAY AND CHIEF SILVIA NTFD.
D/LECHANE AND D/MURPHY NTFD.
MED 2 REPORTS 2 STORY WOOD FRAME, NOTHING SHOWING FROM EXTERIOR
E3 DELAYED BY TRAIN SOUTH ST CROSSINGS
E3/E4 CANCELED
E2 RELEASING MED2 AT THIS TIME, E2 TIED UP VENTILATING
FIRE SPREAD TO SOME OF THE CABINETS, SUPERFICIAL DAMAGE

*

Incident #: 16007400 Date: 2016-02-15 13:21:22 Type: MV STOP

Location: CUSHING ST & OLD COUNTY RD Disposition: CITATION ISSUED ()

Notes:

CITATION

*

Incident #: 16007405 Date: 2016-02-15 13:45:59 Type: MV STOP

Location: CUSHING ST & OLD COUNTY RD Disposition: CITATION ISSUED ()

Notes:

CITATION

*

Incident #: 16007406 Date: 2016-02-15 13:55:23 Type: MV STOP

Location: 132 SOUTH ST Disposition: CITATION ISSUED ()

Notes:

CITATION

*

Incident #: 16007408 Date: 2016-02-15 14:13:29 Type: MV STOP

Location: CUSHING ST & OLD COUNTY RD Disposition: CITATION ISSUED ()

Notes:

CITATION

*

Incident #: 16007411 Date: 2016-02-15 14:20:58 Type: MVC HIT AND RUN

Location: HINGHAM POLICE DEPARTMENT / 212 CENTRAL ST Disposition: SERVICES RENDER ()

Notes:

916 TO LOBBY FOR REPORT OF PAST HIT AND RUN
REQUEST FOR FIRE/RESCUE: ENGINE VOIDED
REQUEST FOR POLICE: PATROL VOIDED
REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED
NO REPORT NEEDED. DAMAGE CAUSED TO PARTYS VEHICLE IS NOT CONSISTANT WITH THE MVC.

*

Incident #: 16007413 Date: 2016-02-15 14:33:51 Type: FALARM RES DAY

Location: 35 HIGHVIEW DR Disposition: SERVICES RENDER ()

Notes:

GENERAL SMOKE ALRM
Added by Update-and-Continue: More information to follow.
E2 REPORTS VISIBLE WATER IN THE HOUSE, ALARM SOUNDING, NO SMOKE NO FIRE
REQ REP FROM BLG DEPT AND WIRING INSPECTOR
BI AND WI WILL BE HEADED DOWN FROM 2 POND PARK
WATER KILLED TO WHOLE BUILDING, UNABLE TO ISOLATE

*

Incident #: 16007416 Date: 2016-02-15 14:48:09 Type: 911 ACCIDENT

Location: ROSE COURT BLDG / 400 LINDEN PONDS WY Disposition: 911 ACCIDENTAL ()

Notes:

SPOKE WITH SECURITY. THEY STATE ALL IS CLEAR.

*

Incident #: 16007414 Date: 2016-02-15 14:48:56 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 16007415 Date: 2016-02-15 14:52:59 Type: BUILDING CHK

Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 16007417 Date: 2016-02-15 14:58:27 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 16007418 Date: 2016-02-15 15:20:35 Type: ALARM RES

Location: 11 PAIGE ST Disposition: APPEARS SECURE ()

Notes:

FRONT DOOR

Added by Update-and-Continue: More information to follow.

HOUSE KEEPER ON SCENE, HAVING ISSUE WITH ALARM PASSCODE, SHE DOES HAVE A KEY TO THE HOUSE. SHE WILL LOCK UP FOR THE TIME BEING AND CALL THE HOMEOWNER. UNIT

CLEAR

*

Incident #: 16007422 Date: 2016-02-15 16:07:35 Type: TEST

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: LOG ENTRY INFO ()

Notes:

TTY TEST CALL WITH COMPLETE NO ISSUES.

*

Incident #: 16007424 Date: 2016-02-15 16:48:55 Type: ALARM RES

Location: 111 THAXTER ST / 111 THAXTER ST Disposition: APPEARS SECURE ()

Notes:

ALARM COMPANY REPORTS ALARM COMING IN AS DOORS DOES NOT LIST WHAT DOOR

Added by Update-and-Continue: More information to follow.

PROPERTY APPEARS SECURE UNIT CLEAR

*

Incident #: 16007426 Date: 2016-02-15 16:53:08 Type: MV STOP

Location: HINGHAM ROTARY / SUMMER ST Disposition: CITATION ISSUED ()

Notes:

CITATION

*

Incident #: 16007428 Date: 2016-02-15 17:04:13 Type: ALARM BANK

Location: SANTANDER / 9 SUMMER ST Disposition: APPEARS SECURE ()

Notes:

PARABID OVERLAY ALARM STATES IT COULD INDICATE SOMETHING ON THE CARD READER
OR A DEVICE ATTACHED COULD POSSIBLY BE THE DOOR TO THE ATM OR THE ATM MACHINE
ITS SELF

Added by Update-and-Continue: More information to follow.

REQUEST OFFICERS CHECK FOR ANY SIGN OF TAMPERING

NOTHING APPEARS TO HAVE BEEN TAMPERED WITH

*

Incident #: 16007427 Date: 2016-02-15 17:05:17 Type: MV STOP

Location: STARS ON HINGHAM HARBOUR / 4 OTIS ST Disposition: CITATION ISSUED ()

Notes:

CITATION

*

Incident #: 16007430 Date: 2016-02-15 17:05:39 Type: LITTER DUMP

Location: 3 POND PK RD #1A Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.

FROM: (2) 3 POND PK RD TO (2) 3 POND PK RD #1A

SOMEONE DUMPED TRASH IN THE DUMPSTER WITH ALL THE PERSONS INFORMATION.

R/P STATES THIS HAS HAPPENED SEVERAL TIMES, UNSURE IF FROM THE SAME PERSON.

POSSIBLY PARTY OUT OF 278 EAST ST, DISPATCH UNABLE TO LOCATE A PHONE NUMBER.

NEXT TIME THIS OCCURS PARTY SHOULD BE ADVISED NOT TO DUMP THIER TRASH THERE

*

Incident #: 16007431 Date: 2016-02-15 17:15:33 Type: PROPERTY LOST

Location: BED BATH & BEYOND / 9 SHIPYARD DR Disposition: LOG ENTRY INFO ()

Notes:

CALLER REPORTS SHE DROPPED HER CELL PHONE IN THE PARKING LOT GREY IPHONE WITH
BLUE CASE

*

Incident #: 16007433 Date: 2016-02-15 17:31:55 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ()

Notes:

PROPERTY CHECKED AND APPEARS SECURE

*

Incident #: 16007434 Date: 2016-02-15 17:33:04 Type: ALARM RES

Location: 38 OTIS HILL RD Disposition: APPEARS SECURE ()

Notes:

TAMPER ALARM

Added by Update-and-Continue: More information to follow.

20 MIN ETA ON RESIDENT SHE IS IN A GRAY HONDA PILOT

APEEARS SECURE

*

Incident #: 16007438 Date: 2016-02-15 18:10:08 Type: BUILDING CHK

Location: TD BANK / 421 LINCOLN ST Disposition: APPEARS SECURE ()

Notes:

APPEARS IN ORFER

*

Incident #: 16007441 Date: 2016-02-15 18:39:26 Type: FALARM RES DAY

Location: 47 LAFAYETTE AV Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS SHE CAN HEAR SOMEONES FIRE ALARM GOING OFF STATES IT HAS BEEN GOING OFF FOR ABOUT 45 MINUTES CALLER IS AT 42 LAFAYETTE AND IS NOT SURE WHERE THE ALARM IS COMING FROM

REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED

FROM: (2) 42 LAFAYETTE AV TO (2) 47 LAFAYETTE AV

Added by Update-and-Continue: More information to follow.

COMPANIES CHECKED ALL APPEARS IN ORDER COMPANIES CLEAR

*

Incident #: 16007446 Date: 2016-02-15 19:04:07 Type: MVC UNK INJURY

Location: HERSEY ST & LEWIS CT Disposition: INVESTIGATED/ R ()

Notes:

2 VEHICLE ACCIDENT HEAD ON, CALLER INVOLVED REPORTS NO INJURIES

Added by Update-and-Continue: More information to follow.

EVERYONES OUT OF THE CAR,

NO AIRBAG DELPYMENT, LOW RATE OF SPEED

CALLER IN A TOYOTA RAV4, AND COROLLA

VEHICLES SLID INTO EACHOTHER

OFF TO THE SIDE OF THE ROAD

NO FLUIDS LEAKING

2 IN THE OTHER VEHICLE

MED2 CLEAR NO EMS NEEDED, C3 CLEAR. E2 STANDING BY

THOMAS EN ROUTE

WRCKER HAS THE VEHICLE, ALL UNITS CLEAR

*

Incident #: 16007448 Date: 2016-02-15 19:37:37 Type: COMMTY SERV

Location: RITE-AID / 100 DERBY ST Disposition: SERVICES RENDER ()

*

Incident #: 16007452 Date: 2016-02-15 20:30:22 Type: PD INVEST

Location: 278 EAST ST Disposition: INVESTIGATED/ R (Y)

Notes:

913 oas 278 east on a follow up

*

Incident #: 16007455 Date: 2016-02-15 20:57:45 Type: POLICE INFO

Location: 4 LONGMEADOW RD Disposition: SERVICES RENDER ()

Notes:

FIFTEEN YOUTHS JUST JUMPED HIS SON WHILE HE WAS GETTING OUT OF THE CAR.

Added by Update-and-Continue: More information to follow.

CAR IS STILL IN THE DRIVEWAY BUT DOESN'T KNOW WHERE HIS SON IS.

SON RPTS HIS FATHER IS 83 AND IS ON HEAVY MEDICATIONS AND THINKS SOMEONE IS OUT TO GET HIM.

MALE RPTS THAT HE IS FINE HE JUST WENT TO RITE AID TO GET ANTIBIOTICS AND JUST GOT HOME.

MALE WILL MEET THE POLICE IN THE DRIVEWAY.

FROM: ASSAULT SIMPLE TO COMMTY SERV

POLICE FROM: ASSAULT SIMPLE TO COMMTY SERV

FROM: COMMTY SERV TO POLICE INFO

POLICE FROM: COMMTY SERV TO POLICE INFO

914 SPOKE TO THE SON THEY ARE TRYING TO ALTER THE FATHERS MEDICATION.

INCIDENT CLOSED

*

Incident #: 16007456 Date: 2016-02-15 21:13:59 Type: ALARM COMM

Location: HINGHAM AUTO REPAIR TOO / 268 WHITING ST Disposition: APPEARS SECURE ()

Notes:

COMMERCIAL BURGLAR ALARM OFFICE MOTION
914 OAS
914/916 CLEAR CHECKED PROPERTY APPEARS SECURE NO FOOT PRINTS AROUND THE
BUILDING ALARM WENT OFF AGAIN AS UNITS CLEARING

*

Incident #: 16007458 Date: 2016-02-15 21:34:21 Type: MEDICAL AID

Location: 110 WEIR ST Disposition: TRANSPORTED TO ()

Notes:

76 YEAR OLD FEMALE WITH LOW BLOOD PRESSURE, ISSUE WITH HER LEGS.
Added by Update-and-Continue: More information to follow.
LEGS, FEET AND ANKLES ARE ACHING AND IT IS UNBEARABLE.
FEMALE IS DIZZY.
THIS HAS BEEN COMING ON FOR TWO MONTHS AND SHE HAS BEEN TO THE DOCTOR.
SICK UNKNOWN CARD USED.
A9 REPORTS PROBLEM WITH HEATING SYSTEM VENTILATING REQ COLUMBIA GAS TO THE
SCENE
THIS WILL BE A MEDIC 2 TRANSPORT
MEDIC 2 ALS TO SOUTH SHORE HOSPITAL

*

Incident #: 16007460 Date: 2016-02-15 21:42:07 Type: ALARM COMM

Location: PILGRIM SKATING ARENA / 75 RECREATION PK DR Disposition: APPEARS SECURE ()

Notes:

914 ENROUTE TO PILGRIM SKATING AREA PASSERBY REPORTED IT
914 OAS
914 CLEAR BUILDING SECURE

*

Incident #: 16007467 Date: 2016-02-15 22:42:18 Type: DISTURB

Location: MAINTAINANCE BLDG / 111 HMS FITZROY DR Disposition: NO PD SERVICE R ()

Notes:

CALLER REPORTS A MV DOING DONUTS IN THE COMMUTOR PARKING LOT

918 OAS

918 OAS WITH THREE MV'S IN THE LOT

918 CLEAR MA REG 2PW914/3XGG10 NO ISSUES.

*

Incident #: 16007468 Date: 2016-02-15 22:52:07 Type: MV DISABLED

Location: HILLSIDE TER & WEST ST Disposition: SERVICES RENDER ()

Notes:

913 OAS WEST/HILLSIDE MA REG 5ZM470 POSSIBLE DMV

913 WILL BE FOLLOWING VEHICLE TO BRIDGES BY EPOCH

913 CLEAR VEHICLE IN LOT

*

Incident #: 16007471 Date: 2016-02-15 23:22:58 Type: BUILDING CHK

Location: FOSTER ELEMENTRY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ()

Notes:

APPEARS SECURE

*

Incident #: 16007472 Date: 2016-02-15 23:31:36 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ()

*

941 record(s)