

HINGHAM POLICE DEPARTMENT

Incident #: 17027257 Date: 2017-06-06 00:32:44 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 17027281 Date: 2017-06-06 01:13:34 Type: BUILDING CHK

Location: SOUTH SHORE COUNTRY CLUB / 274 SOUTH ST Disposition: APPEARS SECURE ()

*

Incident #: 17027287 Date: 2017-06-06 01:33:51 Type: BUILDING CHK

Location: HERB CHAMBERS LEXUS HINGHAM / 141 DERBY ST Disposition: APPEARS SECURE ()

*

Incident #: 17027288 Date: 2017-06-06 01:41:05 Type: BUILDING CHK

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: APPEARS SECURE ()

*

Incident #: 17027290 Date: 2017-06-06 01:55:28 Type: BUILDING CHK

Location: EAST ELEMENTRY SCHOOL / 2 COLLINS ST Disposition: APPEARS SECURE ()

Notes:

MASS REG 9ZB420 PARKED OVER NIGHT

*

Incident #: 17027292 Date: 2017-06-06 01:56:23 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ()

*

Incident #: 17027297 Date: 2017-06-06 03:26:24 Type: FALARM RES NGHT

Location: 19 PORTER'S COVE RD Disposition: SERVICES RENDER ()

Notes:

FIRE ALARMS SOUNDING

Added by Update-and-Continue: More information to follow.

NO SMOKE NO HEAT NO FIRE

EVERYONE OUT OF HOME

PARTY CALLED BACK STATING ALARMS TURNED OFF AND CAME BACK ON. ADVISED THAT FIRE

DEPT WAS EN ROUTE

COMPANIES ARE ON SCENE NOTHING SHOWING.

FAULTY SMOKE DETECTOR IN UPSTAIRS BEDROOM.

*

Incident #: 17027298 Date: 2017-06-06 04:31:53 Type: 911 ACCIDENT

Location: 40 PINE ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS SHE DIDNT MEAN TO CALL . HER GAZEBO HAD BLOWN INTO SIDE OF HOUSE
WHERE IS GOT STUCK ON SOME WIRES. IT IS NOW OFF AND IS FINE.

Added by Update-and-Continue: More information to follow.

SHE STATES EVERY THING IS FINE.

*

Incident #: 17027301 Date: 2017-06-06 05:34:55 Type: ALARM RES

Location: 231 LEAVITT ST / 231 LEAVITT ST Disposition: APPEARS SECURE ()

Notes:

FRONT DOOR ALARM

FRONT DOOR OPEN

ALARM CO CALLED BACK WITH ADDITIONAL ALARMS

CLEAR HOUSE IS SECURE.

*

Incident #: 17027302 Date: 2017-06-06 05:49:23 Type: TREE DOWN

Location: 33 ARNOLD RD Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS A TREE IS SITTING ON THE WIRES OUTSIDE HER HOUSE AND THEY WERE SPARKING.

Added by Update-and-Continue: More information to follow.

POLE#4 BANNCH IS LEANING ON WIRE

#34 WILL BE SHUT OFF AS WELL FOR SAME PROBLEM.

HINGHAM LIGHT AND TREE WERE CALLED AND ENROUTE.

Q1 WILL BE CLEAR. DPW TREE WILL BE ON SCENE WITH LIGHT COMPANY.

912 REQUESTS WIRE INSPECTOR. WIRE INPECTOR ENROUTE.

*

Incident #: 17027306 Date: 2017-06-06 06:02:24 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 17027319 Date: 2017-06-06 06:58:01 Type: SMOKE ODOR

Location: 30 ARNOLD RD Disposition: SERVICES RENDER ()

Notes:

CALLER SMELLING SMOKE IN THE HOUSE

Added by Update-and-Continue: More information to follow.

CALLED IN BY HANDRAHAN FROM DPW. HE IS AT 33 ARNOLD AND WAS ADVISED BY THE RESIDENT AT 30 THAT THEY SMELLED SMOKE

Q1 REPORTS DELAYED IGNITION. POWER IS OUT IN HOUSE.

COMMAND REPORTS 2 STORY WOOD FRAME. NO POWER TO HOUSE .

Q1 REPORTS OWNER REPORTS A SMELL OF ELECTRIC MOTOR ODOR.

COMMAND HAS STATION 2 STAGING AT STATION 1.

RELEASING COMPANIES. WIRE INSPECTION WILL BE RESPONDING TO THE AREA.

C3 CLEAR AND COMMAND IS TERMINATED.

*

Incident #: 17027321 Date: 2017-06-06 07:19:12 Type: ALARM RES

Location: 6 BEL AIR RD Disposition: APPEARS SECURE ()

Notes:

MUD ROOM ALARM. PARTY ON SCENE DOES NOT HAVE PASS CODE
ACCIDENTAL BY HOME OWNER.

*

Incident #: 17027323 Date: 2017-06-06 07:40:23 Type: ANIMAL CALL

Location: 145 CUSHING ST Disposition: APPEARS SECURE ()

Notes:

CALLER REPORTS SOMEONE HIT A DUCK INFRONT OF THIS LOCATION. CALLER REPORTS
ANIMAL IS DECEASED. CALLER WOULD LIKE IT REMOVED FROM THE ROADWAY
REQUEST FOR POLICE: ANIMALCONT VOIDED
ACO CONTACTED AND WILL TAKE CARE OF IT WHEN SHE GETS IN.
DUCK HAS BEEN REMOVED OFF THE SIDE OF THE ROAD.

*

Incident #: 17027329 Date: 2017-06-06 09:07:52 Type: UTILITY NOTF

Location: SUMMER ST Disposition: REFERRED TO OTH ()

Notes:

922 REPORTS TRAFFIC LIGHT OUT SOUTHBOUND MA DOT NTFD
AND SENDING OUT AN ELECTRICIAN
INCIDENT CLOSED

*

Incident #: 17027332 Date: 2017-06-06 09:36:11 Type: MVC MINOR

Location: WALTER MAY INSURANCE AGENCY INC / 188 WHITING ST Disposition: INVESTIGATED/ R ()

Notes:

Added by Update-and-Continue: More information to follow.

*

Incident #: 17027333 Date: 2017-06-06 09:42:46 Type: MEDICAL AID

Location: BLUE CROSS/BLUE SHIELD / 25 TECHNOLOGY PL #FLOOR 3 POD A Disposition: SERVICES RENDER ()

Notes:

37 YOF CHEST PAIN

Added by Update-and-Continue: More information to follow.

NO HISTORY, DIFF BREATHING

CHEST PAIN CARD

FROM: (2) BLUE CROSS/BLUE SHIELD / 25 TECHNOLOGY PL #FLOOR 3 POD A FL FLOOR 3 PO
SECURITY WAS NTFD.

CANT TALK IN FULL SENTENCES,

ENGINE 3 AND MEDIC 3 ON SCENE.

ENGINE 3 RPTS THIS WILL BE A TRANSPORT.

MEDIC 3 ALS TO SSH.

ON ARRIVAL AT SSH.

*

Incident #: 17027338 Date: 2017-06-06 10:07:22 Type: TREE DOWN

Location: LAZELL ST & S PLEASANT ST Disposition: SERVICES RENDER ()

Notes:

IN THIS AREA ON S PLEASANT, JUST PAST LAZELLE, TREE DOWN IN THE ROAD

Added by Update-and-Continue: More information to follow.

CALLER STATES NOT TAKING UP THE WHOLE ROAD

913 REPORTS TREE IS BLOCKING THE ROADWAY DPW IS ON SCENE

ENGINE 3 RPTS TREE REMOVED, CLEAR AND RETURNING.

*

Incident #: 17027347 Date: 2017-06-06 10:48:23 Type: MEDICAL AID

Location: PRATTS CROSSING BLDG / 207 LINDEN PONDS WY #APT PC134 FL APT PC134 Disposition: SERVICES RENDER ()

Notes:

PT FELL STILL ON THE FLOOR
Added by Update-and-Continue: More information to follow.
ARM PAIN, LEANED OVER TO FAR
IS BLEEDING FROM HIS ARM
PT DOES NOT KNOW WHAT DOOR TO USE
SECURITY NTFD AND WILL BE RESPONDING. THIS IS DOOR 21.
FALL CARD
DENIES ANY BACK, HIP, CHEST PAIN
ENGINE 3 ON SCENE.
ENGINE 3 RPTS CANCELED BY SECURITY.
INCIDENT CLOSED

*

Incident #: 17027349 Date: 2017-06-06 11:07:36 Type: PD INVEST

Location: 111 WHITCOMB AV Disposition: GOOD INTENT CAL ()

Notes:

2012 VOLVO S50C5 CAR WAS IN THE DRIVEWAY, CAR WAS LOCKED AND ALARM WAS SET IN THE DRIVEWAY, CAR WAS THERE AT 7-730 GONE AT 830, CALLER HAS THE KEY
913 REPORTS OWNER WILL BE RESPONDING TO FILL OUT PAPERWORK CHECKING THE AREA
WEYMOUTH PD EN ROUTE TO CHECK THE MBTA LOT AS THE FEMALE STATES SHE DROPPED HER HUSBAND OFF THERE THIS MORNING AND THE HUSBAND IS REPORTING HE PARKED IT AT THIS LOCATION
WEYMOUTH LOCATED THE VEHICLE PARKED LOCKED NO DAMAGE TO THE VEHICLE
FROM: STOLEN MV TO PD INVEST
POLICE FROM: STOLEN MV TO PD INVEST

*

Incident #: 17027348 Date: 2017-06-06 11:08:09 Type: FIRE BLDG STRUC

Location: VULCAN TOOL COMPANY / 51 SHARP ST Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.
EMPLOYEE REPORTING FIRE INSIDE THE BUILDING GOING UP TO THE ROOF
C3 REQUESTS A WEYMOUTH ENGINE.
WEYMOUTH ENGINE REQUESTED THROUGH PCC
MEDIC 3 RPTS ON SCENE SMOKE SHOWING WILL BE DOING A 360.
ENGINE 3 ON SCENE AND HAS COMMAND
SMALL FIRE IN THE EXHAUST, WILL BE CHARGING THE LINE TO PUT IT OUT.
C3 HAS COMMAND AND WILL BE HOLDING ALL COMPANIES, STAFF THE STATIONS.
HULL ENGINE 2 TO STATION 1 FOR COVERAGE.
ROCKLAND ENGINE 1 RESPONDING TO STATION 3 FOR COVERAGE.
COMMAND RPTS HEAVY FIRE KNOCKED DOWN, OVERHAULING.
RECALL SENT FOR STATION COVERAGE 3 FF'S FOR STATION COVERAGE. C1 ADVISED.
COMMAND REQUESTS THE BUILDING INSPECTOR. C4 RPTS BUILDING INSPECTOR IS WITH HIM AND HE WILL BE RESPONDING.
COMMAND RPTS THAT THE BUILDING INSPECTOR IS ON SCENE, QUINT 1 IS IN SERVICE FROM THE SCENE AND STATION 2 WILL BE IN SERVICE MOMENTARILY.
COMMAND REQUESTS THE WIRING INSPECTOR TO THE SCENE.
COMMAND RPTS STATION 2 IS CLEAR, ENGINE 3 IS AVAILABLE FROM THE SCENE, MUTUAL AID COVERAGE CAN CLEAR.
WIRING INSPECTOR NICKERSON RESPONDING, ETA 15 MINUTES.
COMMAND RPTS WIRING INSPECTOR ON SCENE.

*

Incident #: 17027350 Date: 2017-06-06 11:10:32 Type: MEDICAL AID

Location: SOUTH SHORE EDU COLLAB (SCHOOL / 75 ABINGTON ST Disposition: SERVICES RENDER ()

Notes:

9 YOM HAVING A SEIZURE
Added by Update-and-Continue: More information to follow.
NURSING OFFICE, USE QUEST ENTRANCE
NURSE IS WITH STUDENT
STUDENT HAS ABSENT SEIZURES, HAS BEEN BREATHING BUT UNRESPONSIVE FOR ABOUT 5 MINUTES
REQUEST FOR FIRE/RESCUE: ENGINE VOIDED
RECALL PAGED FOR STATION COVERAGE. E3 M/A TO HINGHAM MEDICAL CALL
PLYMOUTH COUNTY CONTROL NTFD FOR STATION COVERAGE.
NORWELL ENGINE 3 RPTS FALLON PARAMEDIC 88 TRANSPORTING.

*

Incident #: 17027354 Date: 2017-06-06 11:49:47 Type: ASST PUBLIC

Location: 111 WHITCOMB AV Disposition: SERVICES RENDER ()

Notes:

913 RPEORTS SHE WILL BE ASSISTING THE RESIDENT IN GETTING HER VEHICLE BACK TO THE RESIDENCE
REQUEST FOR FIRE/RESCUE: ENGINE VOIDED

*

Incident #: 17027355 Date: 2017-06-06 11:55:18 Type: FALARM COMM

Location: BILLS OUTBOARD MOTOR SERVICE I / 322 LINCOLN ST Disposition: NO PD SERVICE R ()

Notes:

1ST FLOOR SMOKE
Added by Update-and-Continue: More information to follow.
FROM: (2) 322 LINCOLN ST TO (2) BILLS OUTBOARD MOTOR SERVICE I / 322 LINCOLN ST
REPORTED ACCIDENTAL BY EMPLOYEE ON SITE
REQUEST FOR POLICE: PATROL VOIDED
REQUEST FOR FIRE/RESCUE: ENGINE VOIDED
REQUEST FOR FIRE/RESCUE: CHIEF VOIDED
REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED
ALARM COMPANY REPORTS ACCIDENTAL BY GREGORY
ALARM WAS CAUSED FROM CUTTING ROPE UNDER A DETECTOR, SYSTEM RESET.
INCIDENT CLOSED

*

Incident #: 17027356 Date: 2017-06-06 12:08:35 Type: TRAFFIC HAZ

Location: ACCORD LN & WHITING ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS A TREE HANGING OVER WHITING ST ON THE MARY LOUS SIDE
MA DPW NOTIFIED SPOKE TO ADRIAN
NO HAZARD SEEN AT THIS TIME
STATE DPW REPORTS THE TREE IS ON PRIVATE PROPERTY

*

Incident #: 17027361 Date: 2017-06-06 13:14:25 Type: MV DISABLED

Location: MARTINS LN & ROCKLAND ST Disposition: SERVICES RENDER ()

Notes:

JAGUAR GREY, BROKEN DOWN BLOCKING THE RIGHT LANE

HAS AAA, IS CALLING NOW, BUT IS BLOCKING TRAFFIC LANE

EXPRESS WILL BE ENROUTE

912 REPORTS VEHICLE IS UNDERWAY AND WILL BE LEAVING IT AT A FRIENDS HOUSE 10

SEAL COVE RD

*

Incident #: 17027362 Date: 2017-06-06 13:26:56 Type: MV STOP

Location: KNOLL RD & WHITING ST Disposition: CITATION ISSUED ()

Notes:

CITATION ISSUED

*

Incident #: 17027363 Date: 2017-06-06 13:29:55 Type: TEST

Location: HINGHAM PUBLIC LIBRARY / 66 LEAVITT ST #ELEVATOR FL ELEVATOR Disposition: TEST 911
CALL ()

Notes:

TESTING ELEVATOR PHONE

*

Incident #: 17027364 Date: 2017-06-06 13:37:15 Type: MV STOP

Location: 450 CUSHING ST Disposition: CITATION ISSUED ()

Notes:

CITATION ISSUED

*

Incident #: 17027365 Date: 2017-06-06 13:39:26 Type: TEST

Location: 99 SOUTH ST / 99 SOUTH ST #UNIT 101 FL UNIT 101 Disposition: TEST 911 CALL ()

Notes:

TEST CALL

TWO 911 TEST CALLS FROM THIS LOCATION

*

Incident #: 17027368 Date: 2017-06-06 13:57:33 Type: MV STOP

Location: WHITING ST & WHITING LN Disposition: CITATION ISSUED ()

Notes:

CITATION ISSUED

*

Incident #: 17027371 Date: 2017-06-06 14:18:13 Type: UTILITY NOTF

Location: MBTA RAIL CROSSING / 274 SOUTH ST Disposition: SERVICES RENDER ()

Notes:

913 REPORTS THE GATE AT THIS LOCATION IS NOT GOING UP COMPLETELY MBCR NOTIFIED
FROM: (2) MBTA RAIL CROSSING / 20 FORT HILL ST TO (2) MBTA RAIL CROSSING / FORT
FROM: (2) MBTA RAIL CROSSING / FORT HILL ST TO (2) MBTA RAIL CROSSING / SOUTH
FROM: (2) MBTA RAIL CROSSING / SOUTH ST TO (2) MBTA RAIL CROSSING / 274 SOUTH S

*

Incident #: 17027375 Date: 2017-06-06 14:34:06 Type: 911 ABANDONED

Location: BLUE CROSS/BLUE SHIELD / 25 TECHNOLOGY PL #FLOOR 2 POD A Disposition: 911 ACCIDENTAL ()

Notes:

ACCIDENTAL FROM EMPLOYEE ON THE 1ST FLOOR CONFIRM ACCIDENTAL

Added by Update-and-Continue: More information to follow.

FROM: (2) BLUE CROSS/BLUE SHIELD / 25 TECHNOLOGY PL #FLOOR 2 POD A FL FLOOR 2 PO
914 CONFIRMED ACCIDENTAL

*

Incident #: 17027377 Date: 2017-06-06 15:08:03 Type: MV DISABLED

Location: 48 LAZELL ST Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS CAR HIT A ROCK, HAS A FLAT TIRE,IS IN A BAD SPOT

Added by Update-and-Continue: More information to follow.

913 REPORTS ASSISTING GETTING THE VEHICLE OUT OF THE ROADWAY NOW IN THE
DRIVEWAY OF 48 AWAITING AAA

*

Incident #: 17027382 Date: 2017-06-06 16:29:23 Type: COMMTY SERV

Location: TEDESCHI S FOOD SHOPS / 181 SOUTH ST Disposition: DETAIL COMPLETE ()

*

Incident #: 17027384 Date: 2017-06-06 16:35:54 Type: MV DISABLED

Location: CONGREGATION SHA-ARAY / 1112 MAIN ST Disposition: LOG ENTRY INFO ()

Notes:

CALLER REPORTS GREY MERCEDES SEDAN MA REG 848EJ4 IS BROKEN DOWN AND WILL BE
LEFT IN THE LOT OVERNIGHT UNTIL THE TOW TRUCK CAN GET IT IN THE MORNING

*

Incident #: 17027385 Date: 2017-06-06 16:46:11 Type: TEST

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: NO PD SERVICE R
()

Notes:

911 TTY TEST CALL COMPLETED
INCIDENT CLOSED

*

Incident #: 17027386 Date: 2017-06-06 16:52:51 Type: BOAT ASSIST

Location: 10 CAUSEWAY RD Disposition: SERVICES RENDER ()

Notes:

CALLER REPORTS A HARD BOOTOM INFLATABLE BOAT HAS BROKEN LOOSE AND IS ON THE
ROCKS OFF THE END OF CAUSEWAY RD
913 REQ HARBOR MASTERS BE CONTACTED TO SEE IF ANYONE IS AVAILABLE TO ASSIST.
HARBOR MASTER CORSON IS GOING TO HAVE 939 CONTACT DISPATCH.
HARBORMASTER RESPONDING
REQUEST FOR FIRE/RESCUE: ENGINE VOIDED
REQUEST FOR FIRE/RESCUE: CHIEF VOIDED
REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED
939 OUT ON CAUSEWAY RD.
939 RPTS LOCATED VESEL BEHIND 10 CAUSEWAY RD. REG MS9616BG. CONTACTED OWNER
AND LEFT A MESSAGE ABOUT THE VESSEL
FROM: (2) CAUSEWAY RD TO (2) 10 CAUSEWAY RD
939 CLEAR. OWNER OF 10 CAUSEWAY RD PUT A LINE ON THE BOAT SO IT WONT DRIFT
AWAY.
939 STATES HIM AND OWNER WERE ABLE TO GET THE BOAT FLOATING AGAIN, AND THE
OWNER IS NOW ON THE WAY TO THE YACHT CLUB.

*

Incident #: 17027388 Date: 2017-06-06 17:30:49 Type: MVC UNK INJURY

Location: JUSTICE CUSHING WY & KILBY ST Disposition: SERVICES RENDER ()

Notes:

Added by Update-and-Continue: More information to follow.
MVS OFF THE SIDE OF THE ROAD CALLER NOY INVOLVED
913 REQ THOMAS
THOMAS PAGED
NO PI, NUIITS CLEAR
THOMAS ENROUTE. THEY'VE BEEN REPAGED TO ADVISE THEM TOW IS NOW FOR TWO

VEHICLES.

THOMAS ADVISED TOW NOW FOR 2

POLICE UNITS CLEAR; THOMAS HAS THE VEHICLE. 916 TO FILE.

*

Incident #: 17027392 Date: 2017-06-06 18:27:12 Type: MV STOP

Location: 304 EAST ST Disposition: CITATION ISSUED ()

Notes:

CLEAR; CITATION

*

Incident #: 17027393 Date: 2017-06-06 18:38:52 Type: MV STOP

Location: FISHER RD & HULL ST Disposition: CITATION ISSUED ()

Notes:

CLEAR; CITATION ISSUED.

*

Incident #: 17027395 Date: 2017-06-06 19:22:31 Type: FALARM COMM

Location: GOURMET GARDEN / 48 WHITING ST Disposition: SERVICES RENDER ()

Notes:

GENERAL FIRE ALARM ACTIVATION

Added by Update-and-Continue: More information to follow.

916 O/S RPTS AUDIBLE SOUNDING

916 RPTS SMOKE DETECTOR ZONE SHOWING. NO FIRE OR EMERGENCY.

NOTHING SHOWING FROM EXTERIOR, BUILDING HAS NOT BEEN EVACUATED. E3 ASSUMING CMD

Q1 ON THE A SIDE

APPEARS TO BE AN ALARM MALFUNCTION, SYSTEM RESET AND HOLDING .

*

Incident #: 17027397 Date: 2017-06-06 19:34:01 Type: MEDICAL AID

Location: 143 OTIS ST #REAR Disposition: SERVICES RENDER ()

Notes:

88 YOF 102.6 TEMP
SHORT OF BREATH UNDERLYING COPD AND RESP DFAILURE
Added by Update-and-Continue: More information to follow.
VISITING NURSE ON SCENE
NO CARD USED
MED2 TO THE SHORE ALS

*

Incident #: 17027401 Date: 2017-06-06 20:10:29 Type: COMMUNITY SERV

Location: CARLSON FIELD / 28 BARE COVE PARK DR Disposition: APPEARS SECURE ()

*

Incident #: 17027406 Date: 2017-06-06 21:49:30 Type: 911 ACCIDENT

Location: BRIDGES BY EPOCH / 1 SGT WM B TERRY DR #118 Disposition: SERVICES RENDER ()

Notes:

FEMALE PATIENT IN ROOM 118 REQUESTS HELP IN LOCATING HER SON NO STAFF CAME TO
THE PHONE
DISPATCH CONTACTED BRIDGES BY EPOCH TO CHECK AND SEE IF VIRGINIA IS OKAY.
INSTEAD THEY TRANSFERRED DISPATCH TO THE RESIDENTS ROOM WHO CONTINUED TO STATE
SHE NEEDS TO FIND HER SON TO GET HER OUT OF THERE.
913 AND 910 CLEAR. STAFF HAS BEEN ADVISED.

*