

HINGHAM POLICE DEPARTMENT

Incident #: 17053897 Date: 2017-10-18 00:29:33 Type: DIRECTED PATROL

Location: AQUARION WATER COMPANY / 900 MAIN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17053900 Date: 2017-10-18 00:37:23 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17053909 Date: 2017-10-18 01:01:21 Type: BUILDING CHK

Location: PRIME VOLVO / 425 LINCOLN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17053916 Date: 2017-10-18 01:35:49 Type: BUILDING CHK

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17053919 Date: 2017-10-18 01:47:01 Type: DIRECTED PATROL

Location: AQUARION WATER COMPANY / 900 MAIN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17053921 Date: 2017-10-18 01:51:37 Type: MV STOP

Location: 360 MAIN ST Disposition: VERBAL WARNING ( )

Notes:

FROM: (2) 65 MAIN ST TO (2) 360 MAIN ST  
CLEAR VERBAL WARNING

\*\*\*\*\*  
\*

Incident #: 17053928    Date: 2017-10-18 02:39:01    Type: MV STOP

Location: STARS ON HINGHAM HARBOUR / 4 OTIS ST    Disposition: VERBAL WARNING ( )

Notes:

911 OAS WITH MA REG CO K97713  
CLEAR VERBAL WARNING

\*\*\*\*\*  
\*

Incident #: 17053929    Date: 2017-10-18 02:53:18    Type: BUILDING CHK

Location: BEST CHEVROLET / 128 DERBY ST    Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17053930    Date: 2017-10-18 03:07:05    Type: BUILDING CHK

Location: HERB CHAMBERS LEXUS HINGHAM / 141 DERBY ST    Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17053931    Date: 2017-10-18 03:15:48    Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST    Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17053932    Date: 2017-10-18 03:19:25    Type: BUILDING CHK

Location: NOTRE DAME ACADEMY / 1073 MAIN ST    Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17053933 Date: 2017-10-18 03:22:28 Type: DIRECTED PATROL

Location: AQUARION WATER COMPANY / 900 MAIN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17053934 Date: 2017-10-18 03:26:58 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17053935 Date: 2017-10-18 03:57:02 Type: BUILDING CHK

Location: FOSTER ELEMENTRY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17053936 Date: 2017-10-18 04:53:39 Type: DIRECTED PATROL

Location: AQUARION WATER COMPANY / 900 MAIN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17053941 Date: 2017-10-18 07:01:32 Type: BUILDING CHK

Location: EAST ELEMENTRY SCHOOL / 2 COLLINS ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17053949 Date: 2017-10-18 08:17:00 Type: MVC UNK INJURY

Location: BEAL ST & LINCOLN ST Disposition: INVESTIGATED/ R (Y)

Notes:

A VEHICLE HIT AN EXCAVATOR, ON BEAL ST BEHIND THE 99

Added by Update-and-Continue: More information to follow.  
AIRBAG DEPLOYMENT, NO FLUIDS  
E2 REPORTS NO PI  
THOMAS NOTIFIED  
OSHA NOTIFIED  
MASS DOT NOTIFIED  
BUILDING INSPECTOR REQUESTED  
HWY NOTIFIED  
BUILDING DEPT NOTIFIED AND RESPONDING.  
BUILDING INSPECTOR ON SCENE  
OSHA ETA 30 MIN.  
DOT ON SCENE  
OSHA REP ON SCENE  
OSHA ON SCENE  
VEHICLE REMOVED, SCENE TURNED OVER TO OSHA AND POLICE

\*\*\*\*\*  
\*

Incident #: 17053951    Date: 2017-10-18 08:20:06    Type: GAS INSIDE

Location: 144 SUMMER ST    Disposition: SERVICES RENDER ( )

Notes:

GAS INSIDE THE GARAGE.  
Added by Update-and-Continue: More information to follow.  
E911 CALLER HUNG UP STATES THAT SHE CAN SMEEL GAS IN HER GARAGE.  
INFO DID NOT COME UP.  
NATIONAL GRID NOTIFIED AND WILL RESPONDING.  
C3 REQ ST3 STAGE AT ST1  
CAME IN ON EMERGENCY LINE, NOT 911.  
0 READINGS IN THE HOUSE, HAVE NATIONAL GRID CONTINUE JUST TO CONFIRM

\*\*\*\*\*  
\*

Incident #: 17053960    Date: 2017-10-18 09:50:18    Type: MVC SPILL LEAK

Location: DWIGGINS PA & FORT HILL ST    Disposition: INVESTIGATED/ R ( )

Notes:

CALLER RPTS THAT HE WAS TRYING TO WIPE OFF A LEAF AND HE SIDESWIPE A TREE AND  
LANDED IN A DITCH. NEEDS A TOW TRUCK FOR THE VAN.  
Added by Update-and-Continue: More information to follow.

CALLER RPTS HE IS NOT INJURED AND DOES NOT KNOW IF THERE ARE ANY FLUIDS LEAKING.

THOMAS RESPONDING

c3/e1 standing by until vehicle is removed

C3 REPORTS ENG 1 CLR/RTNG. C3 CLR & REMAINING ON THE AIR.

\*\*\*\*\*  
\*

Incident #: 17053966 Date: 2017-10-18 10:34:10 Type: ANIMAL CALL

Location: 934 MAIN ST Disposition: SERVICES RENDER ( )

Notes:

WORKER ON SITE STATES A CAT HAS WALKED UP TO THE JOB SITE HE IS ON WITH ITS TAIL RIPPED IN HALF 'HANING BY A THREAD' LAYING UNDER A BUSH CRYING

Added by Update-and-Continue: More information to follow.

CALLER WILL HOLD THE CAT

REQUEST FOR POLICE: PATROL VOIDED

Cat has an injury to the tail / Scanned for a chip and showed out of Flordia / found the owner living at 12 Highfield Rd / cat is back with the owner

\*\*\*\*\*  
\*

Incident #: 17053969 Date: 2017-10-18 10:38:43 Type: NOTIFICATION

Location: SOUTH SHORE BAPTIST CHURCH / 578 MAIN ST Disposition: ( )

Notes:

BOX 7853 TO BE TESTED. VERIZON IS USING THE STEEPLE AS A TOWER, THEY ARE TESTING THE SYTEM THAT VERIZON PUT IN. ANCELLORY

\*\*\*\*\*  
\*

Incident #: 17053971 Date: 2017-10-18 10:48:02 Type: MEDICAL AID

Location: BLUE CROSS/BLUE SHIELD / 25 TECHNOLOGY PL Disposition: SERVICES RENDER ( )

Notes:

47 YEARL OLD FEMALE WITH CHEST PAIN, FEMALE HAS CHF. FEMALE IS ON THE FIRST FLOOR.

Added by Update-and-Continue: More information to follow.

SECURITY NTFD.

PAIN IS LOCATED IN THE MIDDLE BUT TOWARDS THE RIGHT.

WEEK AGO WAS TOLD SHE WAS IN HEART FAILURE AND THEY HAVE BEEN PLAYING WITH HER MEDICATION.

NAUSEA, PAIN ON AND OFF SINCE LAST NIGHT, DIZZY.

CHEST PAIN CARD USED.

MED3 ALS SSH

BREATHING DIFFICULTY CARD USED.

\*\*\*\*\*  
\*

Incident #: 17053976 Date: 2017-10-18 11:18:12 Type: WELL BEING CK

Location: ST JOHN S CHURCH / 172 MAIN ST Disposition: SERVICES RENDER ( )

Notes:

YOUNGER BLONDE MALE POSSIBLY HOMELESS, WITH A BIG PLASTIC BAG. PAJAMA BOTTOMS.  
WALKING DOWN MAIN STREET AND CALLER STATES HE LOOKS LIKE HE NEEDS HELP.  
Added by Update-and-Continue: More information to follow.

CALLER STATES SHE HAS SEEN HIM COMING OUT OF THE WOODS AND WALKING AROUND TOWN.  
WOULD LIKE SOMEONE TO CHECK ON HIM.  
PARTY GETTING ON THE BUS

\*\*\*\*\*  
\*

Incident #: 17053981 Date: 2017-10-18 11:36:41 Type: FALARM COMM

Location: BLUE CROSS/BLUE SHIELD / 25 TECHNOLOGY PL Disposition: SERVICES RENDER ( )

Notes:

ALARM COMPANTY REPORTS GENERAL FIRE ALARM  
Added by Update-and-Continue: More information to follow.  
SECOND 911 CALLER REPORTING ALL THE ALARMS ARE GOING OFF, BUILDING IS BEING EVACUATED.  
Added by Update-and-Continue: More information to follow.  
REQUEST FOR FIRE/RESCUE: CHIEF VOIDED  
REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED  
PD REPORTING NO SMOKE NO FIRE  
E3 INVESTIGATING A DUCT SMOKE  
ALARM COMPANY REPORTING AGAIN GENERAL FIRE ALARM  
CMD ADVISES THAT WAS AN ATTEMPTED RESET

PROB REMOVED FROM THE SYSTEM AND IT'S STILL SHOWING TROUBLE. TECHNICIAN IS  
LOOKING AT IT. COMPANIES CLR/RTNG.

\*\*\*\*\*  
\*

Incident #: 17053982 Date: 2017-10-18 11:40:46 Type: MEDICAL AID

Location: HINGHAM SENIOR CENTER / 224 CENTRAL ST Disposition: SERVICES RENDER ( )

Notes:

84 YEAR OLD MALE FELL IN THE KITCHEN.

Added by Update-and-Continue: More information to follow.

FELL FROM A STANDING POSITION AND LANDED ON LINOLEUM FLOOR, UNKNOWN WHAT IS  
UNDER THE FLOOR.

UNKNOWN WHAT CAUSED HIS FALL.

FALL CARD USED.

CALLER WAS IN ANOTHER ROOM AND WAS GIVEN PAI.

OBTAINING A REFUSAL

Added by Update-and-Continue: More information to follow.

\*\*\*\*\*  
\*

Incident #: 17053984 Date: 2017-10-18 11:48:20 Type: MVC MINOR

Location: HINGHAM DISTRICT COURT / 28 GEO WASHNGTN BLVD Disposition: SERVICES RENDER ( )

Notes:

CALLER RPTS THAT SOMEONE JUST HIT HER VEHICLE IN THE PARKING LOT. FEMALE RPTS  
THAT THE PERSON IS DENYING THAT THEY HIT HER CAR AND THERE IS A WITNESS.  
SCRATCHES TO CALLER'S VEHICLE.

Added by Update-and-Continue: More information to follow.

MAIN PARKING LOT. WHITE NISSAN VERSA AND A WHITE HONDA.

IN THE ROW FACING THE STREET.

VERY MINOR ACCIDENT. NO REPORT NECESSARY. PARTIES EXCHANGING PAPERS.

\*\*\*\*\*  
\*

Incident #: 17053987 Date: 2017-10-18 12:16:05 Type: PARK COMPLT

Location: QUEEN ANNE WINE AND SPIRITS / 1 WHITING ST Disposition: SERVICES RENDER ( )

Notes:

CALLER STATES THERE WAS AN ARMORED CAR SERVICE ENCROACHING ON SIDEWALK CALLER STATES WIFE SPOKE TO THE ARMORED CAR DRIVER AND THE DRIVER STARTED YELLING AT HIS.

Added by Update-and-Continue: More information to follow.

CAR HAS SINCE LEFT BUT THE CALLER WOULD LIKE TO SPEAK TO AN OFFICER ONGOING PROBLEM, ADVISED TO CALL PRIOR TO COMPANY LEAVING, OWNER WILL FILE A COMPLAINT WITH COMPANY

\*\*\*\*\*  
\*

Incident #: 17053991 Date: 2017-10-18 12:47:48 Type: MV STOP

Location: CUSHING ST & WARD ST Disposition: VERBAL WARNING ( )

Notes:

VERBAL

\*\*\*\*\*  
\*

Incident #: 17053992 Date: 2017-10-18 12:51:14 Type: SHOPLIFT

Location: AJ S GULF / 179 LINCOLN ST Disposition: SERVICES RENDER (Y)

Notes:

EMPLOYEE REPORTS A SHOPLIFTER. LEAVING IN MA REG 13651 TOWARDS WEYMOUTH. STOLE FOOD. FEMALE WEARING A BLACK AND WHJITE DRESS, BLACK HAIR. HIN918 HAS MV STOPPED OVER THE LINE, WEYMOUTH ADVISED, NO ASSIST REQUIRED K9 CALL OUT CAD 17054003

\*\*\*\*\*  
\*

Incident #: 17053994 Date: 2017-10-18 12:54:26 Type: DIRECTED PATROL

Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: SERVICES RENDER ( )

\*\*\*\*\*  
\*

Incident #: 17053999 Date: 2017-10-18 13:22:35 Type: ALARM RES



Location: 413 EAST ST      Disposition: APPEARS SECURE ( )

Notes:

BURGLAR ALARM SIDE DOOR, ALARM COMPANY ATTEMPTED KEYHOLDER NO ANSWER  
INCIDENT CLOSED

\*\*\*\*\*  
\*

Incident #: 17054003      Date: 2017-10-18 13:35:12      Type: K9

Location: AJ S GULF / 179 LINCOLN ST      Disposition: SERVICES RENDER ( )

Notes:

MV STOPPED OVER THE BRIDGE IN WEYMOUTH FOR CAD 17053992

\*\*\*\*\*  
\*

Incident #: 17054007      Date: 2017-10-18 13:48:40      Type: 911 ABANDONED

Location: BLUE CROSS/BLUE SHIELD / 25 TECHNOLOGY PL      Disposition: 911 ACCIDENTAL ( )

Notes:

ABANDONED 911 CALL. ON CALL BACK ANSWERING MACHINE.  
SECURITY NOTIFIED AND WILL ATTEMPT TO CONTACT THE PARTY. ADVISED THAT PD WILL  
BE ARRIVING.  
CONFIRMED ACCIDENTAL BY EMPLOYEE

\*\*\*\*\*  
\*

Incident #: 17054011      Date: 2017-10-18 14:08:44      Type: WIRES CALL

Location: 12 WHITON AV      Disposition: SERVICES RENDER ( )

Notes:

RESIDENT REPORTS A CEMENT TRUCK JUST TORE THE WIRES DOWN WHEN IT WENT BY AND  
SHE'S AFRAID THEIR LIVE.  
Added by Update-and-Continue: More information to follow.  
TRUCK WAS A WHITE CEMENT TRUCK WITH THE WORD SOUTHERN ON THE BACK IN RED. SAME  
WENT UP WHITON TOWARDS DOWNER. SHE BELIEVES THERE'S CONSTRUCTION GOING ON UP  
THE STREET.

E2 ON DELAYED RESPONSE DUE TO INSPECTIONS  
LIGHT DEPT REQ AND NOTIFIED  
E2 ADVISES JUST A REP NEEDED, ONLY A LOW HANGING WIRE  
LIGHT COMPANY ON SCENE, E2 CLEAR  
WIRE PULLED OFF POLE FROM #10

\*\*\*\*\*  
\*

Incident #: 17054016    Date: 2017-10-18 14:33:21    Type: 911 ABANDONED

Location: BLUE CROSS/BLUE SHIELD / 25 TECHNOLOGY PL #2 FL A    Disposition: SERVICES RENDER ( )

Notes:

ABANDONED 911 CALL.  
Added by Update-and-Continue: More information to follow.  
RECORDED MESSAGE ON CALL BACK.  
FROM: (2) 25 TECHNOLOGY PL #2 FL A TO (2) BLUE CROSS/BLUE SHIELD / 25 TECHNOLOGY  
SECURITY NTFD AND RPTS NO ANSWER AT THAT POD AND THE SUPERVISOR IS ON HIS WAY  
TO CHECK THE POD. ADVISED TO WATCH FOR POLICE.  
SECURITY UNABLE TO CONFIRM, NO ISSUES

\*\*\*\*\*  
\*

Incident #: 17054021    Date: 2017-10-18 15:05:59    Type: LARC REPORT

Location: 30 CLUBHOUSE DR    Disposition: INVESTIGATED/ R (Y)

Notes:

FEMALE INTO HEADQUARTERS TO REPORT A LARCENY. 919 TO FILE.

\*\*\*\*\*  
\*

Incident #: 17054022    Date: 2017-10-18 15:09:49    Type: TRAFFIC HAZ

Location: DOWNER AV & LINCOLN ST    Disposition: UNFOUNDED ( )

Notes:

green lights gpong both ways.  
Added by Update-and-Continue: More information to follow.  
WORKING CORRECTLY

\*\*\*\*\*

\*

Incident #: 17054023 Date: 2017-10-18 15:11:10 Type: UTILITY NOTF

Location: 156 FORT HILL ST Disposition: LOG ENTRY INFO ( )

Notes:

CALLER STATES THERE IS DEBRIS ON THE SIDEWALK, STREET IN THE GUTTER, AND IN THE WOODS FROM AN ACCIDENT THAT TOOK PLACE EARLIER TODAY.

DPW NOTIFIED, THEY WILL RESPOND TO THE AREA.

\*\*\*\*\*

\*

Incident #: 17054024 Date: 2017-10-18 15:12:01 Type: BREAK BUILD PR

Location: 32 LAFAYETTE AV Disposition: APPEARS SECURE ( )

Notes:

JUST GOT HOME AND CAN HEAR SOMEONE WALKING AROUND UPSTAIRS IN HER HOUSE.

Added by Update-and-Continue: More information to follow.

NO VEHICLES IN THE DRIVEWAY. SHE GRABBED HER CHILDREN AND RAN OUT OF THE HOUSE. STATES IT WAS BANGING OR FOOTSTEPS AND NOBODY RESPONDED TO HER.

CLEANERS WERE IN THE HOUSE THIS MORNING AND SHE HAS BEEN IN AND OUT OF THE HOUSE A FEW TIMES SINCE THEY LEFT.

SHE DID ENTER THROUGH THE BACK DOOR WHEN SHE GOT HOME AND IT WAS LOCKED.

SHARED PRIVATE ROAD THAT ACCESSES FIVE DIFFERENT DRIVEWAYS.

BASEMENT CLEAR

HOUSE HAS BEEN CLEARED

HIN919 DOING A FINAL WALK THROUGH

RESIDENT IS SATISFIED, CLEAR

\*\*\*\*\*

\*

Incident #: 17054025 Date: 2017-10-18 15:21:22 Type: 911 ABANDONED

Location: BLUE CROSS/BLUE SHIELD / 25 TECHNOLOGY PL #POD A FL 4 Disposition: 911 ACCIDENTAL ( )

Notes:

ABANDONED 911, ANSWERING MACHINE ON CALL BACK.

FROM: (2) 25 TECHNOLOGY PL #POD A FL 4 TO (2) BLUE CROSS/BLUE SHIELD / 25 TECHNO  
912 RPTS 914 STAND DOWN WHILE ON ANOTHER CALL  
SECURITY NTFD AND WILL HAVE THE PERSON COME DOWN TO MEET THE OFFICER.  
SPOKE WITH CALLER, SHE WILL MEET OFFICER DOWN STAIRS, SHE WAS NOTIFIED IT WOULD  
BE A DELAYED RESPONSE

\*\*\*\*\*  
\*

Incident #: 17054026    Date: 2017-10-18 15:37:16    Type: FRAUD

Location: PRATTS CROSSING BLDG / 207 LINDEN PONDS WY #133    Disposition: INVESTIGATED/ R (Y)

Notes:

CALLER STATES SHE GAVE HER INFORMATION TO POTENTIAL SCAMMERS. THE TRANACTIONS  
NEVER CLEARED BUT WANTS TO SPEAK TO AN OFFICER  
Added by Update-and-Continue: More information to follow.  
USE DOOR 21  
ADDITIONALLY CALLER STATES THAT STAPLES CALLED HER AND ASKED HER TO CONFIRM HER  
AMEX NUMBER OVER THE PHONE, WHICH SHE DID.  
THE FIRST CALL WAS FROM 'DELL' SPEAKING ABOUT NIGERIAN HACKERS. SECOND CALL WAS  
FROM 'STAPLES'  
PARTY DID GIVE ALL HER INFO TO THE SCAMMER, 914 TO FILE

\*\*\*\*\*  
\*

Incident #: 17054030    Date: 2017-10-18 16:21:36    Type: MEDICAL AID

Location: RITE-AID / 100 DERBY ST #505    Disposition: SERVICES RENDER ( )

Notes:

GRAY SILVER ACURA MA REG 6LNF40 CALLER STATES SOMEONE PASSED OUT IN FRONT SEAT  
Added by Update-and-Continue: More information to follow.  
CALLER DOES NOT WANT TO APPROACH THE PERSON  
STATED THERE IS A PILE OF THROW UP RIGHT OUTSIDE THE CAR  
CALLER IS IN A BLACK PICK UP TRUCK  
CAR IS RUNNING  
CALLER WENT INTO THE STORE THEN CAME BACK OUT CAR WAS STILL RUNNING BEEN ABOUT  
40 MIN  
STATION 3 COMPANIES RESPONDING  
STATION 3 COMPANIES ON SCENE  
914 REPORTS PARTY DOES SEEM UNDER THE WEATHER THINKS HE ATE SOME BAD FOOD

PARTY HAS BEEN CHECKED OUT BY FIRE, WILL BE A REFUSAL, PARTY SENT ON HIS WAY  
NO EMS NEEDED, COMPANIES CLEAR

\*\*\*\*\*  
\*

Incident #: 17054035 Date: 2017-10-18 16:46:01 Type: BUILDING CHK

Location: SU ESCUELA / 75 SGT WM B TERRY DR Disposition: SERVICES RENDER ( )

\*\*\*\*\*  
\*

Incident #: 17054034 Date: 2017-10-18 16:48:12 Type: COMMTY SERV

Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: SERVICES RENDER ( )

Notes:

REQ OFFICER FOR TRAFFIC WHILE CCD LETS OUT,  
Added by Update-and-Continue: More information to follow.

\*\*\*\*\*  
\*

Incident #: 17054036 Date: 2017-10-18 16:58:56 Type: MV STOP

Location: BEAL ST & LINCOLN ST Disposition: VERBAL WARNING ( )

Notes:

VERBAL, CLEAR

\*\*\*\*\*  
\*

Incident #: 17054038 Date: 2017-10-18 16:59:34 Type: MV STOP

Location: MUZZIS CORNER / GEO WASHNGTN BLVD Disposition: VERBAL WARNING ( )

Notes:

VERBAL CLEAR

\*\*\*\*\*  
\*

Incident #: 17054039 Date: 2017-10-18 17:15:55 Type: MV STOP

Location: ROTARY / SHIPYARD DR Disposition: VERBAL WARNING ( )

Notes:

FROM: (2) ROTARTY / SHIPYARD DR TO (2) ROTARY / SHIPYARD DR  
CLEAR WITH A VERBAL

\*\*\*\*\*  
\*

Incident #: 17054043 Date: 2017-10-18 17:20:44 Type: COMMTY SERV

Location: CARLSON FIELD / 28 BARE COVE PARK DR Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17054044 Date: 2017-10-18 17:28:27 Type: BUILDING CHK

Location: CITIZEN SAVINGS BANK / 11 FEARING RD Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17054048 Date: 2017-10-18 17:35:58 Type: BUILDING CHK

Location: TD BANK / 421 LINCOLN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17054049 Date: 2017-10-18 17:40:25 Type: MEDICAL AID

Location: 127 ROCKLAND ST Disposition: SERVICES RENDER ( )

Notes:

CALLER REPORTS SHE SPOKE WITH HER AUNT AND SHE DIDNT SEEM QUIET RIGHT FEMALE  
REPORTS THE BOYFIEND TOLD HER TYHE FEMALE WAAS ALYING ON THE FLOOR AND WOULDNT  
GET UP  
CALLER REPORTS THE FEMALE IS POSSIBLY INTOXICATED OR ON PRESCRIPTION MEDS  
STATION 2 COMPANIES RESPONDING  
STATION 2 COMPANIES ON SCENE STANDING BY AWAITING POLICE  
COMMAND RPTS, MEDICS EVALUATING, APPEARS WILL BE A TX, COMMAND WILL ADVISE ON A

DISPOSITION

FIRE TO TRANSPORT, UNIT CLEAR

COMMAND RPTS WILL BE A MED2 TX, LOADING AND PREPARING FOR TX. E2 AVAILABLE FROM THE SCENE AND COMMAND IS TERMINATED

MED2 TX 1 PT BLS TO THE SSH

E2 CLEAR

MED2 ON ARRIVAL @ THE SSH

\*\*\*\*\*  
\*

Incident #: 17054050 Date: 2017-10-18 17:57:36 Type: FALARM RES DAY

Location: 5 TRIPHAMMER RD / 5 TRIPHAMMER RD Disposition: FALSE/ACCIDENTA ( )

Notes:

FIRST FLOOR AND CELLAR FIRE ALARMS

STATION 1 AND MED3 RESPONDING

ALARM CO RPTS ACCIDENTAL BY COOKING, REQ CANCEL. PROPER PASSCODE

E1 ON SCENE AND MED3 CANCELLED ENROUTE, E1 TO CONFIRM

E1 CLEAR, CONFIRMED ACCIDENTAL

\*\*\*\*\*  
\*

Incident #: 17054056 Date: 2017-10-18 18:43:32 Type: MV STOP

Location: HINGHAM DISTRICT COURT / 28 GEO WASHNGTN BLVD Disposition: VERBAL WARNING ( )

Notes:

VERBAL WARNING

\*\*\*\*\*  
\*

Incident #: 17054066 Date: 2017-10-18 19:42:19 Type: BUILDING CHK

Location: HINGHAM INSTITUTE FOR SAVINGS / 37 WHITING ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17054065 Date: 2017-10-18 19:44:11 Type: MV ERRATIC OP

Location: BACK RIVER BRIDGE / 468 LINCOLN ST      Disposition: GONE ON ARRIVAL ( )

Notes:

Added by Update-and-Continue: More information to follow.

WEYMOUTH PD REPORTS GRY NISSAN ALTIMA MA REG 6SB216 SOUTH ON 3A CROSSING DOUBLE YELLOW LINES

LAST SEEN PASSING UHAUL IN WEYMOUTH TOWARDS HINGHAM

CALLER NO LONGER BEHIND VEHICLE

NO SIGN OF VECH, WILL REMAIN IN AREA

NOW ON DOWNER AV

\*\*\*\*\*  
\*

Incident #: 17054068    Date: 2017-10-18 19:46:40    Type: BUILDING CHK

Location: HINGHAM JEWELERS / 35 WHITING ST      Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17054069    Date: 2017-10-18 19:54:00    Type: MV ERRATIC OP

Location: DOWNER AV & LINCOLN ST      Disposition: GONE ON ARRIVAL ( )

Notes:

CALLER REPORTS A SILVER NISSAN ALTIMA WEAVING ON 3 A SOUTHBOUND TURNED ONTO DOWNER AV CALLER NO LONGER BEHIND MA REG

Added by Update-and-Continue: More information to follow.

918 AND 912 CHECKED OTIS ST, WOMPATUCK RD TO KIMBALL BEACH RD, TO DOWNER NO SIGN OF VECH

\*\*\*\*\*  
\*

Incident #: 17054070    Date: 2017-10-18 20:15:37    Type: 911 ABANDONED

Location: 405 LINCOLN ST      Disposition: FALSE/ACCIDENTA ( )

Notes:

Added by Update-and-Continue: More information to follow.

ATTEMPTING CALL BACK

MANAGER WILL MEET OFFICER OUTSIDE AT REAR DOOR TO CONFIRM ACCIDENTAL



CONFIRMED ACCIDENTAL

\*\*\*\*\*  
\*

Incident #: 17054074 Date: 2017-10-18 20:42:53 Type: BUILDING CHK

Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 17054078 Date: 2017-10-18 21:40:05 Type: MV STOP

Location: HINGHAM ROTARY / SUMMER ST Disposition: CITATION ISSUED ( )

Notes:

CITATION ISSUED

\*\*\*\*\*  
\*

Incident #: 17054080 Date: 2017-10-18 22:26:35 Type: CO ALARM N SYMP

Location: 28 RAYNOR DR Disposition: SERVICES RENDER ( )

Notes:

BASEMENT CO DETECTOR ACTIVATION RESIDENT AT HOME NO SYMPTOMS

E3 ON SCENE

DISREGARD ABOVE NOTE, E3 RESPONDING NOT ON SCENE

E3 ON SCENE

E3 CLEAR, PLUMBING ISSUE ON THE 2ND FLOOR AND DRIPPED DOWN INTO THE CO DETECTOR  
AND HAS BEEN DC'D, E3 CLEAR

\*\*\*\*\*  
\*

Incident #: 17054083 Date: 2017-10-18 23:40:26 Type: BUILDING CHK

Location: 90 INDUSTRIAL PK RD Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

681 record(s)