

HINGHAM POLICE DEPARTMENT

Incident #: 18000175 Date: 2018-01-02 00:49:19 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 18000180 Date: 2018-01-02 01:00:40 Type: BUILDING CHK

Location: EAST ELEMENTRY SCHOOL / 2 COLLINS ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 18000188 Date: 2018-01-02 01:18:49 Type: BUILDING CHK

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 18000190 Date: 2018-01-02 01:41:15 Type: BUILDING CHK

Location: SUPER PETROLEUM / 29 SUMMER ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 18000192 Date: 2018-01-02 02:40:41 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 18000193 Date: 2018-01-02 02:50:21 Type: MEDICAL AID

Location: 1802 HOCKLEY DR Disposition: SERVICES RENDER ( )

Notes:

85 YOM REPORTS BLEEDING FROM HIS HEAD DUE TO SURGERY. CALLER REPORTS HE IS ON BLOOD THINNERS

Added by Update-and-Continue: More information to follow.

CALLER REPORTS THE BLEEDING IS SLIGHTLY CONTROLLED AT THIS TIME

CALLER IS ALERT AND BREATHING.

CALLER REPORTS SURGERY WAS TO REMOVE GROWTH FROM HEAD, 2 WEEKS AGO, WOUND HAS OPENED UP

PT DENIES ANY OTHER ISSUES

PT HAS HISTORY OF A-FIB.

PT WILL BE BY THE DOOR.

E2 REPORTS THIS WILL BE A MEDIC 2 TRANSPORT

MEDIC 2 TRANSPORTING TO SSH

\*\*\*\*\*  
\*

Incident #: 18000195 Date: 2018-01-02 03:52:41 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 18000204 Date: 2018-01-02 06:07:45 Type: MEDICAL AID

Location: PRATTS CROSSING BLDG / 207 LINDEN PONDS WY #134 Disposition: SERVICES RENDER ( )

Notes:

91 YOM UNABLE TO STAND

Added by Update-and-Continue: More information to follow.

FROM: (2) PRATTS CROSSING BLDG / 207 LINDEN PONDS WY TO (2) PRATTS CROSSING BLDG DOOR 23

CALLER REPORTS EMTS ON SCENE WITH PT. NO OTHER INFO AVAILABLE. NO EMD.

PT REPORTED AS ALERT AND BREATHING

MEDIC 3 TRANSPORTING ONE TO SSH BLS

\*\*\*\*\*  
\*

Incident #: 18000207 Date: 2018-01-02 06:21:00 Type: BUILDING CHK

Location: FOSTER ELEMENTARY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 18000208 Date: 2018-01-02 06:27:25 Type: BUILDING CHK

Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 18000209 Date: 2018-01-02 06:34:46 Type: BUILDING CHK

Location: HERB CHAMBERS LEXUS HINGHAM / 141 DERBY ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 18000212 Date: 2018-01-02 07:14:00 Type: ALARM COMM

Location: OFFICE BUILDING / 2 SHARP ST Disposition: FALSE/ACCIDENTA ( )

Notes:

DAN'S HARDWOOD FLOOR. GARAGE DOOR  
CLEAR; ACCIDENTAL BY EMPLOYEES

\*\*\*\*\*  
\*

Incident #: 18000213 Date: 2018-01-02 07:22:39 Type: MEDICAL AID

Location: WOODLAND CROSSING BLDG / 204 LINDEN PONDS WY #501 Disposition: SERVICES RENDER ( )

Notes:

DOOR 12 FOR A 95 YOM VOMMITING AND CHEST PAIN  
Added by Update-and-Continue: More information to follow.  
MEDICAL STAFF WITH PT NO EMD  
E3 REPORTS THIS WILL BE A MEDIC 3 TRANSPORT

MEDIC 3 TRANSPORTING ALS TO SSH

\*\*\*\*\*  
\*

Incident #: 18000218 Date: 2018-01-02 08:42:22 Type: MVC UNK INJURY

Location: JUSTICE CUSHING WY & SUMMER ST Disposition: MVC PAPER EXCHA ( )

Notes:

TWO CAR REAR-END. NO DAMAGE. CALLER STATES THE PASSENGER OF THE OTHER CAR IS TODDLER AND THEY WOULD LIKE HIM CHECKED OUT.

Added by Update-and-Continue: More information to follow.

TOYOTA HIGHLANDER. AND A HONDA CRV.

NO PI NO FIRE SERVICES NEEDED

PAPER EXCHANGE

\*\*\*\*\*  
\*

Incident #: 18000220 Date: 2018-01-02 08:48:39 Type: 911 TRANSFER

Location: SOUTH SHORE REGIONAL EMERGENCY COMM / 210 CENTRAL ST Disposition: LOG ENTRY INFO ( )

Notes:

TRANSFER TO SCITUATE FOR A LOOSE HORSE

\*\*\*\*\*  
\*

Incident #: 18000231 Date: 2018-01-02 10:02:56 Type: MV DISABLED

Location: WEST ST & HILLSIDE Disposition: SERVICES RENDER ( )

Notes:

TIRE CAME OFF THE CAR, PARTY LEFT AND WENT TO 75 THAXTER ST, SHE WILL GO BACK TO THE CAR AND MEET THE OFFICER AT THE MV

SHE ATTEMPTED TO CALL AAA, AND THEY DO NOT ANSWER

912 REPORTS SHE IS OFF TO THE SIDE OF THE ROAD AND WILL CHECK BACK LATER, CLEAR CALLER AND HER HUSBAND WILL BE GOING TO MASS AND LEAVING THE CAR FOR AN HR

\*\*\*\*\*  
\*

Incident #: 18000232 Date: 2018-01-02 10:09:43 Type: ALARM RES

Location: 8 KILBY ST Disposition: ACCID/DEFECT/BU ( )

Notes:

LIVING ROOM WINDOW

NO ANSWER ON PREMISE

REQUEST FOR POLICE: PATROL VOIDED

910 REPORTS AUDIBLE FROM 8 KILBY ST

910 REPORTS RESIDENT IS AT 8 KILBY ST, WENT THRU PROCESS WITH TOWN TO CHANGE

ADDRESS

\*\*\*\*\*  
\*

Incident #: 18000235 Date: 2018-01-02 10:16:26 Type: FIRE INVEST

Location: KING CLEANERS / 193 LINCOLN ST Disposition: ( )

Notes:

FIRE CODE VIOLATIONS

C4 REQUESTING A CODE ENFORCEMENT OFFICER TO LOCATION FROM STATE FIRE MARSHAL

FIRE MARSHAL OFFICE TO CONTACT LOCAL OFFICER

REP FROM CONSERVATION WILL BE ENROUTE TO SCENE

\*\*\*\*\*  
\*

Incident #: 18000236 Date: 2018-01-02 10:20:06 Type: MVC UNK INJURY

Location: JUSTICE CUSHING WY & SUMMER ST Disposition: SERVICES RENDER ( )

Notes:

929 REPORTS MVC, REQUESTING FIRE

NO PI MED 2 OBTAINING REFUSAL COMPANIES AVAIL AT THE SCENE

REQUEST FOR POLICE: PATROL VOIDED

VEH 2 BEING TOWED

\*\*\*\*\*  
\*

Incident #: 18000238 Date: 2018-01-02 10:30:19 Type: 911 ABANDONED

Location: PRATTS CROSSING BLDG / 207 LINDEN PONDS WY #517 Disposition: ACCID/DEFECT/BU ( )

Notes:

Added by Update-and-Continue: More information to follow.

BUSY SIGNAL ON CALL BACK X2

SECURITY NOTIFIED AND WILL BE CHECKING REISDENCE

917 REPORTS CONFIRMED ACCIDENTAL

\*\*\*\*\*  
\*

Incident #: 18000239    Date: 2018-01-02 10:40:32    Type: WELL BEING CK

Location: THAXTER PARK BLDG 9 APT 53-60 / 30 THAXTER ST #57    Disposition: SERVICES RENDER ( )

Notes:

LAST TIME CALLER SPOKE WITH THE PART WAS BEFORE CHRISTMAS. BEEN UNABLE TO MAKE CONTACT WITH HER. CALLER STATES PARTY IS UNWELL AND LIVES ALONE.  
CALLER STATES SHE DOESN'T DRIVE. AND IS MOBILITY IMPARED  
CALLER CONTACTED THAXTER PARK AND WAS DIRECTED TO CONTACT POLICE  
CALLER REQUESTES A CALL BACK  
MEET THE OFFICERS  
912 REOPRTS SHE IS FINE, HAS BEEN HAVING PROBLEMS WITH HER PHONE, UNITS CLEAR  
CALLED BACK CALLER AND ADVISED HER OF THE SITUATION.

\*\*\*\*\*  
\*

Incident #: 18000245    Date: 2018-01-02 11:33:51    Type: PD INVEST

Location: HINGHAM HIGH SCHOOL / 17 UNION ST    Disposition: SERVICES RENDER ( )

Notes:

917 OUT ON FOLLOW UP

\*\*\*\*\*  
\*

Incident #: 18000246    Date: 2018-01-02 11:36:37    Type: MEDICAL AID

Location: 111 HMS FITZROY DR #317    Disposition: SERVICES RENDER ( )

Notes:

89 YOM ALTERED MENTAL STATUS  
HAVING DELUSIONS THAT HE IS IN ANOTHER COUNTRY. NOT COMPLETELY ALERT  
PTS WIFE ALERTED THE MEDICAL ALARM COMPANY

912 CLEAR BY FIRE

SPOKE TO THE PTS DOCTOR, NO TRANSPORT AT THIS TIME.

\*\*\*\*\*  
\*

Incident #: 18000250 Date: 2018-01-02 11:42:12 Type: MISSING PERSON

Location: BAY STATE COMUNITY SERVICES / 100 BEAL ST Disposition: SERVICES RENDER ( )

Notes:

PERSON HAS RETURNED AND IS NO LONGER MISSING FROM NEW YEARS EVE  
910 ADVISED  
920 CONFIRMED SHE HAS RETURNED, CLEAR

\*\*\*\*\*  
\*

Incident #: 18000252 Date: 2018-01-02 11:47:57 Type: TEST

Location: 6 KILBY ST Disposition: TEST 911 CALL ( )

Notes:

TEST CALL ONLY, NO ACTION TO BE TAKEN  
INCIDENT CLOSED

\*\*\*\*\*  
\*

Incident #: 18000253 Date: 2018-01-02 12:01:41 Type: CO ALARM N SYMP

Location: 29 BRADLEY HILL RD Disposition: SERVICES RENDER ( )

Notes:

CHANGED BATTERY IN CO ALARM, AND IT IS STILL BEEPING ABOUT EVERY 15 SECONDS.  
STARTED LAST NIGHT BEFORE A BATTERY CHANGE  
RESIDENT WILL PICK UP NEW CO & SMOKE DETS, UNITS CLEAR

\*\*\*\*\*  
\*

Incident #: 18000259 Date: 2018-01-02 13:03:19 Type: ANIMAL CALL

Location: 55 OAK ST Disposition: SERVICES RENDER ( )

Notes:

ROBIN FLYING INTO THE WINDOWS OF THE HOUSE. WON'T STOP FOR THE LAST 2 HOURS.

ACO ADVISED

Robin was Goa, but gave the homeowner some useful tips to stop it from happening again in the future.

\*\*\*\*\*  
\*

Incident #: 18000261 Date: 2018-01-02 13:13:12 Type: FIRE MV OUTSD

Location: RT 3 N Disposition: NO PD SERVICE R ( )

Notes:

STATE POLICE REPORTS CAQR ON FIRE ON RT 3 NORTH, NORTH OF EXIT 15

NORWELL FIRE RPTS IN BETWEEN EXIT 15 AND 16, FULLY ENGULFED

REQUEST FOR POLICE: PATROL VOIDED

CAR IS FULLY INVOLVED

WEYMOUTH ENROUTE

\*\*\*\*\*  
\*

Incident #: 18000264 Date: 2018-01-02 13:26:13 Type: WATER LEAK INS

Location: 9 SANBORN RD Disposition: SERVICES RENDER ( )

Notes:

CALLER RPTS A PIPE BROKEN IN THE UPSTAIRS BATHROOM. WATER IN THE CIRCUIT PANEL.

CALLER RPTS THAT THEY WERE ABLE TO SHUT THE WATER BUT IT IS STILL COMING OUT.

ELECTRICIAN IS ON SCENE.

917 RPTS THAT THE ELECTRICIAN IS REPORTING THE METER NEEDS TO BE PULLED AND

REQUESTS HINGHAM LIGHT.

HINGHAM LIGHT NOTIFIED AND RESPONDING

LEAKING PIPE BEHIND THE WALL IN THE UPSTAIRS, POWER AND WATER SECURED TO THE HOUSE, ATTEMPTING TO FIND A PLUMBER AT THIS TIME

HINGHAM LIGHT ON SCENE

REQUEST FOR WIRING INSPECTOR TO SCENE

WI OFFICE TO CONTACT HIM

WI ETA 5 MIN

WI NICKERSON ON SCENE

PLUMBER ON SCENE, WI TO REMAIN ON SCENE



\*\*\*\*\*

\*

Incident #: 18000266 Date: 2018-01-02 13:58:47 Type: WATER LEAK INS

Location: HINGHAM YACHT CLUB. / 211 DOWNER AV Disposition: SERVICES RENDER ( )

Notes:

PIPE BURST IN CEILING , CANT FIND THE SHUT OFF  
LOTS OF WATER FLOWING DOWN  
REQUEST FOR WI AFTER CURRENT CALL  
REQUEST FOR BUILDING INSPECTOR  
WI ENROUTE FROM SANBORN  
WI AND BI ON SCENE  
SITUATION RESOLVED

\*\*\*\*\*

\*

Incident #: 18000267 Date: 2018-01-02 14:38:05 Type: MV STOP

Location: 50 FORT HILL ST Disposition: VERBAL WARNING ( )

Notes:

VERBAL, CLEAR

\*\*\*\*\*

\*

Incident #: 18000270 Date: 2018-01-02 14:52:20 Type: CO ALARM N SYMP

Location: 1193 MAIN ST Disposition: SERVICES RENDER ( )

Notes:

CO ALARMS WENT OFF EARLIER, AND ARE NOW BEEPING EVERY MINUTE OR SO, JUST A  
SINGLE DETECTOR  
ALL ALARMS WENT OF EARLIER WHILE PLUMBER WAS ON SCENE AND THEY AIRED OUT THE  
HOUSE, NOW JUST A SINGLE DETECTOR IS BEEPING  
NO READINGS IN THE HOUSE, BATTERY ISSUE  
913 CLEARED BY FIRE

\*\*\*\*\*

\*

Incident #: 18000271 Date: 2018-01-02 15:02:11 Type: ALARM RES

Location: 7 DEVON TERR Disposition: APPEARS SECURE ( )

Notes:

INTERIOR MOTION ALARM  
ALARM COMPANY SPOKE WITH HOMEOWNER. SHE REQUESTED DISPATCH  
906 REPORTS OPEN DOOR, WILL BE CHECKING PROPERTY  
906 REPORTS ALL APPEARS SECURE, CLEAR  
REQUEST FOR POLICE: PATROL VOIDED

\*\*\*\*\*  
\*

Incident #: 18000272 Date: 2018-01-02 15:06:24 Type: PROPERTY FOUND

Location: 8 CAPTAIN THOMSON LN Disposition: INVESTIGATED/ R (Y)

Notes:

TREK MEN'S BIKE. GREEN AND BLACK AT THE END OF THE PROPERTY. BEEN THERE FOR A  
WEEK UNMOVED.  
Added by Update-and-Continue: More information to follow.  
CALLER CHECKED WITH NEIGHBORS, NO ONE KNOWS WHO IT BELONGS TO.  
DPW NTFD. WILL PICK IT UP AND BRING IT TO THE STATION.  
917 AT STATION WAITING DPW TO ARRIVE  
DPW REPORTS BIKE HAS BEEN DROPPED OFF OUT BACK, 917 ADVISED

\*\*\*\*\*  
\*

Incident #: 18000274 Date: 2018-01-02 15:40:30 Type: ANIMAL CALL

Location: 1150 MAIN ST Disposition: SERVICES RENDER ( )

Notes:

Barn Inspection  
Passed, Inspection  
REQUEST FOR POLICE: PATROL VOIDED

\*\*\*\*\*  
\*

Incident #: 18000275 Date: 2018-01-02 15:42:55 Type: PD INVEST

Location: 215 GARDNER ST #B      Disposition: SERVICES RENDER ( )

Notes:

908 AND 909 OUT ON FOLLOW UP

\*\*\*\*\*  
\*

Incident #: 18000280    Date: 2018-01-02 16:29:39    Type: MVC UNK INJURY

Location: 871 MAIN ST      Disposition: SERVICES RENDER ( )

Notes:

CALLER RPTS A CAR HIT A DEER, THERE IS DAMAGE TO THE VEHICLE. GRAY LEXUS SUV MA  
REG 3700FO

Added by Update-and-Continue: More information to follow.

THE DEER IS INJURED, BUT LIMPED OFF.

ENGINE 3 RPTS DAMAGE TO THE FRONT OF THE VEHICLE, VEHICLE IS DRIVEABLE AND NO  
INJURY. COMPANIES ARE CLEAR AND RETURNING.

\*\*\*\*\*  
\*

Incident #: 18000286    Date: 2018-01-02 17:18:25    Type: WATER LEAK INS

Location: 7 MARTINS COVE RD      Disposition: SERVICES RENDER ( )

Notes:

CALLER RPTS THAT UNDER HER HOUSE SHE HEARD A LOUD NOISE UNDER HER LIVING ROOM  
FLOOR, POSSIBLE PIPE BURST.

ENGINE 2 RPTS OUT AND HE HAS COMMAND.

COMMAND RPTS THEY BELIEVE THEY ISOLATED THE PROBLEM AND WILL GET TO DISPATCH  
SHORTLY.

ENGINE 2 RPTS OUTSIDE WATER SPIGOT HAS BEEN ISOLATED AND THE HOMEOWNER KNOWS  
WHAT TO DO.

\*\*\*\*\*  
\*

Incident #: 18000288    Date: 2018-01-02 17:23:26    Type: COMMTY SERV

Location: CVS PHARMACY / 86 SOUTH ST      Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 18000290 Date: 2018-01-02 17:45:22 Type: MV STOP

Location: 155 PROSPECT ST Disposition: CITATION ISSUED ( )

Notes:

OUT ON MV STOP.

SAME REPORTS CLEAR WITH A CITATION.

\*\*\*\*\*  
\*

Incident #: 18000291 Date: 2018-01-02 17:59:04 Type: BUILDING CHK

Location: TD BANK / 421 LINCOLN ST Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 18000293 Date: 2018-01-02 18:10:29 Type: BUILDING CHK

Location: CITIZEN SAVINGS BANK / 11 FEARING RD Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 18000297 Date: 2018-01-02 18:49:11 Type: BUILDING CHK

Location: COURT HINGHAM DISTRICT / 28 GEO WASHNGTN BLVD Disposition: APPEARS SECURE ( )

\*\*\*\*\*  
\*

Incident #: 18000298 Date: 2018-01-02 19:03:33 Type: MV STOP

Location: HINGHAM LIGHT DEPARTMENT GARAGE / 308 CUSHING ST Disposition: CITATION ISSUED ( )

Notes:

916 OUT ON MV STOP.

\*\*\*\*\*

\*

Incident #: 18000303 Date: 2018-01-02 19:53:08 Type: MEDICAL AID

Location: EVERGREEN TERRACE BLDG / 303 LINDEN PONDS WY #APT 308 DOOR 9 Disposition: SERVICES RENDER ( )

Notes:

85 YO MALE WITH FLU LIKE SYMPTOMS  
COMMAND RPTS THIS WILL BE A MEDIC 3 TRANSPORT.  
MEDIC 3 TO SSH.

\*\*\*\*\*

\*

Incident #: 18000309 Date: 2018-01-02 21:15:11 Type: COMMITY SERV

Location: STOP AND SHOP SUPERMARKET / 400 LINCOLN ST Disposition: SERVICES RENDER ( )

Notes:

WALK THRU

\*\*\*\*\*

\*

Incident #: 18000310 Date: 2018-01-02 21:23:26 Type: MV STOP

Location: MAIN ST & SHORT ST Disposition: CITATION ISSUED ( )

Notes:

916 OUT ON MV STOP.

\*\*\*\*\*

\*

Incident #: 18000313 Date: 2018-01-02 23:01:12 Type: MEDICAL ALARM

Location: MAPLE GROVE BLDG / 302 LINDEN PONDS WY #APT 318 DOOR 4 Disposition: SERVICES RENDER ( )

Notes:

92 YO MALE SOB  
FROM: (2) MAPLE GROVE BLDG / 302 LINDEN PONDS WY #APT 318 TO (2) MAPLE GROVE BLD

LINDEN PONDS SECURITY NTFD



\*\*\*\*\*

\*

539 record(s)