

HINGHAM POLICE DEPARTMENT

Incident #: 18002557 Date: 2018-01-15 00:38:32 Type: BUILDING CHK

Location: PLYMOUTH RIVER ELEMENTARY SCHO / 200 HIGH ST Disposition: APPEARS SECURE ()

*

Incident #: 18002556 Date: 2018-01-15 00:42:04 Type: MV STOP

Location: LINCOLN ST & SHIPYARD DR Disposition: VERBAL WARNING ()

Notes:

O/DUNLEA OUT ON A MV STOP, LINCOLN @ SHIPYARD.

*

Incident #: 18002563 Date: 2018-01-15 00:59:35 Type: BUILDING CHK

Location: HINGHAM HIGH SCHOOL / 17 UNION ST Disposition: APPEARS SECURE ()

*

Incident #: 18002565 Date: 2018-01-15 01:06:56 Type: BUILDING CHK

Location: FOSTER ELEMENTRY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ()

*

Incident #: 18002568 Date: 2018-01-15 01:14:20 Type: MV STOP

Location: BACK RIVER BRIDGE / 468 LINCOLN ST Disposition: VERBAL WARNING ()

Notes:

O/DUNLEA OUT ON A MV STOP. O/MILLER ALSO ON SCENE.

*

Incident #: 18002571 Date: 2018-01-15 01:21:30 Type: BUILDING CHK

Location: WHITNEY GORDON INC. / 39 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 18002574 Date: 2018-01-15 01:28:13 Type: BUILDING CHK

Location: EAST ELEMENTRY SCHOOL / 2 COLLINS ST Disposition: APPEARS SECURE ()

*

Incident #: 18002575 Date: 2018-01-15 01:44:17 Type: MEDICAL AID

Location: 108 THISTLE PATCH WY Disposition: SERVICES RENDER ()

Notes:

93yof high temper

Added by Update-and-Continue: More information to follow.

flu like symptoms

101 temp

C3 RPTS THIS WILL BE A TRANSPORT

*

Incident #: 18002577 Date: 2018-01-15 01:55:40 Type: ALARM COMM

Location: TOP NOTCH DISTRIBUTORS / 72 SHARP ST #C-13 Disposition: APPEARS SECURE ()

Notes:

left back motion

Added by Update-and-Continue: More information to follow.

O/DUNLEA EN ROUTE TO THE LOCATION.

FROM: (2) TOP NOTCH DISTRIBUTORS / 72 SHARP ST #C TO (2) TOP NOTCH DISTRIBUTORS

*

Incident #: 18002581 Date: 2018-01-15 02:17:58 Type: BUILDING CHK

Location: HINGHAM MIDDLE SCHOOL / 1103 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 18002582 Date: 2018-01-15 02:24:31 Type: BUILDING CHK

Location: NOTRE DAME ACADEMY / 1073 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 18002583 Date: 2018-01-15 02:38:24 Type: BUILDING CHK

Location: SOUTH SCHOOL / null Disposition: APPEARS SECURE ()

*

Incident #: 18002585 Date: 2018-01-15 04:03:10 Type: FALARM COMM

Location: BLACK ROCK REC CENTER / 25 CLUBHOUSE DR Disposition: UNFOUNDED ()

Notes:

zone 5 zone 8 control panel

C3 REQ A KEY HOLDER RESPOND, DISPATCH CALLED THE ALARM COMPANY AND SPOKE TO A
ARRIVE TO OPEN THE BUILDING.

E3 INVESTIGATING A SPRINKLER ROOM LOW SPRINKLER SWITCH.

SPRINKLER ROOM LOW PRESSURE SWITCH**

C3 RPTS THE POOL HOUSE IS CLEAR

C3 CANCELLING Q1 AND MED3

C3 RPTS SPRINKLER SYSTEM SHUT DOWN, THERE IS SOMEONE ONSITE STANDING BY FOR
MAINTENANCE FROM THE ALARM COMPANY. ALL COMPANIES TO QUARTERS

*

Incident #: 18002586 Date: 2018-01-15 04:11:47 Type: ALARM COMM

Location: MCGUNNIGLE INSURANCE AGENCY IN / 342 ROCKLAND ST Disposition: FALSE/ACCIDENTA ()

Notes:

motion dwetectors

Added by Update-and-Continue: More information to follow.

FROM: (2) 342 ROCKLAND ST TO (2) MCGUNNIGLE INSURANCE AGENCY IN / 342 ROCKLAND S
alarm co advise correct passcode given by keyholder request cancel

*

Incident #: 18002592 Date: 2018-01-15 06:47:31 Type: MVC INJURIES

Location: RT 3 N Disposition: NO PD SERVICE R ()

Notes:

STATE POLICE 1 CAR MVA WITH INJURY RT 3 NORTH SOUTH OF EXIT 15

Added by Update-and-Continue: More information to follow.

E3, MED3 O/S. ONE CAR MVC INTO THE MEDIAN, OFF WITH STATE POLICE

E3 RPTS THIS WILL BE A MED3 TRANSPORT

*

Incident #: 18002600 Date: 2018-01-15 09:37:55 Type: MEDICAL AID

Location: NHIC / 75 SGT WM B TERRY DR Disposition: SERVICES RENDER ()

Notes:

BACK DOOR FOR AN EMPLOYEE WHO HAS A BAD COUGH, DIFFICULTY BREATHING.

Added by Update-and-Continue: More information to follow.

FEMALE IS 56 YEARS OLD.

HURTS HER TO BREATH, CRACKLING IN HER CHEST.

DIZZY.

DOES USE AN INHALER AND USED IT AT 0430 AM.

BREATHING DIFFICULTY CARD USED.

ENGINE 2 RPTS MEDIC TO IS LOADED FOR TRANSPORT, ENGINE 2 CLEAR AND RETURNING.

MEDIC 2 ALS TO SSH.

*

Incident #: 18002601 Date: 2018-01-15 09:47:50 Type: MEDICAL AID

Location: SOUTH SHORE HOSPITAL CENTER OR / 2 POND PK RD #6C Disposition: SERVICES RENDER ()

Notes:

SOUTH SHORE ORTHOPEDICS. 76YOM PASSED OUT WHEN HAVING STAPLES REMOVED. PRE
DIABETIC
NURSE ON SCENE
ENTER THE LOBBY AND PATIENT IS ALL THE WAY DOWN THE HALL ON THE LEFT
SOUTH SHORE HOSPITAL WILL BE SENDING A TRUCK THAT WAY.
ENGINE 3 RPTS SOUTH SHORE HOSPITAL TRUCK IS ALSO ON SCENE.
ENGINE 3 RPTS MEDIC 3 CAN CANCEL.
REQUEST FOR FIRE/RESCUE: AMBULANCE VOIDED
COMPANIES CLEARED BY SSH.

*

Incident #: 18002602 Date: 2018-01-15 09:57:53 Type: DISPUTE

Location: HEWITTS COVE MARINA,LLC (SEA C / 24 SHIPYARD DR Disposition: SERVICES RENDER ()

Notes:

CALLER FROM THE MARINA LOOKING TO SPEAK WITH THE HARBORMASTER RE A VESSEL IN
THE WATER AND A CUSTOMER SHE IS HAVING ISSUES WITH, MESSAGE LEFT ON HM CORSON
VOICEMAIL
NO ANSWER IN HM OFFICE
NO ANSWER FOR HARBOR MASTER OVER THE AIR
OFFICER REQUESTS ENVIROMENTAL PD RESPOND
ENVIROMENTAL PD REPORTS THEIR SGT SPOKE TO THE BOAT OWNER YESTERDAY, OWNER
MAKING ARANGMENTS TO HAVE THE BOAT SALVAGED. ENVIROMENTAL PD SGT TO CALL
HINGHAM HQ UPON RETURN TO THEIR HQ AND ADVISE OF THE CONVERSATION

*

Incident #: 18002605 Date: 2018-01-15 10:12:53 Type: MEDICAL AID

Location: BIRCH CREEK BLDG / 301 LINDEN PONDS WY #608 Disposition: SERVICES RENDER ()

Notes:

80 YOF HAS HEART PALPATIONS
IS AWAKE AND TALKING, LINDEN PONDS SECURITY IS WITH PT
ENGINE 3 ON SCENE.
MEDIC 3 ON SCENE.
ENGINE 3 RPTS THIS WILL BE A TRANSPORT.

*

Incident #: 18002607 Date: 2018-01-15 10:29:34 Type: ATT BREAK HOUS

Location: 52 RHODES CIR Disposition: INVESTIGATED/ R (Y)

Notes:

CALLER STATES TWO DAYS AGO SHE DISCOVERED 4 OF HER WINDOW SCREENS AT HER HOUSE ARE BROKEN, A LADDER OUTBACK HAS BEEN MOVED. SAME ALSO STATES SHE THINKS SHE IS MISSING HER LICENSE TO CARRY AND MISSING STATE ID. SHE BELIEVES WHO EVER IS ATTEMPTING TO BREAK INTO HER HOUSE MAY BE INTERESTED IN HER FIRE ARMS. 912 TO FILE.

*

Incident #: 18002611 Date: 2018-01-15 11:04:39 Type: WATER LEAK OUTS

Location: 101 DOWNER AV Disposition: SERVICES RENDER ()

Notes:

DPW WORKER REPORTS APPEARS TO BE A OUTSIDE WATER LEAK.
Added by Update-and-Continue: More information to follow.
STATES ON DOWNER JUST BY OTIS IN THE AREA OF 101 DOWNER.
AQUARION WATER NTFD.
HINGHAM ENGINE 2 TO HANDLE AFTER HIS MEDICAL.
912 STATES HE IS IN THE AREA, NOTHING APPARENT, THERE IS A WET SPOT THAT DOESNT MAKE MUCH SENSE, REQ AQUARION TO SCENE
WATER COMPANY O/S BELIEVE IT TO BE GROUND WATER, UNIT CLEAR.
INCIDENT CLOSED

*

Incident #: 18002612 Date: 2018-01-15 11:05:50 Type: MEDICAL AID

Location: ST PAUL S CHURCH / 147 NORTH ST Disposition: SERVICES RENDER ()

Notes:

ELDERLY MALE POSSIBLE HEART ATTACK
Added by Update-and-Continue: More information to follow.
HE IS SITTING IN THE PUES TOWARDS THE REAR
SLID OFF THE SEAT ONTO THE FLOOR

HE IS AWAKE AND BREATHING

DR BATISTA IS ON SCENE

2ND CALLER.

3 911 CALLER REPORTING SAME.

*

Incident #: 18002613 Date: 2018-01-15 11:37:13 Type: TRAFFIC HAZ

Location: ANCHOR PLAZA / 211 LINCOLN ST Disposition: REFERRED TO OTH ()

Notes:

LARGE POTHOLE IN THE NORTH BOUND LANE ON 3A IN FRONT OF THE PLAZA

Added by Update-and-Continue: More information to follow.

THE CONES THAT HAD BEEN IN THE HOLE ARE SMASHED UP

912 REQ STATE HWY BE CONTACTED

STATE HWY NOTIFIED AND WILL HANDLE.

913 ALSO STATES THERE IS A LARGE POTHOLE 3A SOUTHBOUND RIGHT BEFORE BULOW, AND

ANOTHER RT 3A SOUTHBOUND RIGHT BEFORE FOTTLER RD.

MASS DOT HWY UPDATED AND ADVISED OF THE OTHER POT HOLES AS WELL

*

Incident #: 18002618 Date: 2018-01-15 12:11:29 Type: ALARM COMM

Location: MCGUNNIGLE INSURANCE AGENCY IN / 342 ROCKLAND ST Disposition: APPEARS SECURE ()

Notes:

ALARM CO REPORTS MOTIONS DETECTOR ACTIVE

Added by Update-and-Continue: More information to follow.

OFFICER REPORTS BUILDING APPEARS SECURE.

*

Incident #: 18002619 Date: 2018-01-15 12:17:45 Type: MEDICAL ALARM

Location: THAXTER PARK BLDG 1 APT 1-6 / 30 THAXTER ST #5 Disposition: SERVICES RENDER ()

Notes:

73 YAO MALE FELL OUT OF HIS CHAIR, NEEDS HELP GETTING GETTING BACK UP

MED2 CANCELLED BY ENGINE 2
LIFT ASSIST ONLY

*

Incident #: 18002620 Date: 2018-01-15 12:17:48 Type: DPW

Location: CHESTNUT ST Disposition: REFERRED TO OTH ()

Notes:

CALLER REPORT TOP OF HER HILL IS ALL ICE, NOTIFIED WILL HAVE SOMEONE
SWING THROUGH

*

Incident #: 18002621 Date: 2018-01-15 13:02:23 Type: MVC MINOR

Location: WHOLE FOODS (BLDG A) / 94 DERBY ST #200 Disposition: SERVICES RENDER ()

Notes:

CALLER STATES THERE IS A YOUNG FEMALE OPERATOR ATTEMPTING TO BACKOUT OF A
PARKING SPACE THAT KEEPS SCRAPING ANOTHER VEHICLE
Added by Update-and-Continue: More information to follow.
SUSP IN A GREY CARAVAN
MA REG TC94EE
UNOCCUPIED VEHICLE BEING STRUCK IS A DARK GREY JEEP CHEROKEE OR LIBERTY
NO ONE HERE HAS CONFRONTED THE OPERATOR
CALLER HAS HER DAUGHTER WITH HER AND DOES NOT WANT TO APPROACH VEHICLE, IT IS
NOW LEAVING
VEHICLE IS LEAVING PARKING LOT
IT HAS A COLLEGE STICKER IN THE BACK LOWER WINDOW OF THE VAN
VEHICLE IS LOOPING AROUND THE LOT CURRENTLY
SHE IS DRIVING TOWARDS BERTUCCIS
VEHICLE IS PARKED RIGHT ACROSS FROM THE CARRIAGES AT BERTUCCIS
TWO GIRLS EXITED THE VEHICLE AND NOW WALKING TOWARDS THE PAPER STORE
ONE WITH BRUNETTE HAIR IN A BUN, OTHER HAS LONG BLONDE HAIR THAT IS DOWN
ONE WEARING DUGAREE JACKET, OTHER WEARING A LONG BLACK COAT
2 WHITE FEMALES CURRENTLY WALKING INTO WHOLE FOODS
REPORTING PARTY IS STANDING INFRONT OF WHOLE FOODS
FEMALES WALKED INTO WHOLE FOODS
CALLER IS WEARING A BLACK JACKET WITH FUR HOOD, BLACK AND WHITE SCARF, BLACK
HAIR

914 STATES THE RP DIRECTED HIM TOWARDS WHERE THE CARAVAN IS, IT IS NOT LOCATED NEAR BERTUCCIS, HEADING TOWARDS THE VEHICLE NOW.

REQUEST FOR POLICE: TRAFFIC VOIDED

914 STATES THE VEHICLE THAT WAS STRUCK (MA REG 2VHC60) HAS A NOTE ON IT FROM THE OPERATOR OF THE CARAVAN STATING WHAT HAS HAPPENED. DAMAGE TO BOTH VEHICLES IS EXTREMELY MINOR. UNIT STANDING BY THE CARAVAN ATTEMPTING TO SPEAK TO THE OPERATOR.

SPOKE WITH OPERATOR OF THE VAN AND THE VICTIM WHOS VEHICLE WAS STRUCK. PAPER EXCHANGE WAS DONE. UNINVESTIGATED AS DAMAGE IS EXTREMELY MINOR AND IT OCCURED IN A PARKING LOT.

*

Incident #: 18002622 Date: 2018-01-15 13:16:04 Type: TRAFFIC HAZ

Location: BEAL ST & SGT WM B TERRY DR Disposition: REFERRED TO OTH ()

Notes:

LIGHTS ARE ON FLASH

DPW STATES LIGHTS HAVE TO STAY ON FLASH UNTIL ATLEAST TOMORROW, MOISTURE GETTING IN THE PANEL SETS THEM BACK TO FLASH.

*

Incident #: 18002629 Date: 2018-01-15 14:52:14 Type: BREAK PAST

Location: SOUTH SHORE SPORTS CENTER / 55 RECREATION PK DR Disposition: INVESTIGATED/ R (Y)

Notes:

CALLER REPORTS TWO CARS WINDOWS WERE SMASHED OUTSIDE, ONE CAR LEFT BUT LEFT THEIR CONTACT INFO AND REPORTED NOTHING STOLEN, SECOND VEHICLE STILL ON SCENE.

SECOND CAR REPORTING BAG WAS STOLEN OUT OF VEHICLE

NOT SURE IF ANYONE SAW WHAT HAPPENED

914 CLEAR AND FILING. UNIT CHECKING THE AREA FOR OTHER VEHICLES WITH DAMAGES.

*

Incident #: 18002633 Date: 2018-01-15 15:10:05 Type: MV STOP

Location: CUSHING ST & DERBY ST Disposition: VERBAL WARNING ()

Notes:

CLEAR; VERBAL

*

Incident #: 18002637 Date: 2018-01-15 16:01:08 Type: MEDICAL ALARM

Location: THAXTER PARK BLDG 1 APT 1-6 / 30 THAXTER ST #5 Disposition: SERVICES RENDER ()

Notes:

MALE FELL

Added by Update-and-Continue: More information to follow.

STATION 2 COMPANIES RESPONDING

MED 2 ON SCENE, E2 RESPONDING FROM STATION 1

E2 ON SCENE

912 CLEAR, FIRE TO HANDLE

STATION 2 C/R, LIFT ASSIST ONLY

*

Incident #: 18002642 Date: 2018-01-15 16:37:22 Type: BUILDING CHK

Location: WOMPATUCK STATE PARK ADMIN BUILDING / 205 UNION ST Disposition: APPEARS SECURE ()

*

Incident #: 18002641 Date: 2018-01-15 16:54:29 Type: BUILDING CHK

Location: HINGHAM JEWELERS / 35 WHITING ST Disposition: APPEARS SECURE ()

*

Incident #: 18002640 Date: 2018-01-15 17:00:22 Type: 911 ACCIDENT

Location: ALLERTON HOUSE AT HARBOR PARK / 15 CONDITO RD #225 Disposition: 911 ACCIDENTAL ()

Notes:

ON THE CALL BACK

CALLED THE FRONT DESK, WILL SEND SOMEONE TO CHECK ON RESIDENT. IN ADDITION ON THE CALL BACK, THE RESIDENT WAS NOT AWARE SHE CALLED, A LITTLE CONFUSED, BUT STATED NO EMERGENCY.

FROM: 911 ABANDONED TO 911 ACCIDENT

POLICE FROM: 911 ABANDONED TO 911 ACCIDENT

CONFIRMED ACCIDENTAL

*

Incident #: 18002645 Date: 2018-01-15 17:02:27 Type: BUILDING CHK

Location: HINGHAM INSTITUTION FOR SAVINGS / 37 WHITING ST Disposition: APPEARS SECURE ()

*

Incident #: 18002646 Date: 2018-01-15 17:27:52 Type: MV STOP

Location: 290 LINCOLN ST Disposition: CITATION ISSUED ()

Notes:

CITATION

*

Incident #: 18002648 Date: 2018-01-15 17:59:59 Type: ALARM COMM

Location: TOSCA / 14 NORTH ST Disposition: ACCID/DEFECT/BU ()

Notes:

CIGAR ROOM, KITCHEN MOTION
ACCIDENTAL BY EMPLOYEE

*

Incident #: 18002652 Date: 2018-01-15 18:22:21 Type: MV STOP

Location: 462 MAIN ST Disposition: CITATION ISSUED ()

Notes:

CITATION

*

Incident #: 18002655 Date: 2018-01-15 19:04:45 Type: BUILDING CHK

Location: DERBY SHOPS / 100 DERBY SHOPPES RD W Disposition: APPEARS SECURE ()

*

Incident #: 18002656 Date: 2018-01-15 19:15:08 Type: POLICE INFO

Location: NEW HINGHAM LIGHT DEPARTMENT / 14 BARE COVE PARK DR Disposition: LOG ENTRY INFO ()

Notes:

917 REPORTS THERE IS A TT UNIT SPENDING THE NIGHT WAITING TO MAKE A DELIVERY
TOMORROW MORNING

*

Incident #: 18002660 Date: 2018-01-15 20:18:19 Type: TRAFFIC HAZ

Location: 13 CHESTNUT ST Disposition: LOG ENTRY INFO ()

Notes:

CALLER UPSET THAT HER STREET HAS NOT BEEN SANDED, HAS MADE SEVERAL CALLS.
MESSAGE FOR DPW WAS LEFT.

*

Incident #: 18002661 Date: 2018-01-15 20:50:13 Type: LARC REPORT

Location: DERBY CLUBHOUSE / 203 LINDEN PONDS WY Disposition: INVESTIGATED/ R (Y)

Notes:

SECURITY RPTS AN EMPLOYEE AT LINDEN PONDS RPTS HER POCKETBOOK, BAG WITH
CLOTHING AND SWEATSHIRT WERE STOLEN.
913 SPOKE WITH SECURITY, STATES THEY ARE REVIEWING FOOTAGE WITH NO LEADS RIGHT

NOW. 913 TO FILE

*

Incident #: 18002662 Date: 2018-01-15 21:38:00 Type: MISSING PERSON

Location: BAY STATE COMUNITY SERVICES / 100 BEAL ST Disposition: SERVICES RENDER ()

Notes:

FEMALE HAS RETURNED
912 CONFIRMS FEMALE HAS RETURNED

*

Incident #: 18002663 Date: 2018-01-15 21:48:12 Type: MV STOP

Location: 49 ROCKLAND ST Disposition: CITATION ISSUED ()

Notes:

2 CITATIONS ISSUED

*

Incident #: 18002664 Date: 2018-01-15 21:50:23 Type: BUILDING CHK

Location: SOUTH ELEMENTARY SCHOOL / 831 MAIN ST Disposition: APPEARS SECURE ()

*

Incident #: 18002665 Date: 2018-01-15 22:07:08 Type: BUILDING CHK

Location: FOSTER ELEMENTRY SCHOOL / 55 DOWNER AV Disposition: APPEARS SECURE ()

*

Incident #: 18002667 Date: 2018-01-15 22:15:57 Type: COMMTY SERV

Location: AJ S GULF / 179 LINCOLN ST Disposition: APPEARS SECURE ()

*

Incident #: 18002672 Date: 2018-01-15 23:27:54 Type: NOISE COMPLAINT

Location: PLANET FITNESS / 211 LINCOLN ST Disposition: SERVICES RENDER ()

Notes:

CALLER RPTS THERE IS A LOADER IN THE PLANET FITNESS PARKING LOT RUNNING.
FROM: (2) 8 BULOW RD TO (2) PLANET FITNESS / 211 LINCOLN ST
2ND CALL FROM RP, IS UPSET THAT THE CAR WAS DIVERTED TO ANOTHER CALL, THE
TRACTOR IN THE PARKING LOT IS CLEARING SNOW AND THIS DOES NOT NEED TO BE DONE
NOW
912 REPORTS THEY'RE FINISHING UP AND WILL BE ON THEIR WAY SHORTLY

*

Incident #: 18002673 Date: 2018-01-15 23:30:58 Type: ALARM BANK

Location: SANTANDER / 9 SUMMER ST Disposition: APPEARS SECURE ()

Notes:

Vault Alarm, REQ PERMITER CHECK FOR SP ACTIVITY OR VANDALISM.
PROPERTY CHECKS SECURE

*

Incident #: 18002674 Date: 2018-01-15 23:35:23 Type: OPEN DR WN

Location: 5 KRESS FARM RD Disposition: SERVICES RENDER ()

Notes:

CALLER RPTS THAT SHE OPENED HER CELLAR DOOR AND FELT A DRAFT AND SHE WENT DOWN
A FEW STEPS AND NOTICED HER CELLAR WINDOW IS OPEN AND IS NERVOUS
917 REPORTS HE WAS ABLE TO SECURE THE WINDOW. CLEAR

*